

Supplemental Labeling

Tenkoz Inc.

1725 Windward Concourse

Alpharetta, GA 30005 USA

Staunch™ Herbicide

EPA Reg. No. 62719-570-55467

Fall and Spring Early Preplant Applications

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for Staunch™ herbicide before applying. Follow all applicable use directions and precautions on the EPA-registered label.
- Use of Staunch according to this supplemental labeling is subject to all restrictions and limitations imposed by the label affixed to the product container.

Directions for Use

Refer to product label for General Use Precautions, Mixing and Application instructions.

Staunch™ herbicide may be applied in the fall or early spring at 2 – 3 pints per acre.

Spring Early Preplant Applications: On medium and fine textured soils, Staunch may be applied 21 or more days prior to planting. If the application is made less than 21 days prior to planting, please refer to product label for specific use rate recommendations.

Fall Applications: Following soybean harvest, apply to soybean stubble after October 15, when the sustained soil temperature at 4-inch depth is less than 50 degrees F, but before ground freezes. Use on medium and fine textured soils with greater than 2.5% organic matter. Only corn may be planted the following spring. Ground may be tilled before or after application. Do not exceed 2-inch incorporation depth if tilled after application. If a spring application is made, the total rate of the fall plus spring application must not exceed 3.5 pints per acre.

™Trademark of Tenkoz Inc.

EPA Accepted: 02/07/08
Initial printing.