

Supplemental Label



Valent U.S.A. Corporation
P. O. Box 8025
Walnut Creek, CA 94596-8025

SELECT[®] 2 EC HERBICIDE EPA Reg. No. 59639-3

FOR USE ON CANOLA AND FLAX

PRE-HARVEST INTERVAL REDUCED, RATE RANGE EXPANDED

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

GENERAL RESTRICTIONS AND LIMITATIONS

For canola and flax, do not apply more than 16 fl. oz. of SELECT 2 EC (0.25 lb. ai) per acre per season. Application on Long Island, New York, is restricted to no more than 16 fl. oz. of SELECT 2 EC (0.25 lb. ai) per acre per season.

Do not apply more than 6 fl. oz./A of SELECT 2 EC per application to canola. Do not apply more than 8 fl. oz./A of SELECT 2 EC per application to flax. Exceeding these recommendations may result in unacceptable crop injury.

Addition of liquid fertilizer is not recommended for these crops.

CROP SPECIFIC RESTRICTIONS AND LIMITATIONS FOR SELECT 2 EC

Crops	Minimum Time From Application to Harvest (PHI)	Use Rates Per Acre	Crop Oil Concentrate Rates Per Acre ⁽¹⁾	Special Use Instructions
Canola	70 days	4 - 6 fl. oz.	1% v/v in the finished spray volume.	Do not apply after crop has begun bolting. Crop injury may occur when SELECT 2 EC is applied during the bloom period. Do not exceed 16 fl. oz./A in a season.
Flax	60 days	6 - 8 fl. oz.	1% v/v in the finished spray volume.	Apply prior to bloom. Crop injury may occur when SELECT 2 EC is applied during the bloom period. Do not exceed 16 fl. oz. in a season.

⁽¹⁾ Acceptable crop oil concentrates would be those which contain a minimum of 80% oils and 15% emulsifier. A crop oil concentrate must contain either a petroleum or vegetable oil base and must meet all the following criteria: be non-phytotoxic, contain only EPA exempt ingredients, provide good mixing quality and be successful in local experience. Highly refined vegetable oils have proven more satisfactory than unrefined vegetable oils. See the Addition of adjuvant and Crop Oil Concentrate section on the container label for further information.

**DIRECTIONS FOR REDUCED RATE USE IN CANOLA AND FLAX
RECOMMENDATIONS FOR SMALL ANNUAL GRASSES
(REDUCED RATE RECOMMENDATIONS NOT FOR USE IN CALIFORNIA)**

- Apply only to actively growing grasses at recommended weed heights.
- Apply when the first grass weed species in a mixed grass weed population reaches the recommended growth stage for treatment.
- Regrowth by tillering may occur if application is made when plants are stressed by lack of moisture, excessive moisture, low or high temperatures and/or under very low humidity.

GRASS SPECIES	SCIENTIFIC NAME	WEED HEIGHT (inches)	RATE FL.OZ/ ACRE ⁽¹⁾
Barnyardgrass	<i>Echinochloa crus-galli</i>	1 to 4	4
Broadleaf Signalgrass	<i>Brachiaria platyphylla</i>	1 to 4	5
Crabgrass			
Large	<i>Digitaria sanguinalis</i>	1 to 3*	4
Large	<i>Digitaria sanguinalis</i>	1 to 4*	5
Smooth	<i>Digitaria ischaemum</i>	1 to 3*	4
Smooth	<i>Digitaria ischaemum</i>	1 to 4*	5
Southern	<i>Digitaria ciliaris</i>	1 to 4*	5
Fall Panicum	<i>Panicum dichotomiflorum</i>	1 to 4	4
Foxtail			
Giant	<i>Setaria faberi</i>	1 to 4	4
Green	<i>Setaria viridis</i>	1 to 4	4
Millet	<i>Setaria italica</i>	1 to 4	5
Yellow	<i>Setaria glauca</i>	1 to 4	4
Seedling Johnsongrass	<i>Sorghum halepense</i>	1 to 6	5
Shattercane	<i>Sorghum bicolor</i>	4 to 10	4
Texas Panicum	<i>Panicum texanum</i>	1 to 4	5
Volunteer Cereals			
Barley	<i>Hordeum vulgare</i>	1 to 4	5
Oats	<i>Avena sativa</i>	1 to 4	5
Wheat	<i>Triticum aestivum</i>	1 to 4	5
Volunteer Corn**	<i>Zea mays</i>	4 to 12	4
Wild Proso Millet	<i>Panicum miliaceum</i>	1 to 6	4
Wild Oats	<i>Avena fatua</i>	1 to 4	5

*Length of lateral growth

**Not S.R. Corn

⁽¹⁾ Always add a crop oil concentrate at 1 qt./A by ground application to the finished spray volume.

**REDUCED RATE SELECT 2 EC TANK MIXES WITH BROADLEAF HERBICIDES FOR CANOLA
(Refer to the recommendation on the container label for specific grasses and growth stages.)**

PRODUCT	APPLICATION RATES/ACRE			
	ANNUAL GRASSES ⁽¹⁾	PERENNIAL GRASSES	AMMONIUM SULFATE	
			GROUND	AIR
SELECT 2 EC ⁽²⁾ + LIBERTY® ⁽³⁾	4 to 5 fl. oz. + 34 fl. oz.	---	3.0 lbs.	3.0 lbs.

⁽¹⁾ Annual grasses and sizes controlled with these tank mixtures are those that are identified in the **DIRECTIONS FOR REDUCED RATE USE IN CANOLA AND FLAX RECOMMENDATIONS FOR SMALL ANNUAL GRASSES** table.

⁽²⁾ Do not apply SELECT 2 EC tank mix during or after bolting or flowering or crop injury may occur.

⁽³⁾ For use only on Liberty Link® canola

REDUCED RATE SELECT 2 EC TANK MIXES WITH BROADLEAF HERBICIDES FOR FLAX
(Refer to the recommendation on the container label for specific grasses and growth stages)

PRODUCT	APPLICATION RATES/ACRE			
	ANNUAL GRASSES ⁽¹⁾	PERENNIAL GRASSES	CROP OIL CONCENTRATE	
			GROUND	AIR
SELECT 2 EC + BRONATE ADVANCED™ ^(2, 3)	4 to 5 fl. oz. + 11.4 fl. oz.	-	1 pt.	1 pt.
SELECT 2 EC + BRONATE® ^(2, 3)	4 to 5 fl. oz. + 0.9 pt.	-	1 pt.	1 pt.
SELECT 2 EC + BUCTRIL® ^(2, 3)	4 to 5 fl. oz. + 1.0 pt.	-	1 pt.	1 pt.
SELECT 2 EC + RHONOX® ^(2, 3)	4 to 5 fl. oz. + 0.25 to 0.5 pt.	-	1 pt.	1 pt.

⁽¹⁾ Annual grasses and sizes controlled with these tank mixtures are those that are identified in the **DIRECTIONS FOR REDUCED RATE USE IN CANOLA AND FLAX RECOMMENDATIONS FOR SMALL ANNUAL GRASSES table.**

⁽²⁾ Do not apply SELECT 2 EC tank mix during or after the bud stage or to ornamental flax or crop injury may occur.

⁽³⁾ Do not apply tank mixes if temperatures are expected to exceed 85°F at (or 3 days following) application or crop injury may occur.

THIS LABELING MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION. PLEASE REFER TO CONTAINER LABEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. FOLLOW ALL APPLICATION DIRECTIONS, RESTRICTIONS, AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

PLEASE CONTACT VALENT U.S.A. CORPORATION AT 1-800-6-VALENT (682-5368) TO DETERMINE IF THIS USE IS REGISTERED IN YOUR STATE.

Copyright © 2004 by Valent U.S.A. Corporation

BRONATE, BRONATE ADVANCED - Reg. TM of Bayer Crop Science
 BUCTRIL - Reg. TM of Bayer Corporation
 LIBERTY, LIBERTY LINK - Reg. TM of Bayer Corporation
 RHONOX - Reg. TM of Nufarm Americas Inc.
 SELECT - Reg. TM of Valent U.S.A. Corporation

Manufactured for
 Valent U.S.A. Corporation
 P. O. Box 8025
 Walnut Creek, CA 94596-8025
 www.valent.com

Made in U.S.A.
 Form 2004-SEL-0010



Products That Work, From People Who Care™ | www.valent.com | 800-6-VALENT (682-5368)

2004-SEL-0010 4/04 (mf)