

RESTRICTED USE PESTICIDE

Due to Acute Toxicity

For retail sale to and use only by Certified Applicators, or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

syngenta.

INTRA

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF IDAHO

Gramoxone® SL 2.0

Desiccation of Alfalfa to Facilitate Harvest of Alfalfa Grown For Seed

EPA Reg. No. 100-1431

EPA SLN No. ID-120002

This label expires and must not be distributed or used in accordance with this SLN registration after December 31, 2020

Active Ingredient:

Paraquat dichloride (1,1'-dimethyl-4,4'-bipyridinium dichloride)..... 30.1%

Other Ingredients:..... 69.9%

Total:..... 100.0%

KEEP OUT OF REACH OF CHILDREN



DANGER / POISON
PELIGRO / VENENO

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label and the federal label for this product must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on this Supplemental label and the main EPA-registered label.

- FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL MAY RESULT IN POOR DESICCATION, ILLEGAL RESIDUES AND/OR CROP INJURY.

Environmental Hazards

Wildlife: This product is toxic to wildlife. For terrestrial uses: Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

Drift: Gramoxone SL 2.0 is a contact herbicide that desiccates all green plant tissue. Paraquat dichloride is a nonselective herbicide and will cause damage to nontarget crops and plants if off-target movement occurs. Extreme care must be taken to ensure that off-target drift is minimized to the greatest extent possible. Do not apply under conditions involving possible drift to food, forage, or other plantings that might be damaged or the crops thereof rendered unfit for sale, use, or consumption. Do not apply when weather conditions favor drift from treated areas. To avoid drift, do not make aerial applications during periods of thermal inversion. Refer to the local state laws, regulations, guidelines and spray drift information contained in the Directions for Use section for proper application to avoid off-target movement.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

For Harvest Aid and Desiccation Applications, Preplant or Preemergence (Broadcast or Banded), and Postemergence Directed Spray: Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Shoes plus socks
- Protective eyewear
- Chemical-resistant gloves - Category A (e.g. barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride (PVC) or Viton).

Do not apply this product through any type of irrigation system.

Specific Crop Use Directions

Crop	Use Pattern	Rate Per Treated Acre	Minimum Spray Volume gal/acre	Preharvest Interval (Days)
Alfalfa Desiccation of alfalfa to facilitate harvest of alfalfa seed	Broadcast	2.5 – 4.0 pt	Ground: 20-25 gal Air: 5-10 gal	See precautions below

ALWAYS ADD ONE OF THE FOLLOWING:

Add a nonionic surfactant containing 75% or more surface-active agent at 0.125% v/v (1 pint per 100 gallons), OR add a nonionic surfactant containing 50-74% surface-active agent at 0.25% v/v (2 pints per 100 gallons) of the finished spray volume for ground applications. For aerial applications, add a nonionic surfactant at 0.25% v/v (2 pints per 100 gallons) of the finished spray volume

Precautions, Restrictions, and Comments:

- DO NOT apply more than two applications per year
- DO NOT harvest until at least 4 days after application.
- DO NOT apply when weather conditions favor drift from treated areas.
- DO NOT apply by ground equipment within 25 ft or by air within 75 ft of lakes; reservoirs; rivers; permanent streams, marshes or natural ponds; estuaries; and commercial fish ponds.
- For use only on fields in production of alfalfa seed. Not for use on fields producing alfalfa for livestock feed. No portion of the treated field, including seed, seed screenings, hay forage, or stubble, may be used for human or animal feed. Screenings from alfalfa seed processing are prohibited from feed channels. All Gramoxone SL 2.0 treated alfalfa seed screenings must be removed from the feed market.
- DO NOT cut current year's alfalfa seed crop for hay or forage. DO NOT graze current year's treated alfalfa seed crops.
- Treated alfalfa seed is not to be used for sprouting. All alfalfa seed treated with Gramoxone SL 2.0 is to be tagged at processing plants, "NOT FOR HUMAN CONSUMPTION OR ANIMAL FEED". It shall be the grower's responsibility to notify the processing plants of any seed crop treated with Gramoxone SL 2.0.
- DO NOT apply this product through any type of irrigation system.

©2017 Syngenta

Gramoxone® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: ID1431116BA0817