

**RESTRICTED USE PESTICIDE
DUE TO ACUTE INHALATION TOXICITY AND CARCINOGENICITY**

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Product Bulletin



Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Lorsban[®] Advanced

EPA Reg. No. 62719-591

Special 2(ee) Recommendation[†]
(For Distribution and Use Only in the State of Oregon)

Control of Flatheaded Borers in Filbert

ATTENTION

[†] **This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by EPA.**

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- Read the label affixed to the container for Lorsban[®] Advanced before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lorsban Advanced according to this Section 2(ee) recommendation is subject to all use precautions and limitations imposed by the label affixed to the container for Lorsban Advanced.

Directions for Use

Refer to product label for Lorsban Advanced for General Use Precautions, Mixing and Application instructions.

Apply Lorsban Advanced insecticide at a rate of 3 - 4 pints per acre. Treat when pests appear or in accordance with local conditions. Consult your State agricultural experiment station, certified pest control advisor, or extension service specialist for specific use information in your area. Mix the required dosage in sufficient water to ensure thorough and complete coverage. Do not exceed the maximum application rate per acre per season.

Specific Use Restrictions:

- **Preharvest Interval:** Do not apply within 14 days of harvest.
- Do not make more than three total applications of Lorsban Advanced or other product containing chlorpyrifos per season.
- Do not apply more than a total of 3.76 lb ai chlorpyrifos (8 pints of Lorsban Advanced) per acre per season.
- Do not make a second application of Lorsban Advanced or other product containing chlorpyrifos within 10 days of the first application.
- Do not allow meat or dairy animals to graze in treated orchards.

®Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R368-116

Issued: 06/12/17

Initial printing.