



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

1/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

SDS Number 102000013850

EPA Registration No. 432-1445

Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information Telephone Number 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Acute toxicity (Oral, Inhalation): Category 4



Signal word: Warning

Hazard statements

Harmful if swallowed or if inhaled.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing mist and spray.

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

2/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Call a POISON CENTER/doctor/physician if you feel unwell.
Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Triadimefon	43121-43-3	43.00
Glycerine	56-81-5	10.70
Polyethylene-polypropylene copolymer	9003-11-6	1.80
Naphthalene and alkyl naphthalene sulphonic acids formaldehyde condensate, sodium salt	68425-94-5	1.70

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms Hyperactivity followed by sedation

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

3/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Water, Carbon dioxide (CO₂), Dry chemical, Foam

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point > 100 °C
No flash point - Determination conducted up to the boiling point.

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Explosivity not applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

4/11

Version 2.0 / USA
102000013850

Revision Date: 09/17/2014
Print Date: 02/09/2015

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Protect from freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Triadimefon	43121-43-3	0.7 mg/m3 (TWA)		OES BCS*
Triadimefon	43121-43-3	100ug/m3 (ST ESL)	07 2011	TX ESL
Triadimefon	43121-43-3	10ug/m3 (AN ESL)	07 2011	TX ESL
Glycerine (Total dust.)	56-81-5	15 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (PEL)	02 2006	OSHA Z1
Glycerine (Respirable fraction.)	56-81-5	5 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust.)	56-81-5	10 mg/m3 (TWA)	1989	OSHA Z1A
Glycerine (Total dust and mist.)	56-81-5	10 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Respirable fraction and dust or fume.)	56-81-5	5 mg/m3 (TWA)	06 2008	TN OEL
Glycerine (Particulate.)	56-81-5	50ug/m3 (ST ESL)	02 2013	TX ESL
Glycerine	56-81-5	5ug/m3	02 2013	TX ESL



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

5/11

Version 2.0 / USA
102000013850

Revision Date: 09/17/2014
Print Date: 02/09/2015

(Particulate.)		(AN ESL)		
Glycerine (Vapor.)	56-81-5	100ug/m3 (AN ESL)	02 2013	TX ESL
Glycerine (Vapor.)	56-81-5	1000ug/m3 (ST ESL)	02 2013	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
Polyethylene-polypropylene copolymer (Vapor.)	9003-11-6	100ug/m3 (AN ESL)	02 2013	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Safety glasses with side-shields

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	brown
Physical State	liquid suspension opaque
Odor	characteristic
Odour Threshold	no data available
pH	ca. 6.7 at 10 % (20 °C) (CIPAC D water (342ppm))
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Density	ca. 1.16 g/cm ³ at 20 °C
Evaporation rate	no data available



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

6/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

Boiling Point	no data available
Melting / Freezing Point	no data available
Water solubility	dispersible
Minimum Ignition Energy	not applicable
Decomposition temperature	not applicable
Partition coefficient: n-octanol/water	not applicable
Viscosity	600 - 1,500 cps
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.
Autoignition temperature	no data available
Lower explosion limit	no data available
Upper explosion limit	no data available
Explosivity	not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	not applicable
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Inhalation, Eye contact, Skin Absorption
Immediate Effects	
Eye	Mild eye irritation.
Skin	Harmful if absorbed through skin. Slight irritation
Ingestion	Harmful if swallowed.



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

7/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (female rat) 1,750 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) > 2.1 mg/l
Exposure time: 4 h
Determined in the form of liquid aerosol.
highest concentration tested
(actual)

LC50 (male/female combined rat) > 8.4 mg/l
Exposure time: 1 h
Determined in the form of liquid aerosol.
Extrapolated from the 4 hr LC50.
(actual)

Acute dermal toxicity LD50 (male/female combined rat) > 5,000 mg/kg

Skin irritation Slight irritation (rabbit)

Eye irritation Mild eye irritation. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Triadimefon did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Triadimefon was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Triadimefon was not carcinogenic in a lifetime feeding study in rats. Triadimefon caused an increased incidence of tumours in mice in the following organ(s): liver. The mechanism that triggers these tumours is not relevant to humans.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Triadimefon caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. Triadimefon caused reduced fertility, a reduced pup survival.

Assessment developmental toxicity



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

8/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

Triadimefon caused developmental toxicity in only at dose levels toxic to the dams. Triadimefon caused an increased incidence of non-specific malformations.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (Rainbow trout)) 4.08 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient triadimefon.
Toxicity to aquatic invertebrates	EC50 (Water flea (Daphnia magna)) 7.16 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient triadimefon.
Toxicity to aquatic plants	IC50 (Pseudokirchneriella subcapitata) 2.01 mg/l Exposure time: 120 h The value mentioned relates to the active ingredient triadimefon.
Biodegradability	Triadimefon: ; not rapidly biodegradable
Koc	Triadimefon: Koc: 150 - 510
Bioaccumulation	Triadimefon: Bioconcentration factor (BCF) 31; Does not bioaccumulate.
Mobility in soil	Triadimefon: Moderately mobile in soils
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not apply when weather conditions favor runoff or drift. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Do not re-use empty containers. Triple rinse containers.



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

9/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning.
If burned, stay out of smoke.
Follow advice on product label and/or leaflet.

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number **3082**
Class 9
Packaging group III
Marine pollutant YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIADIMEFON SOLUTION)

IATA

UN number **3082**
Class 9
Packaging group III
Environm. Hazardous Mark YES
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRIADIMEFON SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1445



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

10/11

Version 2.0 / USA
102000013850

Revision Date: 09/17/2014
Print Date: 02/09/2015

US Federal Regulations

TSCA list

Glycerine	56-81-5
Polyethylene-polypropylene copolymer	9003-11-6
Naphthalene and alkyl naphthalene	68425-94-5
sulphonic acids formaldehyde condensate, sodium salt	

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Triadimefon	43121-43-3	25,000lbs
-------------	------------	-----------

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Triadimefon	43121-43-3	Developmental toxin.
Triadimefon	43121-43-3	Male reproductive toxin.
Triadimefon	43121-43-3	Female reproductive toxin.

US State Right-To-Know Ingredients

Triadimefon	43121-43-3	NJ
Glycerine	56-81-5	MN

Canadian Regulations

Canadian Domestic Substance List

Glycerine	56-81-5
Polyethylene-polypropylene copolymer	9003-11-6
Naphthalene and alkyl naphthalene	68425-94-5
sulphonic acids formaldehyde condensate, sodium salt	

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Triadimefon	43121-43-3
Glycerine	56-81-5

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification



BAYLETON® FLO TURF AND ORNAMENTAL FUNGICIDE

Version 2.0 / USA
102000013850

11/11
Revision Date: 09/17/2014
Print Date: 02/09/2015

criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed, inhaled or absorbed through the skin.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.
Avoid breathing dust or spray mist.
Avoid contact with skin, eyes and clothing.
Wash thoroughly with soap and water after handling.
Remove and wash contaminated clothing before re-use.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 09/17/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.