



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

1/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name	DYLOX® 6.2 GRANULAR INSECTICIDE
Product code (UVP)	04399137
SDS Number	102000012263
EPA Registration No.	432-1308

Relevant identified uses of the substance or mixture and uses advised against

Use	Insecticide
Restrictions on use	See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

All Emergencies, 24hr/ 7 days 1-800-334-7577

Product Information

Telephone No.

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Inhalation): Category 4

Eye irritation : Category 2B



Signal word: Warning

Hazard statements

Harmful if inhaled.

Causes eye irritation.

Precautionary statements

Avoid breathing dust.

Use only outdoors or in a well-ventilated area.

Wash face, hands and any exposed skin thoroughly after handling.

IF INHALED:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/ physician if you feel unwell.



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

2/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Other hazards

This product contains an cholinesterase inhibitor.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Trichlorfon	52-68-6	6.20

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation, dermal absorption or ingestion of this product may result in systemic intoxication due to inhibition of the enzyme cholinesterase. Symptoms of poisoning may only appear several hours later.

Inhalation

If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately. Move to fresh air. Keep patient warm and at rest.

Skin contact

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Call a physician or poison control center immediately.

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion

Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

Symptoms

This product causes reversible cholinesterase inhibition without long term effects., Repeated overexposure may cause more severe cholinesterase inhibition with more pronounced symptoms.

The symptoms of cholinesterase inhibition include:

Nausea, Salivation, Lachrymation, Blurred vision, Constriction of pupils



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

3/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

Indication of any immediate medical attention and special treatment needed

Risks	This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
Treatment	The following antidotes are generally accepted: atropin and oximes.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable None known.

Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire., In the event of fire the following may be released:, Chloral

Advice for firefighters

Special protective equipment for fire-fighters Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

Further information Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

Flash point not applicable

Autoignition temperature no data available

Lower explosion limit not applicable

Upper explosion limit not applicable

Explosivity no data available



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
10200012263

4/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. Isolate hazard area. Avoid dust formation.

Methods and materials for containment and cleaning up

Methods for cleaning up Sweep up or vacuum up spillage and collect in suitable container for disposal. Scrub contaminated area with detergent and bleach solution. Flush with water. Contaminated soil may have to be removed and disposed.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle and open container in a manner as to prevent spillage. Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove soiled clothing immediately and clean thoroughly before using again.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trichlorfon	52-68-6	0.28 mg/m3 (TWA)		OES BCS*
Trichlorfon (Inhalable fraction.)	52-68-6	1 mg/m3 (TWA)	02 2012	ACGIH
Trichlorfon	52-68-6	1 ug/m3 (AN ESL)	07 2011	TX ESL
Trichlorfon	52-68-6	10 ug/m3 (ST ESL)	07 2011	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
10200012263

5/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Safety glasses with side-shields or Goggles
Skin and body protection	Long-sleeved shirt and long pants Shoes plus socks
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	tan
Physical State	granular
Odor	sweet
Odour Threshold	no data available
pH	ca. 4.6 (1 %)
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Bulk density	30 - 35 lb/ft ³
Evaporation rate	not applicable
Boiling Point	not applicable
Melting / Freezing Point	not applicable
Water solubility	no data available
Minimum Ignition Energy	no data available



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

6/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	not applicable
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Exposure to moisture.
Incompatible materials	Strong oxidizing agents, Bases
Hazardous decomposition products	Chloral Dimethyl hydrogen phosphite Carbon monoxide Oxides of phosphorus

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin Absorption, Skin contact, Inhalation
Immediate Effects	
Eye	Moderate eye irritation.



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

7/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

Ingestion Harmful if swallowed.

Inhalation Harmful if inhaled.

Information on toxicological effects

Acute oral toxicity LD50 (male rat) > 5,100 mg/kg

LD50 (female rat) > 5,000 mg/kg

Acute inhalation toxicity LC50 (male/female combined rat) > 2 mg/l
Exposure time: 4 h
Determined in the form of dust.

LC50 (male/female combined rat) > 8 mg/l
Exposure time: 1 h
Determined in the form of dust.
Extrapolated from the 4 hr LC50.

Acute dermal toxicity LD50 (male/female combined rat) > 5,000 mg/kg

Skin irritation No skin irritation (rabbit)

Eye irritation Mild eye irritation. (rabbit)

Sensitisation Non-sensitizing. (guinea pig)

Assessment repeated dose toxicity

Trichlorfon did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Trichlorfon was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Trichlorfon was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Trichlorfon is not considered a reproductive toxicant at non-maternally toxic dose levels.



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

8/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

Assessment developmental toxicity

Trichlorfon did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Leuciscus idus (Golden orfe)) 0.52 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient trichlorfon. LC50 (Rainbow trout (Oncorhynchus mykiss)) 0.7 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient trichlorfon.
Toxicity to aquatic invertebrates	LC50 (Water flea (Daphnia magna)) 0.00096 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient trichlorfon.
Toxicity to aquatic plants	EC50 (Desmodemus subspicatus) 347 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient trichlorfon.
Environmental precautions	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not allow to get into surface water, drains and ground water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
Contaminated packaging	Empty remaining contents. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

9/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

RCRA Information

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3077
Class	9
Packaging group	III
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (TRICHLORFON)
RQ	Reportable Quantity is reached with 1,612 lb of product.

IMDG

UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLORFON MIXTURE)

IATA

UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (TRICHLORFON MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No.	432-1308
US Federal Regulations	
TSCA list	
None.	



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

10/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Trichlorfon 52-68-6 1.0%

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Trichlorfon 52-68-6 CA, CT, NJ

Canadian Regulations

Canadian Domestic Substance List

Trichlorfon 52-68-6

Environmental

CERCLA

Trichlorfon 52-68-6 100 lbs

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Trichlorfon 52-68-6

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Causes eye irritation.
Cholinesterase inhibitor
Avoid contact with skin, eyes and clothing.
Avoid breathing dust or spray mist.
Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

SECTION 16: OTHER INFORMATION

Bayer Environmental Science

SAFETY DATA SHEET



DYLOX® 6.2 GRANULAR INSECTICIDE

Version 3 / USA
102000012263

11/11
Revision Date: 09/12/2013
Print Date: 01/05/2017

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 5: Fire Fighting Measures.
Section 9: Physical and Chemical Properties.

Revision Date: 09/12/2013

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.