



**PRODUCT BULLETIN
GLYSTAR PLUS**

EPA Reg. No. 42750-61

Special 2(ee) Recommendation[†]

APPLICATION ON SNAP BEANS

ATTENTION

[†]This recommendation is made as permitted under FIFRA Section 2(ee) and has not been reviewed or approved by EPA.

- This recommendation must be in the possession of the user at the time of application.
- Read the label affixed to the container for Gly Star Plus before applying. Carefully follow all precautionary statements and applicable use directions except as specified below.
- Use of Gly Star Plus is subject to all use precautions and limitations imposed by the label affixed to the product container.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling.

SPOT TREATMENT

This product may be applied as spot treatment to control troublesome weeds such as Canada thistle, quackgrass, mayweed (dog fennel), and milkweed in Snap Beans.

Apply up to 26 fluid ounces in 10 to 20 gallons of water through ground spray equipment or use a 2 percent solution in a handheld sprayer.

For best results, applications should be made at or beyond the bud stage of growth. The crop receiving spray in treated areas will be killed.

RESTRICTIONS:

- Apply at least 14 days before harvest
- Only one application per year may be made; do not combine a pre-harvest spray with a spot treatment on the same crop area.
- Do not feed treated vines and hay from these crops to livestock. Do not apply this product through any type of irrigation system.

Manufactured By:
Albaugh, Inc.
Ankeny, IA 50021