

Stoller CHE-LA Peanut Mix

Guaranteed Analysis

Magnesium (Mg).....	1.5%
1.5% Water Soluble Magnesium	
Sulfur (S).....	4.0%
4% Combined Sulfur	
Boron (B).....	0.5%
Copper (Cu).....	0.5%
0.5% Chelated copper	
Manganese (Mn).....	4.0%
2% Chelated Manganese	

Derived from Magnesium Sulfate, Sodium Borate, Copper Glucoheptonate, Manganese Glucoheptonate, Manganese Sulfate.
Chelating Agent: Lignin Sulfonate.

General Information

Peanut Mix is a foliar or soil-applied micronutrient and is non-phytotoxic when used as directed. **Peanut Mix** is completely available and absorbed by the leaf surface or the root system. Peanut Mix is an excellent acidification agent for lowering high pH in spray tank water to decrease the hydrolysis of most pesticide. **Peanut Mix** is an effective dispersing agent when applied with other foliar spray chemicals. **Peanut Mix may be used on the following crops:** Alfalfa, Almonds, Avocados, Apples, Barley, All Beans, Broccoli, Cabbage, Carrots, Cauliflower, Celery, Citrus, Corn, Grapes, Lettuce, Melons, Milo, Peaches, Peanuts, Pecans, Peppers, Plums, Potatoes, Prunes, Rice, Sorghum, Soybeans, Strawberries, Sugar beets, Sugar cane, Sweet corn, Tomatoes, Turnips, Walnuts, Watermelons, Wheat and most other crops.

For Commercial Application Only

CAUTION:

Keep Out Of Reach Of Children

WARNING: This product contains boron at a level that may be detrimental to growing plants. Use of Peanut Mix on crops other than those recommended on this label may result in injury to those crops. Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat, and/or skin. Avoid contact with eyes, skin and clothing. **IF SWALLOWED:** Induce vomiting by sticking finger down throat. Never give anything by mouth to an unconscious person. Get medical attention. **IF IN EYES:** Wash eyes with plenty of clear water for at least 15 minutes. Get medical attention.

Storage Instructions

We recommend when storing pails of Peanut Mix to stack a maximum of two pallets high, with each pallet two pails high. Information regarding the contents and levels of metals in this product is available at 1-800-539-5283.

NET CONTENTS:

- | | |
|---|---|
| <input type="checkbox"/> 2.5 gallons/24.8 lbs | <input type="checkbox"/> 10 liter/11.9 Kg |
| <input type="checkbox"/> 5.0 gallons/49.6 lbs | <input type="checkbox"/> 20 liter/23.8 Kg |
| <input type="checkbox"/> 275 gallons/2750 lbs | <input type="checkbox"/> 1000 liter/1247 Kg |

STOLLER CHE-LA PEANUT MIX

A nutrient supplement for foliar and soil application

F1601

CHE-LA[®]
PEANUT MIX



StollerUSA

Unleashing The Power Of Plants

Manufactured by Stoller Enterprises, Inc.
4001 W. Sam Houston Parkway North, Suite 100
Houston Texas 77043 USA

Phone: 1-800-539-5283 or 713-461-1493 | Fax: 713-461-4467
E-Mail: stoller@stollerusa.com | Website: www.StollerUSA.com

General Application Rates When Leaf and Soil Tests Are Not Available:

Maintenance application.....	1 quart per acre
Moderate deficiency.....	1/2 to 1 gallon per acre
Heavy micronutrient deficiency.....	1 to 2 gallons per acre

Foliar Spray

Vegetables: Apply 1 to 2 pints per acre each spray. **Peanut Mix** can be incorporated in the normal spray program. Remember: Mix Peanut Mix in the spray tank before pesticides are added.

Field Crops: Apply recommended rates when plants are young. This is the time when most severe deficiencies occur.

Peanut Mix will disperse in water with little agitation. Many pesticides can be added and applied while spraying **Peanut Mix**. **Follow this mixing sequence:** 1. Water 2. **Peanut Mix** 3. Pesticide. When foliar spraying **Peanut Mix** through conventional sprayers, use a minimum of 20 gallons of water per acre. When foliar spraying **Peanut Mix** with low volume equipment, 5 gallons of water per acre is usually sufficient. If less water is used, slight burning of the foliage may occur. A maximum of 2 quarts per acre per application is recommended. Aerial applications should not exceed 1 quart per gallon of water. For best results spray when the crop is in an active growing state, after irrigation or natural rainfall. Spray early in the morning or late afternoon. Mid-day sprays may not be effective because of excessive moisture evaporation. The addition of 1/2% (total solution) of nitrogen solution, ammonium sulfate, or L.B. Urea may aid leaf absorption.

Liquid Fertilizer:

Mix **Peanut Mix** with liquid fertilizer agitating to thoroughly disperse the micronutrients. This can be achieved by adding the product to the mixing batch tank or inducting through a pump. When mixing in batch tank, add product to water or nitrogen solution before adding phosphate material.

Peanut Mix is compatible with most insecticides, fungicides, foliar nutrients and herbicides. It can be applied in existing spray programs. It can be applied with most herbicides. Use 1 quart per acre in banded application and 2 quarts per acre in broadcast application. **Peanut Mix** is compatible with most water-dispersed herbicides. **Peanut Mix** is manufactured to rigid controls at the highest possible concentration for effective usage. Any residue in this pail is water soluble. Rinse the pail with water and add solution to spray tank.

Conditions Of Sale: 1. Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions of use. No one other than an officer of Seller is authorized to make any warranty, guarantee or direction concerning this product. 2. Because the time, place, rate of application and other conditions of use are beyond Seller's control, Seller's liability from handling, storage and use of this product is limited to replacement of product or refund of purchase price.

Freezing temperature: 25°F