

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

SECTION 1. IDENTIFICATION

Product name : Rancona® XXTRA PRO

Product code : 000000017529

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc
245 Freight St
Waterbury, CT
United States of America
06702
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the material safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone

Emergency telephone: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300
For additional emergency telephone numbers see section 16 of the
Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Seed treatment

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2B

Reproductive toxicity : Category 2

Specific target organ
systemic toxicity - repeated
exposure : Category 2 (Eyes, Skin, Liver)

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Acute aquatic toxicity : Category 3

Chronic aquatic toxicity : Category 1

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H320 Causes eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs (Eyes, Skin, Liver) through prolonged or repeated exposure.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Ipconazole - 0.0916 lbs/gal
Metalaxy1 - 0.147 lbs/gal

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Ipconazole - 11 gm/L
Metalaxyl - 17.6 gm/L

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (% w/w)
glycerol	56-81-5	>= 10 - < 20
gamma-butyrolactone	96-48-0	>= 1 - < 5
methyl N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-DL-alaninate	57837-19-1	>= 1 - < 5
propane-1,2-diol	57-55-6	>= 1 - < 5
Ipconazole	125225-28-7	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
Obtain medical attention.
- In case of skin contact : If on clothes, remove clothes.
Wash off with soap and plenty of water.
If skin irritation persists, call a physician.
- In case of eye contact : Rinse immediately with plenty of water for at least 15 minutes.
Call a physician if irritation develops or persists.
- If swallowed : Do NOT induce vomiting.
Rinse mouth with water.
Call a POISON CENTER or doctor/ physician.
- Most important symptoms and effects, both acute and delayed : irritant effects
Symptoms may be delayed.
Causes eye irritation.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - large fires
Alcohol-resistant foam
Extinguishing media - small fires
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : Do NOT use water jet.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circum-

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

stances and the surrounding environment.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Avoid contact with skin and eyes.

Environmental precautions : Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Do not flush into surface water or sanitary sewer system.
Prevent further leakage or spillage if safe to do so.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Use with adequate ventilation.
Wash thoroughly after handling.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
glycerol	56-81-5	TWA (Total)	10 mg/m ³	OSHA P0
		TWA (Respirable fraction)	5 mg/m ³	OSHA P0
		TWA	10 mg/m ³	ACGIH
		TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
 Language: Z8

		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
		TWA (Mist - total dust)	10 mg/m3	OSHA P0
		TWA (Mist - respirable fraction)	5 mg/m3	OSHA P0
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL

Hazardous components without workplace control parameters

Ingredients	CAS-No.
gamma-butyrolactone	96-48-0
methyl N-(2,6-dimethylphenyl)-N-(methoxyacetyl)-DL-alaninate	57837-19-1
Ipconazole	125225-28-7

Engineering measures : Use with adequate ventilation.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Impervious gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Lightweight protective clothing
 Long sleeved clothing

Hygiene measures : NOTE TO END-USERS: The employee protection recommendations on this SDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : colorless

Odor : No information available.

Odor Threshold : No data available

pH : 5 - 8

: No data available

: No data available

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Flash point : No data available

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.067 (25 °C)

Solubility(ies)

 Water solubility : No data available

 Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : No data available

 Viscosity, kinematic : No data available

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

SECTION 10. STABILITY AND REACTIVITY

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : Hazardous polymerization does not occur.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 2.56 mg/l
Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Ingredients:

glycerol:

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 Dermal (Rabbit): > 18,700 mg/kg

gamma-butyrolactone:

Acute oral toxicity : LD50 (Rat): 1,540 mg/kg
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): 20,000 mg/kg
LD50 (Rabbit): 18,500 mg/kg
Acute dermal toxicity : LD50 (Rabbit): 20,800 mg/kg

Ipconazole:

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Rat, female): 888 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Mouse, male): 537 mg/kg
Method: OECD Test Guideline 401
GLP: yes

LD50 (Mouse, female): 468 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.88 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

LC50 (Rat, male and female): > 3.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation

Product:

Species: Rabbit
Result: slight irritation

Ingredients:

glycerol:

Species: Rabbit
Exposure time: 24 h
Result: No skin irritation

gamma-butyrolactone:

Species: Rabbit
Result: No skin irritation

Ipconazole:

Species: Rabbit
Exposure time: 4 h
Result: No skin irritation
GLP: yes

Serious eye damage/eye irritation

Product:

Species: Rabbit
Result: Mild eye irritation

Ingredients:

glycerol:

Species: Rabbit
Result: No eye irritation

gamma-butyrolactone:

Species: Rabbit
Result: Eye irritation
Method: Draize Test

Ipconazole:

Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitization

Product:

Species: Guinea pig

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Assessment: Did not cause sensitization on laboratory animals.
Result: negative

Ingredients:

glycerol:

Test Type: Patch Test

Species: Human

Result: Patch test on human volunteers did not demonstrate sensitization properties.

Ipconazole:

Species: Guinea pig

Method: Test de Magnusson-Kligmann

Result: Did not cause sensitization on laboratory animals.

GLP: yes

Germ cell mutagenicity

Ingredients:

glycerol:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Rat (males)
Cell type: Bone marrow
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

gamma-butyrolactone:

Genotoxicity in vitro : Test Type: in vitro test
Metabolic activation: with and without metabolic activation
Result: positive

: Test Type: Chromosome aberration test in vitro
Result: positive

: Test Type: Ames test
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: Unscheduled DNA synthesis (UDS)
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Mouse (male)
Result: negative

Test Type: In vivo micronucleus test

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Species: Mouse (male and female)
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Ipconazole:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: Mutagenicity (Escherichia coli - reverse mutation assay)
Result: negative

: Test Type: In Vitro mammalian Cell Gene Mutation Test
Metabolic activation: with and without metabolic activation
Result: negative

: Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Species: Mouse
Cell type: Bone marrow
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Ingredients:

glycerol:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

gamma-butyrolactone:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Ipconazole:

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

IARC

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Reproductive toxicity

Ingredients:

glycerol:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

gamma-butyrolactone:

Reproductive toxicity - Assessment : No toxicity to reproduction
No effects on or via lactation

Ipconazole:

Effects on fertility : Species: Rat
Dose: 0, 30, 100 or 300 ppm
General Toxicity F1: NOAEL (No observed adverse effect level): 9 - 10 mg/kg bw/day

STOT-single exposure

Product:

Remarks: No data available

STOT-repeated exposure

Ingredients:

glycerol:

Routes of exposure: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

gamma-butyrolactone:

Routes of exposure: Oral

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Ipconazole:

Target Organs: Eyes

Assessment: May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Ingredients:

Ipconazole:

Species: Rat, female

NOAEL: 7 mg/kg

LOAEL: 33.2 mg/kg

Application Route: Oral

Exposure time: 13 weeks

Dose: 3.1, 7.0, 15.4 and 33.2 mg/kg

GLP: yes

Target Organs: Adrenal gland, thymus gland

Species: Rat, male

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

NOAEL: 25.9 mg/kg
LOAEL: 52.2 mg/kg
Application Route: Oral
Exposure time: 13 weeks
Dose: 2.5, 5.8, 12.6, 25.9 and 52.2
GLP: yes
Target Organs: Adrenal gland, thymus gland

Species: Rat, male and female
NOAEL: 10 mg/kg
LOAEL: 40 mg/kg
Application Route: Dermal
Exposure time: 13 weeks
Dose: 0, 2, 10 or 40 mg/kg bw/day
GLP: yes

Species: Rat, male and female
NOAEL: 30 mg/kg
LOAEL: 100 mg/kg
Application Route: Inhalation
Exposure time: 28-day
Dose: 0, 30, 100, 300 or 1000 mg/m³
GLP: yes

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Ingredients:

glycerol:

Toxicity to fish : LC50 (Carassius auratus (goldfish)): > 5,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): > 5,000 mg/l
Exposure time: 48 h

gamma-butyrolactone:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 220 - 460 mg/l
Exposure time: 96 h
Test Type: static test
Method: DIN 38412

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 79 mg/l
Exposure time: 96 h

Ipconazole:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1.3 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Test Type: flow-through test

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l
Exposure time: 48 h
GLP: yes
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.62 mg/l
Exposure time: 72 h
GLP: yes
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.00044 mg/l
Exposure time: 28 d
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0109 mg/l
Exposure time: 21 d
GLP: yes
- M-Factor (Chronic aquatic toxicity) : 100

Persistence and degradability

Ingredients:

glycerol:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d

gamma-butyrolactone:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 100 mg/l
Result: Readily biodegradable.
Biodegradation: 62 - 90 %
Exposure time: 14 d

Bioaccumulative potential

Ingredients:

glycerol:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1.76
Method: calculated

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

log Pow: -2.6
Method: calculated

gamma-butyrolactone:

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: -0.566
Method: OECD Test Guideline 107

Ipconazole:

Partition coefficient: n-octanol/water : log Pow: 4.28 - 4.49

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : The product itself has not been tested.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Ipconazole)

Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3082

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Ipconazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(Ipconazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,
N.O.S.
(Ipconazole)
Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Ipconazole)
Remarks : RQ may apply
Not regulated by DOT and TDG if shipped or transported in packaging less than 450 liters by road and/or rail. Please refer to 49 CFR for any details.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version 1.2 Revision Date: 10/23/2015 MSDS Number: 000000017529 Country: US
Language: Z8

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

glycerol	56-81-5	16.5002 %
propane-1,2-diol	57-55-6	1.5746 %

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop. 65 This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

CAUTION

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version	Revision Date:	MSDS Number:	Country: US
1.2	10/23/2015	000000017529	Language: Z8

Causes moderate eye irritation.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Iponazole may persist in soil, and long-term use in the same field may result in an accumulation of active ingredient.

Metalaxyl is known to leach through soil into groundwater under certain conditions as a result of agricultural use. Use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version
1.2


Revision Date:
10/23/2015

MSDS Number:
000000017529

Country: US
Language: Z8

Further information

NFPA:



HMIS III:

HEALTH	1*
FLAMMABILITY	0
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/23/2015

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / Z8

Carechem24 International Worldwide Coverage

Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479

SAFETY DATA SHEET

Rancona® XXTRA PRO

Version
1.2

Revision Date:
10/23/2015

MSDS Number:
000000017529

Country: US
Language: Z8

	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670