

Product Bulletin



Chestnut Run Plaza, 974 Centre Road, Wilmington DE 19805, USA

DuPont™ Aproach® Fungicide

EPA Reg. No. 352-840

2(ee) Recommendation†

(For Distribution and Use Only Within the State of Texas)

This label is valid until December 31, 2022, or until otherwise amended, withdrawn, canceled, or suspended.

Control of Pecan Scab (*Fusicladium effusum*)

ATTENTION

† This recommendation is made as permitted under FIFRA 2(ee) and has not been submitted to or approved by the EPA or state lead pesticide agency.

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for DuPont™ Aproach® Fungicide before applying. Carefully follow all precautionary statements and application use directions.
- Use of DuPont™ Aproach® Fungicide according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for DuPont™ Aproach® Fungicide.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Always read this FIFRA 2(ee) bulletin and the entire label on the product container before using this product.

Apply DuPont™ APROACH® Fungicide at 12 fl oz. per acre for control of Pecan Scab (*Fusicladium effusum*) in pecan. Begin applications prior to disease development and make a second application on a 7 to 21-day interval. Use shorter interval when disease pressure is high.

DuPont will not be responsible for losses or damages resulting from the use of this product in any manner not specifically instructed by DuPont. User assumes all risks associated with such non-labeled use.

PRECAUTIONS:

- Make no more than 2 sequential applications of DuPont™ APROACH® Fungicide or any other FRAC Group 11 fungicide before switching to a fungicide with a different mode of action.
- Do not apply more than 36 fluid ounces of DuPont™ APROACH® Fungicide or make more than 3 applications per year.
- Do not apply to trees less than 2-years in the field.
- The minimum pre-harvest interval (PHI) between the last application is 7-days.

® ™ Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners

R602-003

Issued: 04/11/19

Approved 05/28/19

Initial printing