

HUMI-TILL™

CROP RESIDUE MANAGEMENT

- ☐ Unlocks nutrients in crop residue.
- ☐ Works to decompose cellulose, lignin, and keratin in crop residue.
- ☐ Can be applied pre-plant or post-harvest. Can be applied with fall herbicide.
- ☐ Minimize planting issues due to crop residue.

Net Contents: 2.5 US Gallon (9.46 liters)

Net Weight: 21 lbs (9.5 kg)



Humi-Till's unique blend of specific microbes and humic will help stimulate the soil biology to break down residue and convert nutrients.

HUMI-TILL™

CROP RESIDUE MANAGEMENT

GUARANTEED ANALYSIS

SOIL AMENDING ACTIVE INGREDIENTS

| | |
|--------------------------------------|------------------------------|
| Bacillus amyloliquefaciens -1 | 2.2 x 10 ⁷ CFU/ml |
| Bacillus subtilis -3 | 2.2 x 10 ⁷ CFU/ml |
| Bacillus subtilis -4 | 2.2 x 10 ⁷ CFU/ml |
| Humic acid (Derived from brown coal) | 1% |
| OTHER INGREDIENTS (water) | 89% |

MONTY'S HUMI-TILL...

- Accelerates residue breakdown.
- Unlocks nutrients in crop residue.
- Works to decompose cellulose, lignin, and keratin in crop residue. Can be applied pre-plant or post-harvest.
- Can be applied with fall herbicide.
- Minimize planting issues due to crop residue.
- 250 billion colony forming units per gallon.

FOR COMMERCIAL USE ONLY

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.htm>



www.montysplantfood.com

Monty's Plant Food Company
4800 Strawberry Lane
Louisville, KY 40209
800-978-6342

APPLICATION INSTRUCTIONS

Mix 3-4 quarts of Humi-Till in a minimum of 10 gallons of water per acre. Application rates and the number of applications necessary will vary with soil conditions and the amount of crop residue. Once diluted, product must be used within 24 hours. If soil temperature is below 45°F, performance is significantly reduced. For faster results, apply with 1-3 gallons of liquid nitrogen per acre.

STORAGE AND HANDLING

Keep container closed when not in use. This product contains organic materials which may settle and should be shaken or stirred if stored. Refer to the MSDS for other safety and handling information.

WARNING

Use within 24 hours of mixing with water, chemicals or other products. Product should be used during the growing season in which it was purchased and should not be carried over from one year to the next.

USE OF MONTY'S PLANT FOODS WITH FARM CHEMICALS

Monty's products are compatible with many farm chemicals and may improve the efficacy of some pesticide applications, but Monty's does not guarantee it to do so. When tank mixing any Monty's products with other farm chemicals, always read and follow the label directions of the chemical(s) you are considering. Monty's suggests administering a jar test and/or a strip test before adding Monty's to your tank mix. When mixing with other farm chemicals, it is suggested to tank mix Monty's only after diluting the chemical according to label directions. Knowing the chemical's "mode of action" (block photosynthesis) or metal content (copper based) will help determine the compatibility of Monty's. Once mixed or diluted, product should be used within 24 hours. Please call 800-978-6342 with any questions.

LIMITED WARRANTY

For a period of 12 months from the date of manufacture, Monty's warrants that this product meets its manufacturing specifications. If it does not, Monty's will, at its option, replace the product or refund the purchase price. In no event shall Monty's be liable for special, incidental or consequential damages or for damages in the nature of penalties. Monty's shall not be liable in any way for claims resulting from any use of this product which is not in strict accordance with all directions, cautions and warnings on the label or labels.