


# RESTRICTED USE PESTICIDE

May injure (phytotoxic) susceptible non-target plants.

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification. Commercial and certified applicators must ensure that all persons involved in these activities are informed of the precautionary statements.

 <p style="font-size: 1.2em; margin: 0;"><b>Bayer CropScience</b></p> <p style="margin: 0;">Bayer CropScience LP P.O. Box 12014 2 T.W. Alexander Drive Research Triangle Park, NC 27709 1-866-99BAYER (1-866-992-2937)</p>	<table border="1" style="width: 100%; border-collapse: collapse; margin-bottom: 10px;"> <tr> <td style="text-align: center; padding: 2px;"><b>GROUP</b></td> <td style="text-align: center; padding: 2px;"><b>27</b></td> <td style="text-align: center; padding: 2px;"><b>HERBICIDE</b></td> </tr> </table> <p style="margin: 0;"><b>BALANCE® FLEXX Herbicide</b></p> <p style="margin: 0;"><b>For Control of Broadleaf Weeds and Grasses in Corn.</b></p> <p style="margin: 0;">EPA Reg. No. 264-1067 EPA SLN: DE-140002</p>	<b>GROUP</b>	<b>27</b>	<b>HERBICIDE</b>
<b>GROUP</b>	<b>27</b>	<b>HERBICIDE</b>		

## FIFRA 24(c) Special Local Need Label

### FOR DISTRIBUTION AND USE ONLY IN THE STATE OF DELAWARE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This label must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements and precautions on the EPA registered label. Do not apply this product through any type of irrigation system.

**THIS LABEL EXPIRES AND MUST NOT BE DISTRIBUTED OR USED IN ACCORDANCE WITH THIS SLN REGISTRATION AFTER JANUARY 14, 2023.**

**ENVIRONMENTAL PRECAUTIONS:**

**AGRICULTURAL CHEMICALS HAVE THE POTENTIAL TO MOVE INTO SHALLOW GROUNDWATER. THE FOLLOWING RESTRICTIONS HAVE BEEN DEVELOPED TO PROTECT DRINKING WATER SUPPLIES.**

Do not wash, load, or empty application equipment near any well, as this practice is a potential source of ground water contamination. In fields having soils with less than 15% field moisture holding capacity, special care must be taken not to over-irrigate, since substantial over-irrigation promotes the leaching of chemicals.

**BALANCE® FLEXX Herbicide APPLIED ALONE, AS A TANK-MIX OR AS PART OF A PLANNED SEQUENTIAL WEED CONTROL PROGRAM**

**SPECIFIC USE DIRECTIONS**

Application Timing <sup>1</sup>	Fluid Ounces of BALANCE® FLEXX Herbicide per Acre				
	Soil Texture				
	Coarse Soils Sand, Loamy sand, Sandy loam		Medium Soils Loam, Silt loam, Silt, Sandy clay loam		Fine Soils Silty clay loam, Clay loam, Sandy clay, Silty clay, Clay
	1.5% O.M. <sup>2</sup> or less	> 1.5% O.M.	1.5% O.M. or less	>1.5% O.M.	
Preplant (Surface Applied or Incorporated): Early 8 to 30 days prior to planting	4.0	5.0	6.0		
Preplant (Surface Applied or Incorporated): 0 to 7 days prior to planting.					
Preemergence	3.0	4.0	5.0		6.0
Early postemergence (Spike through 2-leaf collar corn)					

<sup>1</sup>BALANCE® FLEXX Herbicide may be applied up to 30 days prior to planting when used in a planned sequential application program such as BALANCE® FLEXX followed by Liberty® 280 SL, BUCTRIL, or other post applied herbicides.

<sup>2</sup>O.M. = Organic Matter by weight

**Effect of variable soils on use rate:** The proper use rate of BALANCE® FLEXX Herbicide is affected by several soil factors, including soil texture, organic matter, and soil pH. Soils which contain variations in one or more of these factors in a given area are termed variable soils and may be more likely to incur localized corn injury symptoms from an application of BALANCE® FLEXX Herbicide. Characteristics of localized soil variants that are more likely to incur injury are a more coarse soil texture, a lower organic matter and/or a higher pH (alkaline/calcareous soil) than other areas of the same field and include, among others, clay knolls, eroded hill sides and terracing with scraped exposed subsoil. The user is responsible for selecting the rate of BALANCE® FLEXX Herbicide that is appropriate for all soils in the area of application.

#### **USE RESTRICTIONS AND PRECAUTIONS:**

---

- PLANT CORN AT LEAST 1-1/2 INCHES DEEP. CORN SEED MUST BE COMPLETELY COVERED WITH SOIL AND FURROW FIRMED.
- Do not apply more than 6.0 fluid ounces per acre of BALANCE® FLEXX Herbicide per 365-day period or exceed the maximum labeled rate for any given soil type.
- In corn, do not exceed from all sources 0.094 pounds per acre of isoxaflutole per 365-day period.
- In corn, do not exceed from all sources 0.20 pounds per acre of Cyprosulfamide per 365-day period.
- Application of BALANCE® FLEXX Herbicide at less than recommended rates for the appropriate soil will only provide suppression of sensitive weeds.
- To prevent off-site movement of soil containing this product to non-target areas, do not apply BALANCE® FLEXX Herbicide to areas receiving less than 15 inches of average annual precipitation unless supplemented to at least the equivalent of 15 inches of annual precipitation with irrigation water.
- Do not irrigate BALANCE® FLEXX Herbicide into coarse soils at planting time when soils are saturated.
- Do not apply this product through any type of irrigation system.
- Do not apply this product using aerial application equipment.
- Do not use flood or furrow irrigation to apply, activate or incorporate this product.

Refer to the Federal Section 3 label for additional product information, precautions and restrictions.

**For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577**

**For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)**

*As with any crop-protection product, always read and follow label directions.*

*For additional information call toll-free 1-866-99BAYER (1-866-992-2937).*

BALANCE and Liberty are registered trademarks of Bayer.