



## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** **Cleansweep D Herbicide**

**EPA Reg. No.:** 71368-90

**Product Type:** Herbicide

**Company Name:** Nufarm Inc.  
11901 S. Austin Avenue  
Alsip, IL 60803  
1-800-345-3330

**Telephone Numbers:** **For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,**  
**Call CHEMTREC Day or Night: 1-800-424-9300**  
**For Medical Emergencies Only, Call 1-877-325-1840**

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not exactly the same as on the FIFRA label. Certain sections are superseded by federal law governed by EPA for a registered pesticide. Please see Section 15. REGULATORY INFORMATION for explanation.

## 2. HAZARDS IDENTIFICATION

**PHYSICAL HAZARDS:**

Not Hazardous

**HEALTH HAZARDS:**

Acute Toxicity (oral)	Category 4
Eye Irritation	Category 2B
Skin Irritation	Category 2
Reproductive Toxicity	Category 2
Carcinogen	Category 2
Aspiration Toxicity	Category 1
Specific target organ toxicity – Repeated exposure	Category 2

**ENVIRONMENTAL HAZARDS:**

Hazardous to aquatic environment, acute	Category 1
Hazardous to aquatic environment, chronic	Category 1

**SIGNAL WORD:**

DANGER

**HAZARD STATEMENTS:**

Harmful if swallowed. May be fatal if swallowed and enters airways. Causes eye irritation. Causes skin irritation. Suspected of causing cancer. Suspected of damaging the unborn child. May cause damage to organs (liver, kidneys) through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.



**PRECAUTIONARY STATEMENTS**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mists or spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves, protective clothing and eye protection.

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice. Take off contaminated clothing and wash it before reuse.

If exposed or concerned: Get medical advice. Collect spillage.

Store locked up.

Dispose of contents and container in accordance with local, state and federal regulations.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
2,4-dichlorophenoxy acetic acid, ethyl hexyl ester	1928-43-4	30.2 – 32.2
Bromoxynil octanoate	1689-99-2	23.3 – 24.7
Fluroxypyr methylheptyl ester	81406-37-3	9.0 – 10.0
Solvent Naphtha (Petroleum), Heavy Aromatic	64742-94-5	22.8 – 24.3
1-Methylnaphthalene	90-12-0	<10
2-Methylnaphthalene	91-57-6	<10
Naphthalene	91-20-3	<0.3
Other Ingredients	Trade Secret	Trade Secret

**Synonyms:** Mixture of 2,4-D 2EHE, Bromoxynil, and Fluroxypyr

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Do NOT induce vomiting. Do not give anything by mouth.

**If on Skin or Clothing:** Take off contaminated clothing. Wash with soap and water. If irritation develops, get medical attention.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for several minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation occurs.

**If Inhaled:** Move person to fresh air. Get medical attention if symptoms develop.

**Symptoms/effects, acute and delayed:** Minimally irritating to the eye. Vapors and mist may cause irritation. Slightly irritating to the skin. Harmful or fatal if swallowed – Aspiration hazard. Suspected of causing cancer and adverse reproductive effects.

**Indication of Immediate medical attention and special treatment if needed:** Immediate medical attention is required for ingestion. For ingestion there is no specific antidote available. Treat symptomatically.

**Note to Physician:** May pose an aspiration pneumonia hazard. Contains petroleum distillates.

### 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

**Unusual Fire and Explosion Hazards:** Containers will burst from internal pressure under extreme fire conditions. If water is used to fight fire or cool containers, dike to prevent runoff contamination of municipal sewers and waterways.

**Hazardous Decomposition Materials (Under Fire Conditions):** May produce gases such as hydrogen chloride, other chlorine compounds, hydrogen bromide gas, nitrogen oxides, and carbon oxides.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** Wear appropriate protective gear for the situation. See Personal Protection information in Section 8. Ventilate the area.

**Environmental Precautions:** Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

**Methods for Containment:** Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

**Methods for Clean-Up and Disposal:** Pump any free liquid into an appropriate closed container. Collect washings for disposal. Clean up residual liquid with an inert absorbent material and place in an appropriate container. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

**Other Information:** Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

## 7. HANDLING AND STORAGE

### **Handling:**

Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or spray mist. Keep product away from excessive heat and open flames. Use with adequate ventilation. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### **Storage:**

Store at temperatures above 32°F. If allowed to freeze, remix before using. Always store pesticides in a secured warehouse or storage building. Do not store near open containers of fertilizer, seed or other pesticides. Containers should be opened in well-ventilated areas. Keep container tightly sealed when not in use. Do not stack cardboard cases more than two pallets high. Do not contaminate water, food or feed by storage or disposal.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### **Engineering Controls:**

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

### **Personal Protective Equipment:**

**Eye/Face Protection:** To avoid contact with eyes, wear chemical goggles or safety glasses with front, brow and temple protection.

**Skin Protection:** To avoid contact with skin, wear coveralls over short-sleeved shirt and short pants, chemical-resistant gloves and chemical-resistant footwear plus socks. For overhead exposure, wear chemical-resistant headgear. Wear a chemical-resistant apron when cleaning equipment, mixing, or loading. Washing facilities should be readily accessible to the work area.

**Respiratory Protection:** Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides and organic vapors.

**General Hygiene Considerations:** Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) Do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored. 2) Wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

### **Exposure Guidelines:**

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
2,4-D 2EHE	NE	NE	NE	NE	

Bromoxynil Octanoate	NE	NE	NE	NE	
Fluroxypyr methylheptyl ester	NE	NE	NE	NE	
Solvent Naphtha (Petroleum), Heavy Aromatic*					
1-Methylnaphthalene	NE	NE	0.5 skin	NE	ppm
2-Methylnaphthalene	NE	NE	0.5 skin	NE	ppm
Naphthalene	10	NE	10 skin	NE	ppm
Other Ingredients	NE	NE	NE	NE	

NE = Not Established

\*Manufacturer recommended limit 100 mg/m<sup>3</sup> total hydrocarbon vapor

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Light to medium amber liquid
<b>Odor:</b>	Pungent
<b>Odor threshold:</b>	No data available
<b>pH:</b>	3.77 (1% w/w dispersion in DIW)
<b>Melting point/freezing point:</b>	No data available
<b>Initial boiling point and boiling range</b>	No data available
<b>Flash point:</b>	>212° F (>100° C)
<b>Evaporation rate:</b>	No data available
<b>Flammability:</b>	No data available
<b>Upper/lower flammability or explosive limits:</b>	No data available
<b>Vapor pressure:</b>	No data available
<b>Vapor density:</b>	No data available
<b>Relative density:</b>	1.156 g/mL @ 20° C
<b>Solubility(ies):</b>	No data available
<b>Partition coefficient: n-octanol/water:</b>	No data available
<b>Autoignition temperature:</b>	No data available
<b>Decomposition temperature:</b>	No data available
<b>Viscosity:</b>	38.875 cSt @ 20° C; 14.279 cSt @ 40° C

**Note:** Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

## 10. STABILITY AND REACTIVITY

**Reactivity:** Not reactive.

**Chemical Stability:** This material is stable under normal handling and storage conditions.

**Possibility of Hazardous Reaction:** Hazardous polymerization will not occur. Reaction with oxidizers may cause fire.

**Conditions to Avoid:** Excessive heat. Do not store near heat or flame.

**Incompatible Materials:** Strong oxidizing agents: bases and acids.

**Hazardous Decomposition Products:** Under fire conditions, may produce gases such as hydrogen chloride, nitrogen oxides, hydrogen bromide gas, and carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Skin contact, Eye contact

**Eye Contact:** Mildly irritating based on toxicity studies.

**Skin Contact:** Slightly toxic and moderately irritating based on toxicity studies.

**Ingestion:** May be harmful if swallowed. The petroleum hydrocarbon component, if aspirated into the respiratory system during ingestion or vomiting may cause mild or severe pulmonary injury, possibly progressing to death.

**Inhalation:** Low inhalation toxicity. Overexposure to petroleum hydrocarbon component may cause irritation to respiratory tract, headaches, anaesthesia, drowsiness, unconsciousness and other central nervous system effects, possibly including death.

**Delayed, immediate and chronic effects of exposure:** Repeated exposure may affect the liver and kidneys. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals

**Toxicological Data:**

Data from laboratory studies on this product are summarized below:

**Oral:** Rat LD<sub>50</sub>: 1.030 mg/kg (female)

**Dermal:** Rabbit LD<sub>50</sub>: > 5,000 mg/kg

**Inhalation:** Rat 4-hr LC<sub>50</sub>: >2.10 mg/L (no mortality at highest dose tested))

**Eye Irritation:** Rabbit: Mildly irritating (Maximum Ave Irritation Score= 20.7)

**Skin Irritation:** Rabbit: Moderately irritating (PDII=2.6)

**Skin Sensitization:** Guinea pig: Not a sensitizer

**Subchronic (Target Organ) Effects:** Repeated overexposure to phenoxy herbicides may cause effects to liver, kidneys, blood chemistry, and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods. Repeated overexposure to bromoxynil may cause effects to liver, kidneys and central nervous system. Repeated overexposure to Fluroxypyr may cause effects to bone marrow, kidney, liver and respiratory tract.

**Carcinogenicity / Chronic Health Effects:** The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. However, newer rat and mouse lifetime feeding studies did not show carcinogenic potential for 2,4-D. The U.S. EPA has classified bromoxynil as a Class C carcinogen (a possible human carcinogen), based on an increased incidence of liver tumors observed in mice. Fluroxypyr did not cause cancer in laboratory animals. The hydrocarbon component may contain naphthalene, which is listed by IARC as a class 2B and the U.S. National Toxicology Program as reasonably anticipated to be a human carcinogen.

**Reproductive Toxicity:** No impairment of reproductive function attributable to 2,4-D has been noted in laboratory animal studies. Animal tests with bromoxynil have not demonstrated reproductive effects. In animal studies, fluroxypyr has been shown not to interfere with reproduction.

**Developmental Toxicity:** 2,4-D studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals. Based upon the results of rat and rabbit teratogenicity studies, bromoxynil is considered to be a developmental toxicant. Women of childbearing age should be particularly careful when handling this product to avoid ingestion and skin contact. Fluroxypyr did not cause birth defects in animals; other effects were seen in the fetus only at doses which caused toxic effects in the mother.

**Genotoxicity:** There have been some positive and some negative studies, but the weight of evidence is that 2,4-D is not mutagenic. There have been some positive and negative studies, but the weight of evidence is that bromoxynil is not mutagenic. Neither *in vitro* nor *in vivo* tests on bromoxynil octanoate demonstrated mutagenic effects. Animal tests with fluroxypyr did not demonstrate mutagenic effects.

**Assessment Carcinogenicity:**

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Chlorophenoxy Herbicides (2,4-D 2EHE)	No	2B	No	No
Bromoxynil	No	No	No	No
Solvent Naphtha (Petroleum), Heavy Aromatic	No	No	No	No
1-Methylnaphthalene	No	No	No	No
2-Methylnaphthalene	No	No	No	No
Naphthalene	A3	2B	Yes	No
Other Ingredients	No	No	No	No

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity:**

Data on 2,4-D 2EHE:

96-hour LC <sub>50</sub> Bluegill:	>5 mg/l	Bobwhite Quail Oral LD <sub>50</sub> :	>5,620 mg/kg
96-hour LC <sub>50</sub> Rainbow Trout:	7.2 mg/l	Mallard Duck 8-day Dietary LC <sub>50</sub> :	>5,620 ppm
48-hour EC <sub>50</sub> Daphnia:	>5 mg/l		

Data on Bromoxynil Octanoate:

96-hour LC <sub>50</sub> Bluegill:	0.06 mg/l	Bobwhite Quail Acute Oral LD <sub>50</sub> :	148 mg/kg
------------------------------------	-----------	--	-----------

96-hour LC <sub>50</sub> Rainbow Trout:	0.041 mg/l	Mallard Duck Acute Oral LD <sub>50</sub> :	2,050 mg/kg
48-hour EC <sub>50</sub> Daphnia magna:	0.046 mg/l		
120-hour EC <sub>50</sub> Algae :	0.043 mg/l ( <i>Navicula</i> )	0.22 mg/l ( <i>Selenastrum</i> )	

**Data on Fluroxypyr 1-Methylheptyl Ester:**

Fluroxypyr 1-Methylheptyl Ester is highly toxic to aquatic invertebrates on an acute basis (LC<sub>50</sub> or EC<sub>50</sub> is between 0.1 and 1 mg/L). Concentrations for fish were not determined because they exceed water solubility. Fluroxypyr 1-Methylheptyl Ester is highly insoluble in water. Fluroxypyr 1-Methylheptyl Ester is practically non-toxic to birds on an acute and dietary basis (LD<sub>50</sub> >2,000 mg/kg and LC<sub>50</sub> >5,000 ppm).

**Environmental Fate:**

In laboratory and field studies, 2,4-D 2-ethylhexyl ester rapidly de-esterified to parent acid in the environment. The typical half-life of the resultant 2,4-D acid ranged from a few days to a few weeks. Bromoxynil octanoate rapidly degrades to bromoxynil phenol. The typical half-life of bromoxynil phenol ranged from a few days to a few weeks. In laboratory and field studies, Fluroxypyr 1-Methylheptyl Ester rapidly de-esterified to parent acid in the environment. The typical soil half-life for fluroxypyr (acid and ester) ranged from one to four weeks. Microbial metabolism is the primary degradation mechanism in soil. The typical aquatic half-life ranged from 4 to 14 days.

**13. DISPOSAL CONSIDERATIONS****Waste Disposal Method:**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**Container Handling and Disposal:**

**Nonrefillable Containers 5 Gallons or Less:** Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

**Nonrefillable containers larger than 5 gallons:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

**Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**Refillable containers larger than 5 gallons:** Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or

pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

#### 14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this SDS.

##### **DOT**

##### **< 33 gallons per completed package**

Non Regulated

##### **≥ 33 gallons and ≤ 119 gallons per completed package**

UN 3082, Environmentally hazardous substance, liquid, n.o.s.,(2,4-D acid), 9, III

##### **> 119 gallons per completed package**

UN 3082, Environmentally hazardous substance, liquid, n.o.s.  
(2,4-D acid, Bromoxynil Octanoate), 9, III, RQ, MARINE POLLUTANT

##### **IMDG**

UN 3082, Environmentally hazardous substance, liquid, n.o.s.  
(2,4-D acid, Bromoxynil Octanoate), 9, III, MARINE POLLUTANT

##### **IATA**

Non Regulated

#### 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

##### **U.S. Federal Regulations:**

**TSCA Inventory:** This product is exempted from TSCA because it is solely for FIFRA regulated use.

##### **SARA Hazard Notification/Reporting:**

##### **Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):**

Acute Health, Chronic Health

##### **Section 313 Toxic Chemical(s):**

2,4-D 2-ethylhexyl ester (CAS No. 1928-43-4) 30.2 – 32.2% by weight in product  
Bromoxynil octanoate (CAS No. 1689-99-2) 23.3 – 24.7 % by weight in product.  
Naphthalene (CAS No 91-20-3) <0.3% by weight

##### **Reportable Quantity (RQ) under U.S. CERCLA:**


Naphthalene (CAS No 91-20-3) 100 lbs

##### **RCRA Waste Code:**

Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

##### **State Information:**

Other state regulations may apply. Check individual state requirements.

**California Proposition 65:**  **ATTENTION.** This product can expose you to chemicals including bromoxynil octanoate which is known to the state of California to cause birth defects or other reproductive harm and naphthalene which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**16. OTHER INFORMATION****National Fire Protection Association (NFPA) Hazard Rating:****Rating for this product: Health: 2 Flammability: 1 Reactivity: 0**

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use or of reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

**Date of Issue:** November 20, 2017**Supersedes:** June 9, 2015