

FIFRA Section 2(ee) Recommendation

DISARM™ 480 SC Fungicide
 EPA Reg. No. 66330-64

This recommendation is made as permitted by Section 2(ee) of FIFRA and has not been submitted to or approved by the U. S. Environmental Protection Agency

FOR DISTRIBUTION ONLY IN STATES WHERE DISARM™ 480 SC FUNGICIDE IS CURRENTLY REGISTERED

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all applicable directions for use, precautions and limitations on the product label attached to the container for **DISARM™ 480 SC Fungicide**. Also observe all directions, precautions and limitations on the labeling of all other products mentioned below. This recommendation must be in the possession of the user at the time of application.

When applying in Indiana, please note that the use of this product according to this recommendation has not been reviewed or endorsed by the Office of the Indiana Chemist.

DIRECTIONS FOR APPLICATION TO TURF

Disease Control	Use Rate	Application Interval (Days)	Application Instructions
Rhizoctonia Large Patch (Zoysia Patch) <i>(Rhizoctonia solani)</i>	8.0 – 16.0 fl oz/Acre (0.18 – 0.36 fl oz/1,000 sq ft)	14 - 28	Apply in the spring at about 50% zoysiagrass green-up. Use the higher rates and shorter intervals for severe Zoysia Patch. One to two fall applications can also be made as preventive applications. Consult with local turfgrass experts for specific information concerning the timing of applications to control Zoysia Patch in your area.

FIFRA Section 2(ee) Recommendation – Cont'd

DISARM™ 480 SC Fungicide
 EPA Reg. No. 66330-64

Disease Control	Use Rate	Application Interval (Days)	Application Instructions
Dollar Spot* <i>(Sclerotinia homoeocarpa)</i>	8.0 – 16.0 fl oz/Acre (0.18 – 0.36 fl oz/1,000 sq ft)	14 – 21	<p>DISARM 480 SC Fungicide provides control of light to moderate dollar spot pressure when used to control other diseases.</p> <p>Under heavy dollar spot pressure or where dollar spot is the only targeted disease use a DMI fungicide (propiconazole, tebuconazole, triadimefon, myclobutanil, etc.) labeled for control of Dollar Spot in tank-mix or in alternation with DISARM 480 SC Fungicide applications.</p>

Notes:

* Refer to the **RESISTANCE MANAGEMENT** section on the **DISARM 480 SC Fungicide** label attached to the container when using to control this disease.

Arysta LifeScience North America Corporation
 15401 Weston Parkway, Suite 150
 Cary, NC 27513
www.arystalifescience.com



DISARM is a trademark of Arysta LifeScience North America Corporation

Issue date: March 2007