

Select Max® Herbicide with Inside Technology™



Safety Data Sheet - GHS

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Select Max® Herbicide with Inside Technology™
EPA REGISTRATION NUMBER: 59639-132
PRODUCT CODE: 86773
VC NUMBER(S): 1463, 1650, 1900, 1918 and 2042.
SYNONYM(S): None

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. LLC
P.O. Box 8025
1600 Riviera Avenue, Suite 200
Walnut Creek, CA 94596-8025

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

SDS Location: The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

This product is an EPA FIFRA registered pesticide. Some classifications on this SDS are not the same as the FIFRA-required classifications on the product label. Certain sections of this SDS are superseded by federal law under EPA FIFRA for a registered pesticide. Please see Section 15, REGULATORY INFORMATION for an explanation.

Classification - (per U.S. OSHA 29 CFR 1910.1200 (Hazcom 2012))

| | |
|---|-------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1B |
| Aspiration toxicity | Category 1 |
| Flammable liquids | Category 4 |

Label elements

EMERGENCY OVERVIEW

Danger



Hazard statements

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 4

SDS NO.: 0232
REVISION DATE: 05/01/2017

Harmful if inhaled
 May cause genetic defects
 May cause cancer
 May be fatal if swallowed and enters airways
 Combustible liquid

Precautionary statements

Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area
 Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Response

IF exposed or concerned: Get medical advice/attention

Eyes None.

Skin None.

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

FIRE In case of fire: Use CO₂, dry chemical, or foam for extinction.

Spill None.

Storage

Store locked up
 Store in a well-ventilated place. Keep cool

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

<45% of the mixture consists of ingredient(s) of unknown toxicity

For information on Transportation requirements see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% | TRADE SECRET |
|---------------------|------------|----------|--------------|
| Clethodim technical | 99129-21-2 | 12.6 | |
| Total hydrocarbons | 64742-94-5 | 40 - 43 | |
| Naphthalene | 91-20-3 | <5 | |
| Others | No CAS# | 39 - 43 | * |

* The chemical name, CAS number and/or exact percentage have been withheld as a trade secret

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

Emergency Telephone: (800) 892-0099
 REVISION NUMBER: 4

SDS NO.: 0232
 REVISION DATE: 05/01/2017

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

Ingestion of this product or subsequent vomiting can result in aspiration of light hydrocarbon liquid, which can cause pneumonitis. If ingested, probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

| | | |
|--------------------------------------|----------------------|-------------------|
| Flash point °C | 72 °C | |
| FLASH POINT: | 162° F | |
| Flash point °F | 162 °F | |
| FLASH POINT METHOD: | SetaFlash Closed Cup | |
| FLAMMABLE LIMITS IN AIR - LOWER (%): | | No data available |
| FLAMMABLE LIMITS IN AIR - UPPER (%): | | No data available |
| OSHA FLAMMABILITY CLASS: | IIIA | |

NFPA RATING:

| | |
|---------------|------|
| Health: | 2 |
| Flammability: | 2 |
| Reactivity: | 0 |
| Special: | None |

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Liquid evaporates and forms vapor (fumes) which can catch fire and burn with explosive violence. Invisible vapor spreads easily and can be set on fire by many sources such as pilot lights, welding equipment, and electrical motors and switches. Fire hazard is greater as liquid temperature rises above 85 degrees F.

Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable
FOR SPILLS ON LAND:

EMERGENCY RESPONSE GUIDEBOOK NO.: NA1993

CONTAINMENT: Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

CLEANUP: Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material forms an emulsion in water. Stop or reduce contamination of any water. Isolate contaminated water.

CLEANUP: Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

DO NOT USE OR STORE near flame, sparks or hot surfaces. Use only in well ventilated area. Keep container closed.

DO NOT weld, heat or drill container. Replace cap or bung. Emptied container still contains hazardous or explosive vapor or liquid.

STORAGE:

Do not store near heat or open flame. Do not store at temperatures below 32°F. If the product is exposed to temperatures below 32°F, thaw at room temperature to 50°F or warmer and shake gently to unify the product.

Open dumping is prohibited. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment.

Keep pesticide in original container only. Do not put formulation or dilute spray solution into food or drink containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If operating conditions result in airborne concentrations of this material, the use of an approved respirator is recommended.

SKIN & HAND PROTECTION: Do not get on skin or clothing. Skin contact should be minimized by wearing protective clothing including coveralls worn over short-sleeved shirt and short pants, socks, chemical-resistant footwear and chemical-resistant gloves. Remove contaminated clothing. Discard clothing and other absorbent materials that may have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Mixers, loaders, applicators and other handlers should refer to the product label before use for detailed information on personal protective equipment (PPE).

EXPOSURE LIMITS

| Chemical Name | ACGIH TLV | 8 Hr. TWA: | Manufacturer's Exposure Limits |
|---------------------|--|--|--------------------------------|
| Clethodim technical | None | None | None |
| Total hydrocarbons | None | None | None |
| Naphthalene | 10 ppm TWA, 15 ppm STEL skin - potential for absorption | 10 ppm TWA, 15 ppm STEL 50 mg/m ³ TWA, 75 mg/m ³ STEL | None |
| Others | None | None | Not known |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|-----------------------|--------------------------|-----------------------|--------------------------|
| Physical state | Liquid | Odor | Mild aromatic |
| Appearance | No information available | Odor threshold | No information available |
| Color | Clear amber | | |

| <u>PROPERTIES</u> | <u>Values</u> | <u>Remarks • Method</u> |
|-------------------------------------|-----------------------------------|-------------------------|
| pH | 4.5 | @ 25°C (1% emulsion) |
| Melting point/freezing point | No information available | |
| Boiling point/boiling range | No information available | |
| Flash point | 72 °C / 162 °F | |
| Evaporation rate | No information available | |
| Flammability (solid, gas) | No information available | |
| Flammability Limits in Air | | |
| Upper flammability limits | No information available | |
| Lower flammability limit | No information available | |
| Vapor pressure | No information available | |
| Vapor density | No information available | |
| Specific Gravity | No information available | |
| Water solubility | Emulsifiable | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Viscosity | 4.76 cP @ 20° C; 3.15 cP @ 40° C | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| Density | 7.69 lbs/gal (0.921 g/mL) @ 20° C | |
| Bulk density | No information available | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive with water, monoammonium phosphate, zinc, and potassium permanganate.

Chemical stability

Unstable at extreme pH's, temperature and upon exposure to UV light.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

| | | | |
|---|---------------------------------|------------------|----------------|
| Oral Toxicity LD ₅₀ (rats) | > 5000 mg/kg | EPA Tox Category | IV |
| Dermal Toxicity LD ₅₀ (rabbits) | > 5000 mg/kg | EPA Tox Category | IV |
| Inhalation Toxicity LC ₅₀ (rats) | 4-hr LC ₅₀ 2.11 mg/L | EPA Tox Category | IV |
| Eye Irritation (rabbits) | Moderately irritating | EPA Tox Category | III |
| Skin Irritation (rabbits) | Moderate skin irritation | EPA Tox Category | III |
| Skin Sensitization (guinea pigs) | Positive, Buehler | EPA Tox Category | Not applicable |

CARCINOGEN CLASSIFICATION

| Chemical Name | IARC | OSHA - Select Carcinogens | NTP Carcinogen List |
|---------------------|---|---------------------------|---------------------|
| Clethodim technical | Not listed | Not listed | Not listed |
| Total hydrocarbons | Not listed | Not listed | Not listed |
| Naphthalene | Monograph 82 [2002] Group 2B Reasonably Anticipated To Be A Human Carcinogen | Carcinogen | Suspect Carcinogen |
| Others | Not Known | Not listed | Not known |

TOXICITY OF CLETHODIM TECHNICAL

SUBCHRONIC: Compound-related effects, noted at high doses of Clethodim Technical in subchronic toxicity studies conducted in mice, rats, and dogs, were decreased body weights, increased liver size (increased liver weights and hypertrophy) and anemia (decreased hemoglobin, hematocrit, or erythrocyte counts).

CHRONIC/CARCINOGENICITY: In chronic studies with Clethodim Technical in the mouse, rat, and dog, similar effects as seen in subchronic have been noted. No treatment related increases in neoplasms were observed in any study.

NEUROTOXICITY: Clethodim technical is not neurotoxic.

IMMUNOTOXICITY: Clethodim technical is not immunotoxic.

DEVELOPMENTAL TOXICITY: Developmental toxicity in rats and rabbits was observed only at maternally toxic dose levels of Clethodim Technical.

REPRODUCTION: No reproductive toxicity was observed in a study with rats exposed to Clethodim Technical for two generations.

MUTAGENICITY: Clethodim Technical was negative in the following genotoxicity assays: microbial reverse mutation (Ames Assay), *in vitro* chromosome aberration assay in Chinese Hamster Ovary Cells, *in vivo* chromosome aberration assay in Rat Bone Marrow Cells and *in vivo* Unscheduled DNA Synthesis Assay. Clethodim Technical does not present a genetic hazard to intact animal systems.

TOXICITY OF OTHER INGREDIENTS:

This product contains a solvent. Solvents, when inhaled, can cause nasal and respiratory irritation and central nervous system effects including dizziness, weakness, fatigue, nausea, headache and possibly unconsciousness and even death. Ingestion of solvents can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Prolonged or repeated dermal exposures may cause drying, scaling and even blistering of the skin. Aspiration of low viscosity products can cause chemical pneumonitis which can be fatal. Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Symptoms include fatigue, concentration difficulties, anxiety, depression, rapid mood swings and short-term memory loss. The reports are not clear with regard to the types of solvents that may cause these symptoms, and there is controversy among scientists to whether the condition exists or is caused by this type of product. Since many other diseases cause some or all of these conditions, a doctor should be consulted if any appear. Acute exposure to naphthalene by inhalation, ingestion, and dermal contact has been associated with hemolytic anemia, damage to the kidneys, cataracts, and, in infants, brain damage. There is limited evidence of fetal and maternal toxicity from exposure to naphthalene.

Chronic (long-term) exposure of workers and rodents to naphthalene has been reported to cause cataracts and damage to the retina. Lesions in the kidneys and thymus, signs of anemia, and reduced spleen weights have been observed in rats and mice chronically exposed via gavage. A National Toxicology Program (NTP) report states that lifetime inhalation exposure to naphthalene resulted in increases in tumors of the nose in rats. In another NTP study, lifetime inhalation exposure to naphthalene increased lung tumors in female mice. The relevance of the rodent findings to humans is unknown. Naphthalene has been listed by the International Agency for Research on Cancer (IARC) as possibly carcinogenic to humans (Group 2B).

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY:

The acute toxicity of Clethodim Technical to birds is very low:

Bobwhite quail oral LD₅₀: greater than 2 g/kg;
Bobwhite quail dietary LC₅₀: greater than 6000 ppm;
Mallard duck dietary LC₅₀: greater than 6000 ppm.

No reproductive effects were observed in mallard ducks exposed to 1000 ppm of Clethodim Technical. In Bobwhite quail, a slight decrease in viability of embryos of eggs from females exposed to 1000 ppm was observed. A NOEL was established at 300 ppm for this study.

AQUATIC ORGANISM TOXICITY: Clethodim Technical is only slightly toxic to freshwater fish and practically nontoxic to daphnia:

Rainbow Trout 96-hour LC₅₀ = 56 mg a.i./L;
Bluegill Sunfish 96-hour LC₅₀ greater than 100 mg a.i./L;
Daphnia magna 48-hour LC₅₀: greater than 100 mg a.i./L.

OTHER NON-TARGET ORGANISM TOXICITY: Clethodim Technical was found to be nontoxic to adult worker bees at the highest dose tested, 100 micrograms/bee.

OTHER ENVIRONMENTAL INFORMATION:

Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Refer to pesticide label for proper container disposal instructions based on container type and size.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: **Non-bulk packaging:** not regulated for transport --see 49CFR 173.150;
Bulk packaging (>119 gal.): NA 1993, Combustible, liquid, n.o.s. (contains Naphthalene), 3, III

EMERGENCY RESPONSE GUIDEBOOK NO.: 128

ICAO/IATA SHIPPING NAME: Not Dangerous Goods

IMDG SHIPPING NAME: Not Dangerous Goods

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

Pesticide products in the U.S. are registered by the EPA under FIFRA and are subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- *Causes moderate eye irritation*
- *Harmful if swallowed*
- *Prolonged or frequent repeated skin contact may cause allergic reactions in some individuals.*
- *Contains petroleum distillates*
- *Keep out of reach of children.*

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Total hydrocarbons

TSCA Inventory List - Present

Naphthalene

TSCA Inventory List - Present

Clean Water Act - Hazardous Substances Present

Clean Water Act Section 307 Present

SARA 313 Chemicals 0.1% de minimis concentration

CERCLA Reportable Quantity (RQ): 100 lb (45.4 kg)

Product Reportable Quantity (RQ): 277 gallons

SARA (311, 312):

Immediate Health: Yes

Chronic Health: Yes

Fire: Yes

Sudden Pressure: No

Reactivity: No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Naphthalene

California Proposition 65 carcinogen

California - Directors List of Present

Hazardous Substances

MA Right To Know Present

NJ Right To Know 1322

PA Right To Know Environmental hazard

RI Right To Know Listed

MN Hazardous Substance Present

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE: Add VC numbers.

SDS NO.: 0232
EPA REGISTRATION NUMBER: 59639-132
REVISION NUMBER: 4
REVISION DATE: 05/01/2017
SUPERCEDES DATE: 04/09/2015
RESPONSIBLE PERSON(S): Valent U.S.A. LLC, Corporate EH&S, (925) 256-2803

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. LLC and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the accuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. LLC nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. LLC to confirm that you have the most current product label and SDS.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABEL (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products is regulated by the EPA under the authority of FIFRA through the product label. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label. It is a violation of federal law to use an EPA-registered pesticide product in any manner inconsistent with its labeling.

2017 Valent U.S.A. LLC