

SAFETY DATA SHEET

PROTECTOR-D

Version Revision Date: MSDS Number: Country: US
1.4 10/16/2015 400000004699 Language: EN

SECTION 1. IDENTIFICATION

Product name : PROTECTOR-D

Product code : 400000004699

Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc
 245 Freight St
 Waterbury, CT
 United States of America
 06702
 Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :
sds.request@arysta.com

1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300
For additional emergency telephone numbers see section 16 of the
Safety Data Sheet.

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Agriculture, For professional users only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 3

Eye irritation : Category 2A

Skin sensitisation : Category 1

Acute aquatic toxicity : Category 1

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Chronic aquatic toxicity : Category 1

GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear eye protection/ face protection.
P280 Wear protective gloves.
Response:
P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Fungicide

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Hazardous components

| Chemical Name | CAS-No. | Concentration (% w/w) |
|---|------------|-----------------------|
| thiram | 137-26-8 | >= 30 - < 50 |
| disodium molybdate | 7631-95-0 | >= 20 - < 30 |
| Talc (Mg ₃ H ₂ (SiO ₃) ₄) | 14807-96-6 | >= 20 - < 30 |
| graphite | 7782-42-5 | >= 10 - < 20 |

SECTION 4. FIRST AID MEASURES

- If inhaled : Move to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Call a POISON CENTER or doctor/ physician.
- In case of skin contact : Remove contaminated clothing and shoes.
Wash off immediately with plenty of water for at least 15 minutes.
Call a POISON CENTER or doctor/ physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
Call a POISON CENTER or doctor/ physician.
- If swallowed : Call a physician or poison control centre immediately.
Have person sip a glass of water if able to swallow.
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : irritant effects
Symptoms may be delayed.
Toxic if swallowed.
May cause an allergic skin reaction.
Causes serious eye irritation.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - large fires
Alcohol-resistant foam
(on small fires)
Carbon dioxide (CO₂)
Dry chemical
Water spray

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Unsuitable extinguishing media : Water spray jet

Further information : Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for firefighters : Body covering protective clothing, full "turn-out" gear.
Self-contained breathing apparatus (EN 133)

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate unnecessary personnel.
Avoid all contact with material.
Wear suitable protective equipment.

Environmental precautions : Prevent leaks and prevent soil / water pollution caused by leaks.

Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.
Avoid dust formation.
In accordance with local and national regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Wear suitable protective equipment.
Warn personnel about the dangers of the product.
Keep container tightly closed.
Keep container tightly closed.
Avoid formation of dust and aerosols.

Conditions for safe storage : Keep in a dry, cool place.

Technical measures/Precautions : Do not store near food, feed or fertilizers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|--------------------|-----------|------------------------------------|---|-----------|
| thiram | 137-26-8 | TWA (Inhalable fraction and vapor) | 0.05 mg/m ³ | ACGIH |
| | | TWA | 5 mg/m ³ | OSHA Z-1 |
| | | TWA | 5 mg/m ³ | OSHA P0 |
| | | TWA | 5 mg/m ³ | NIOSH REL |
| disodium molybdate | 7631-95-0 | TWA (total dust) | 15 mg/m ³ (Molybdenum) | OSHA Z-1 |
| | | TWA (Inhalable fraction) | 10 mg/m ³ (Molybdenum) | ACGIH |
| | | TWA (Respirable fraction) | 3 mg/m ³ (Molybdenum) | ACGIH |

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
 Language: EN

| | | | | |
|---------------------|------------|--------------------------------|-------------------------------------|-----------|
| | | TWA (Total) | 10 mg/m3 (Molybdenum) | OSHA P0 |
| Talc (Mg3H2(SiO3)4) | 14807-96-6 | TWA | 0.1 fibre/cm3 | ACGIH |
| | | TWA (Respirable fraction) | 2 mg/m3 | ACGIH |
| | | TWA (Dust) | 20 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Respirable) | 2 mg/m3 | NIOSH REL |
| | | TWA (respirable dust fraction) | 2 mg/m3 | OSHA P0 |
| graphite | 7782-42-5 | TWA (total dust) | 15 mg/m3 | OSHA Z-1 |
| | | TWA (respirable fraction) | 5 mg/m3 | OSHA Z-1 |
| | | TWA (Respirable fraction) | 2 mg/m3 | ACGIH |
| | | TWA (Respirable) | 2.5 mg/m3 | NIOSH REL |
| | | TWA (Dust) | 15 Million particles per cubic foot | OSHA Z-3 |
| | | TWA (Total dust) | 10 mg/m3 | OSHA P0 |
| | | TWA (respirable dust fraction) | 5 mg/m3 | OSHA P0 |
| | | TWA (respirable dust fraction) | 2.5 mg/m3 | OSHA P0 |

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Impervious gloves

Eye protection : Face-shield

Skin and body protection : Lightweight protective clothing

Hygiene measures : Use only with adequate ventilation.
 Avoid dust formation.
 Avoid breathing dust.
 Take precautionary measures against static discharges.
 Wash hands and face thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Colour : grey

Odour : musty

Odour Threshold : No data available

pH : 7.36, (25 °C)
1% Solution
: No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Density : 2.01 g/cm³

Solubility(ies)

 Water solubility : partly soluble

 Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

 Viscosity, dynamic : Not applicable

 Viscosity, kinematic : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Incompatible materials : Copper
Incompatible with strong acids and bases.

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Hazardous decomposition products : Burning produces noxious and toxic fumes.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact

Ingestion

Acute toxicity

Product:

Acute oral toxicity : LD50: 290 mg/kg

Acute inhalation toxicity : LC50: > 8.0 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50: > 2,000 mg/kg

Components:

thiram:

Acute oral toxicity : LD50 (Rat, female): 1,800 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 3.46 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation

Product:

Result: Mild skin irritation

Components:

thiram:

Species: Rabbit

Result: No skin irritation

Talc (Mg₃H₂(SiO₃)₄):

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: Eye irritation

Components:

thiram:

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Species: Rabbit
Result: Irritating to eyes.
Assessment: Irritating to eyes.

Talc (Mg₃H₂(SiO₃)₄):

Species: Rabbit
Result: No eye irritation

Respiratory or skin sensitisation

Components:

thiram:

Species: Guinea pig
Assessment: May cause sensitisation by skin contact.
Result: Causes sensitisation.

Germ cell mutagenicity

Components:

thiram:

Genotoxicity in vitro : Species: Salmonella typhimurium
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: positive

: Species: Chinese hamster ovary cells
Result: negative

: Species: Chinese hamster ovary cells
Method: In Vitro mammalian Cell Gene Mutation Test
Result: negative

Genotoxicity in vivo : Test Type: Mammalian bone marrow chromosome aberration test
Species: Mouse
Result: negative

Germ cell mutagenicity - Assessment : negative

Talc (Mg₃H₂(SiO₃)₄):

Genotoxicity in vitro : Test Type: Unscheduled DNA synthesis (UDS)
Result: negative
GLP: yes

: Test Type: Ames test
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Rat
Application Route: Oral
Result: negative

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Components:

thiram:

Species: Rat

Application Route: Oral

NOAEL: No observed adverse effect level: 1.5 mg/kg bw/day

Carcinogenicity - Assessment : negative

Talc (Mg₃H₂(SiO₃)₄):

Species: Rat

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

IARC

Group 1: Carcinogenic to humans

Talc (Mg₃H₂(SiO₃)₄) 14807-96-6

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

Known to be human carcinogen

Talc (Mg₃H₂(SiO₃)₄) 14807-96-6

Reproductive toxicity

Components:

thiram:

Effects on fertility

: Species: Rat
General Toxicity - Parent: No observed adverse effect level: 2.3 mg/kg bw/day
General Toxicity F1: No observed adverse effect level F1: 9 mg/kg bw/day
Early Embryonic Development: No observed adverse effect level F2: 3 mg/kg bw/day

Effects on foetal development

: Species: Rabbit
General Toxicity Maternal: No observed adverse effect level: 10 mg/kg bw/day
Teratogenicity: No observed adverse effect level: 10 mg/kg bw/day

Species: Rat

Teratogenicity: No observed adverse effect level: 7.5 mg/kg

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

bw/day

Reproductive toxicity - Assessment : negative
negative

Talc (Mg₃H₂(SiO₃)₄):

Reproductive toxicity - Assessment : No effects on or via lactation

STOT - repeated exposure

Components:

Talc (Mg₃H₂(SiO₃)₄):

Exposure routes: Inhalation

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

thiram:

Species: Rat

NOAEL: 2.5 mg/kg

Application Route: Oral

Exposure time: 90 d

Target Organs: Stomach

Species: Rabbit

NOAEL: 300 mg/kg

Application Route: Dermal

Exposure time: 21 d

Species: Dog

NOAEL: 2 mg/kg

Application Route: Oral

Exposure time: 90 d

Target Organs: Liver

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

thiram:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.046 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.011 mg/l
Exposure time: 48 h
Test Type: static test

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.065 mg/l
Exposure time: 120 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : (Daphnia magna (Water flea)): 0.008 mg/l
Exposure time: 21 d

Talc (Mg₃H₂(SiO₃)₄):

Toxicity to fish : LC50 (Danio rerio (Zebra fish)): > 5,000 mg/l
Exposure time: 24 h
Test Type: semi-static test

Persistence and degradability

Components:

thiram:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

Components:

thiram:

Partition coefficient: n-octanol/water : log Pow: 2.1

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : Toxic to aquatic organisms.

Components:

thiram:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

SAFETY DATA SHEET

PROTECTOR-D

Version Revision Date: MSDS Number: Country: US
1.4 10/16/2015 400000004699 Language: EN

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : In accordance with local and national regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(thiram)
Class : 9
Packing group : III
Labels : 9

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S., Environmentally hazardous substance, solid, n.o.s.
(thiram)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo
aircraft) : 956
Packing instruction (passen-
ger aircraft) : 956

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(thiram)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN/ID/NA number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S., ENVIRONMENTALLY HAZARDOUS SUBSTANCES,

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

SOLID, N.O.S.
(thiram)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(thiram)
Remarks : RQ may apply
Not regulated by DOT and TDG if shipped or transported in packaging < 12.7 KG by road and/or rail. Please refer to 49 CFR for any details.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Component RQ (lbs) |
|------------|----------|--------------------|--------------------|
| Thiram | 137-26-8 | 10 | 28 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SSARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

thiram 137-26-8 35.5333 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I-intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

SAFETY DATA SHEET

PROTECTOR-D

| | | | |
|---------|----------------|--------------|--------------|
| Version | Revision Date: | MSDS Number: | Country: US |
| 1.4 | 10/16/2015 | 400000004699 | Language: EN |

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

Talc ($Mg_3H_2(SiO_3)_4$)

14807-96-6

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

DANGER

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid inhaling dust. Wear protective eyewear. Consumption of alcoholic beverages increases the toxic effect of thiram.

This pesticide product is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not contaminate water by cleaning of equipment or disposing of equipment washwaters or rinsate. Drift or run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. This product may have effects on federally listed, threatened, or endangered species, or their critical habitat in some counties. It is a violation of federal law to kill, harm, or harass listed animal species without authorization. To limit the potential for such impacts when using this product, consult and follow the instructions provided in the EPA Endangered Species Bulletin for the County or Parish in which you are applying the treated seed. To determine whether your County or Parish has a Bulletin, consult <http://www.epa.gov/espp> before each season's use of this product.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra-

SAFETY DATA SHEET


PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

tion; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

Further information

NFPA:



HMIS III:

| | |
|-----------------|----|
| HEALTH | 2* |
| FLAMMABILITY | 3 |
| PHYSICAL HAZARD | 0 |

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 10/16/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN

SAFETY DATA SHEET

PROTECTOR-D

Version 1.4 Revision Date: 10/16/2015 MSDS Number: 400000004699 Country: US
Language: EN

Carechem24 International Worldwide Coverage

Emergency Phone Number

| | | |
|------------------------------|--|-------------------------------------|
| <u>Europe:</u> | All European Countries | +44 (0) 1235 239 670 (NCEC) |
| <u>Asia Pacific:</u> | East / South East Asia – Regional Number | +65 3158 1074 |
| | Australia | +61 2801 44558 |
| | New Zealand | +64 9929 1483 |
| | China | +86 532 8388 9090 |
| | China Taiwan | +86 10 5100 3039 |
| | Japan | +81 345 789 341 |
| | Indonesia | 00780 3011 0293 |
| | Malaysia | +60 3 6207 4347 |
| | Thailand | 001800 1 2066 6751 |
| | Korea | +65 3158 1285 +82 (0)234 798 401 |
| | Vietnam | +65 3158 1255 |
| | India | +65 3158 1198 0800 100 7479 |
| | Pakistan | +65 3158 1329 |
| | Philippines | +65 31581203 |
| | Sri Lanka | +65 3158 1195 |
| | Emergency Phone Number | +65 3158 1200 |
| <u>Middle East / Africa:</u> | Arabic speaking countries | +44 (0) 1235 239 671 |
| | South Africa | +27 21 300 2732 |
| | All other countries | +44 (0) 1235 239 670 |
| <u>America</u> | United States of America and Canada | +1866 928 0789 +1 215 207 0061 |
| <u>Latin America:</u> | Brazil | +55 113 711 9144 |
| | Mexico | +52 555 004 8763 |
| | Chile | +56 225 829 336 |
| | All other countries | +44 (0) 1235 239 670 |