

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

* 1 Identification

- **Product identifier**
- **Trade name: Rx-C**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Redox Chemicals LLC
130 South 100 West
PO Box 129
Burley, ID 83318
Phone: 208-678-2610
Fax: 208-677-3609
- **Emergency telephone number:** 208-431-2314

* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS09

- **Signal word** Non-Regulated Material
- **Hazard statements**
Toxic to aquatic life with long lasting effects.
- **Precautionary statements**
Avoid release to the environment.
Collect spillage.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 0
Reactivity = 0

- **HMIS-ratings (scale 0 - 4)**



HEALTH 0 Health = 0
FIRE 0 Fire = 0
REACTIVITY 0 Reactivity = 0

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 1)

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous Components:		
7440-66-6	Zinc ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Combustible Dust	≤ 2.5%
7440-50-8	copper ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 2.5%

- **Additional information:**
Available Phosphate (P2O5) 4.00 %
Soluble Potash (K2O) 6.00 %

* 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Remove contaminated clothing. Wash clothing before reuse.
Immediately wash skin with soap and plenty of water for at least 20 minutes.
If symptoms persist, consult a doctor.
- **After eye contact:**
Hold eyelids apart and flush eyes with plenty of water for at least 20 minutes.
Seek immediate medical advice.
- **After swallowing:** Never give anything by mouth to an unconscious person
- **Most important symptoms and effects, both acute and delayed**
Treat symptoms and reduce over-exposure.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
Hazardous Combustion Products: Upon combustion, this product may release oxides of phosphorous and nitrogen, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Phosphines may be formed after all water has been removed.
- **Advice for firefighters**
- **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 2)

Dispose of the collected material according to regulations.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

* 7 Handling and storage

· **Precautions for safe handling** No special precautions are necessary if used correctly.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** No special requirements.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with occupational exposure limits:**

7440-50-8 copper

PEL Long-term value: 1* 0.1** mg/m³
as Cu *dusts and mists **fume

REL Long-term value: 1* 0.1** mg/m³
as Cu *dusts and mists **fume

TLV Long-term value: 1* 0.2** mg/m³
*dusts and mists; **fume; as Cu

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· **Eye protection:** Goggles recommended during refilling.

· **Body protection:** Wear long-sleeved shirt and long pants. Wash contaminated clothing before reuse.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 3)

* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Brown

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range: Not determined.

Boiling point/Boiling range: Not determined.

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:**

Decomposition temperature: Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

Upper: Not determined.

· **Vapor pressure:** Not determined.

· **Density:**

Relative density Not determined.

Vapour density Not determined.

Evaporation rate Not determined.

· **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

· **Solvent content:**

Organic solvents: 0.0 %

Solids content: 6.0 %

· **Other information** No further relevant information available.

* 10 Stability and reactivity

· **Reactivity** No further relevant information available.

· **Chemical stability** Product is stable under normal conditions.

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **Possibility of hazardous reactions** No dangerous reactions known.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 4)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Alkali metals and alkaline earth metals may cause fires or explosions
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Additional toxicological information:**
- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)
--

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)
--

None of the ingredients are listed.

* 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

* 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

* 14 Transport information

- **UN-Number**
 - **DOT**
 - **ADR, IMDG, IATA**
- Non-Regulated Material
UN3082

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 5)

- **UN proper shipping name**
 - **DOT**
 - **ADR**
 - **IMDG**
 - **IATA**
 - **Transport hazard class(es)**
- Non-Regulated Material
 UN3082 Environmentally hazardous substances, liquid, n.o.s. (Zinc, copper)
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc, copper), MARINE POLLUTANT
 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zinc, copper)

- **DOT**
 - **Class**
- Non-Regulated Material

· **ADR**



- **Class**
 - **Label**
- 9 (M6) Miscellaneous dangerous substances and articles
9

· **IMDG, IATA**



- **Class**
 - **Label**
 - **Packing group**
 - **DOT**
 - **ADR, IMDG, IATA**
 - **Environmental hazards:**
 - **Marine pollutant:**
- 9 Miscellaneous dangerous substances and articles
9
 Non-Regulated Material
 III
 Product contains environmentally hazardous substances: Zinc
 Yes
 Symbol (fish and tree)
 Symbol (fish and tree)
 Symbol (fish and tree)

- **Special marking (ADR):**
 - **Special marking (IATA):**
 - **Special precautions for user**
 - **Danger code (Kemler):**
 - **EMS Number:**
 - **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
- Warning: Miscellaneous dangerous substances and articles
90
F-A,S-F
Not applicable.

· **Transport/Additional information:**

- **ADR**
 - **Excepted quantities (EQ)**
- Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

- **IMDG**
 - **Limited quantities (LQ)**
- 5L

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 6)

· **Excepted quantities (EQ)**

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":**

UN3082, Environmentally hazardous substances, liquid, n.o.s.
(Zinc, copper), 9, III

* 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

7440-66-6	Zinc
-----------	------

7440-50-8	copper
-----------	--------

7439-96-5	manganese
-----------	-----------

· **TSCA (Toxic Substances Control Act):**

7440-66-6	Zinc
-----------	------

7440-50-8	copper
-----------	--------

7439-96-5	manganese
-----------	-----------

7439-98-7	molybdenum
-----------	------------

· **Proposition 65**

· **Chemicals known to cause cancer:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

7440-66-6	Zinc	D, I, II
-----------	------	----------

7440-50-8	copper	D
-----------	--------	---

7439-96-5	manganese	D
-----------	-----------	---

· **TLV (Threshold Limit Value established by ACGIH)**

7439-98-7	molybdenum	A3
-----------	------------	----

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

This product is listed as a hazardous material under criteria of the Federal OSHA Hazard Communication Standard, 29 CFR 1910.1200

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 7)

· **Hazard pictograms**



GHS09

· **Signal word** Non-Regulated Material

· **Hazard statements**

Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· **State Right to Know**

7440-66-6	Zinc	≤ 2.5%
	☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ☠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Combustible Dust	
98059-61-1	Phosphate	≤ 2.5%
	Soluble Potash (K ₂ O)	≤ 2.5%
7440-50-8	copper	≤ 2.5%
	☠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
7439-96-5	manganese	≤ 2.5%
	☠ Pyr. Sol. 1, H250; Water-react. 1, H260	
7439-98-7	molybdenum	≤ 2.5%
All ingredients are listed.		

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision** 09/18/2014 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

(Contd. on page 9)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 09/18/2014

Reviewed on 09/18/2014

Trade name: Rx-C

(Contd. of page 8)

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106