



Safety Data Sheet

Safari™ 20 SG Insecticide

1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Safari™ 20 SG Insecticide
VC NUMBER(S): 1455
SYNONYM(S): Dinotefuran 20% SG
EPA REGISTRATION NUMBER: 86203-11-59639; 33657-16-59639

PRODUCT DESCRIPTION: Insecticide for greenhouse, nursery, interior plantscape and outdoor landscape use.

Safari is a registered trademark of Valent U.S.A. Corporation.

MANUFACTURER/DISTRIBUTOR
VALENT U.S.A. CORPORATION
P.O. Box 8025
1600 Riviera Avenue, Suite 200
Walnut Creek, CA 94596-8025

EMERGENCY TELEPHONE NUMBERS
HEALTH EMERGENCY OR SPILL (24 hr):
(800) 892-0099
TRANSPORTATION (24 hr.): CHEMTREC
(800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION
PROFESSIONAL PRODUCTS: (800) 898-2536

The current SDS is available through our website (www.valent.com), or by calling the product information numbers listed above.

2. HAZARDS IDENTIFICATION

For EPA FIFRA-specific information see Section 15

Classification

Acute toxicity - Oral

Category 4

Label elements

EMERGENCY OVERVIEW

WARNING

Hazard statements
Harmful if swallowed

Emergency Telephone: (800) 892-0099
REVISION NUMBER: 1

SDS NO.: 0426
REVISION DATE: 05/23/2015

Precautionary Statements - Prevention

Read product label prior to using this product. For specific handling instruction refer to Section 7, Handling and Storage

Precautionary Statements - Response

See Section 4, First Aid Measures

Precautionary Statements - Storage

For information on Storage and Handling see Section 7.

Precautionary Statements - Disposal

For further information on product and container disposal see Section 13.

Hazards not otherwise classified (HNOC)**Other Information**

<5% of the mixture consists of ingredient(s) of unknown toxicity

For information on Transportation requirements see Section 14.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	TRADE SECRET
Dinotefuran Technical (99% ai)	165252-70-0	20.2	
Sodium dodecylbenzene sulfonate	25155-30-0	1 - 5	
Others	(Various CAS#s)	72	

* The chemical name, CAS number and/or exact percentage have been withheld as a trade secret

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 892-0099** at any time.

4. FIRST AID MEASURES

EMERGENCY NUMBER (800) 892-0099

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-892-0099** for emergency medical treatment information.

EYE CONTACT:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN:

None

5. FIRE FIGHTING MEASURES

Flash point °C Not Applicable
EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

FLAMMABLE LIMITS IN AIR - LOWER (%): Not applicable
FLAMMABLE LIMITS IN AIR - UPPER (%): Not applicable

NFPA RATING:

Health:	1
Flammability:	3
Reactivity:	1
Special:	None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

This material is not expected to burn or explode in normal conditions, but will burn violently if involved in a fire. Dinotefuran becomes self-reactive in high temperatures. Exposure to heat may promote violent decomposition.

HAZARDOUS DECOMPOSITION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce: Oxides of nitrogen.

6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable **EMERGENCY RESPONSE GUIDEBOOK NO.:** Not applicable

FOR SPILLS ON LAND:

CONTAINMENT: Remove all sources of ignition. Ventilate area of leak or spill. Clean-up personnel may require protection from inhalation of dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately in a manner that does not disperse dust into the air and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

HANDLING:

Keep away from all possible sources of ignition (sparks or flame). Avoid high temperatures exceeding 150°C. Keep container closed. Use only with adequate ventilation.

To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring the material. Use explosion-proof electrical equipment. Take precautionary measures against static discharges.

STORAGE:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight. Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Do not store diluted spray.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

INFORMATION FOR END USERS

Mixers, loaders, applicators and other handlers should refer to the product label before use for detailed information on personal protective equipment (PPE).

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. If operating conditions result in airborne concentrations of this material, the use of an approved respirator is recommended.

SKIN & HAND PROTECTION: Applicators and other handlers must wear: long-sleeved shirt and long pants, shoes plus socks and chemical-resistant gloves made of any waterproof material.

Follow manufacturer's instructions for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENGINEERING CONTROLS: Use in a well ventilated area.

EXPOSURE LIMITS

Chemical Name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Dinotefuran Technical (99% ai)	None	None	None
Sodium dodecylbenzene sulfonate	None	None	None
Others	Unknown	Unknown	Unknown

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	Solid	Odor	Odorless
Appearance	Granules	Odor threshold	No information available
Color	Off-white		

<u>PROPERTIES</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.6	(1% solution)
Melting point/freezing point	107.5 °C	Melting point (Dinotefuran Technical)
Boiling point/boiling range	Decomposed at 208°C (Technical)	
Flash point	Not Applicable	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper flammability limits	No information available	
Lower flammability limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	No information available	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Density	No information available	
Bulk density	0.56 g/mL	

10. STABILITY AND REACTIVITY

Reactivity

Not an oxidizing or reducing agent.

Chemical stability

Stable under normal ambient conditions.

Possibility of Hazardous Reactions

This material is combustible and may form explosive dust-air mixture.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

Heat and ignition sources. Oxidizers.

Hazardous Decomposition Products

Normal combustion forms carbon dioxide, water vapor and may produce: oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION**ACUTE TOXICITY:**

Oral Toxicity LD ₅₀ (rats)	> 2,000 mg/kg	EPA Tox Category	III
Dermal Toxicity LD ₅₀ (rabbits)	> 2,000 mg/kg	EPA Tox Category	III
Inhalation Toxicity LC ₅₀ (rats)	> 2.94 mg/L (4 hr)	EPA Tox Category	IV
Eye Irritation (rabbits)	Brief and/or minor irritation	EPA Tox Category	IV
Skin Irritation (rabbits)	Brief and/or minor irritation	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

CARCINOGEN CLASSIFICATION

Chemical Name	IARC	OSHA - Select Carcinogens	NTP Carcinogen List
Dinotefuran Technical (99% ai)	Not listed	Not listed	Not listed
Sodium dodecylbenzene sulfonate	Not listed	Not listed	Not listed
Others	Unknown	Unknown	Unknown

TOXICITY OF DINOTEFURAN TECHNICAL

SUBCHRONIC: Dinotefuran technical was tested in 13-week dietary toxicity studies in rats, mice and dogs. In the rat study, a NOEL of 500 ppm was established, based on reduced body weight gain in females and adrenal cortical vacuolation in males and a NOAEL of 5,000 ppm based on marked growth retardation at 25,000 ppm (adrenal cortical vacuolation not adverse). A NOEL of 25,000 ppm was established in the mouse study based on reduced body weight gain at 50,000 ppm. In the dog 13-week dietary study, a NOEL of 8,000 ppm was established based on reduced body weight gain. No target organs were identified in subchronic inhalation or dermal toxicity studies in rats.

CHRONIC/CARCINOGENICITY: Dinotefuran technical was tested in lifetime studies with rats and mice and a one-year study with dogs. In common with the subchronic studies in these species, no specific target organs could be identified. In the 78-week mouse study a NOAEL of 2500 ppm was established, based on decreased weight gain and a decrease in circulating platelet counts. In the 104-week rat study a NOAEL of 2000 ppm was established, based on a decrease in weight gain in females. There were no treatment-related effects in rats or mice on survival or the nature and incidence of neoplastic and adverse non-neoplastic histomorphological findings in either species at any dose level. In the 52-week dog study a NOAEL of 16000 ppm was established based on decreased weight gain in both sexes and decreased food consumption in females.

NEUROTOXICITY: Dinotefuran did not produce any functional or histomorphological evidence of neurotoxicity in acute (gavage) and 13-week (dietary) neurotoxicity studies in rats. The NOEL for neurotoxicity in the acute study was 1,500 mg/kg, the highest dose level administered. The NOEL for neurotoxicity in the 13-week dietary study was 50,000 ppm. The NOEL for all effects in this study was 5,000 ppm based on reduced body weight gain and food consumption.

DEVELOPMENTAL TOXICITY: In a developmental toxicity study of Dinotefuran technical in rats the maternal NOAEL was 300 mg/kg/day based on reduced weight gain, food consumption and water intake at 1000 mg/kg/day. Dinotefuran technical did not produce developmental effects in rats at doses up to 1000 mg/kg/day (the highest doses tested). In a study with rabbits the maternal NOAEL was 52 mg/kg/day based on reduced weight gain, food consumption and water intake and clinical signs noted at 300 mg/kg/day and pathology findings in the liver and stomach at 125 mg/kg/day and higher. The developmental NOEL was 300 mg/kg/day.

REPRODUCTION: Dinotefuran technical was tested in a two-generation rat reproduction study at doses of 0, 300, 1000, 3000 and 10000 ppm. The NOAEL for systemic toxicity in parental animals was 3000 ppm based on decreased body weight gain and food consumption and decreased spleen and thyroid weights at the highest dose level evaluated (10000 ppm). The NOAEL for reproductive effects was 10000 ppm. The NOAEL for effects on the offspring was 3000 ppm based on reduced preweaning weight gain at 10000 ppm.

MUTAGENICITY: Dinotefuran technical was negative in the following in vitro assays: Ames Assay, mouse lymphoma (L5178Y), mammalian cytogenetics (CHL/IU) or DNA Repair. Dinotefuran technical was negative in the following in vivo assays: mouse micronucleus. Overall, Dinotefuran technical does not present a genetic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY: Dinotefuran Technical is practically non-toxic to moderately toxic to avian species. Test results include:
Oral LD₅₀ quail: greater than 2000 mg/kg
Dietary LC₅₀ Mallard duck: greater than 997.9 ppm
Dietary LC₅₀ quail: greater than 1301 ppm
Reproduction quail: NOEL = 5000 ppm
Reproduction Mallard duck: NOEL = 2000 ppm

AQUATIC ORGANISM TOXICITY: Dinotefuran Technical is practically non-toxic to fish and ranges from practically nontoxic to highly toxic to aquatic invertebrate species (especially shrimp.) Test results include:
LC₅₀ (96 hr) Bluegill Sunfish: greater than 100 mg/L
LC₅₀ (96 hr) Rainbow Trout: greater than 100 mg/L
LC₅₀ (96 hr) Common Carp: greater than 100 mg/L
LC₅₀ (96 hr) Sheepshead Minnow: greater than 109 mg/L
NOEC (early life stage) Rainbow Trout: greater than 10 mg/L
EC₅₀ (48 hr) Daphnia magna: greater than 1000 mg/L
NOEC (lifecycle) Daphnia magna: > 10 mg/L
LC₅₀ (96 hr) saltwater Mysid Shrimp: 0.79 mg/L
NOEC (lifecycle) saltwater Mysid Shrimp: 0.089mg/L
EC₅₀ (96 hr) Oyster Shell Deposition: greater than 141 mg/L
ErC₅₀ (0-72 hr) Algae (*P. subcapitata*): greater than 100 mg/L

OTHER NON-TARGET ORGANISM TOXICITY: Dinotefuran Technical is highly toxic to bees. The acute oral and contact LD₅₀ in bees were 0.056 µg/bee and 0.022 ug/bee, respectively. This product is highly toxic to bees or other pollinating insects exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees or other pollinating insects are foraging in the treatment area.

OTHER ENVIRONMENTAL INFORMATION:

This pesticide is toxic to shrimp. Do not apply directly to water, to areas where surface water is present or to intertidal areas below mean high water mark. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water when cleaning equipment or disposing of equipment washwater or rinsate.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available, or reconditioning, if appropriate, or puncture and dispose of in a sanitary landfill or by incineration.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT

REMARKS: None

EMERGENCY RESPONSE Not applicable

GUIDEBOOK NO.:

ICAO/IATA SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Dinotefuran), 9, III, Marine Pollutant

REMARKS: Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations -- see IATA Special Provision A197. For U.S. Shipping, Emergency Response Guidebook No. 171

IMDG SHIPPING NAME: UN 3077 Environmentally Hazardous Substance, Solid, N.O.S. (Dinotefuran), 9, III, Marine Pollutant

REMARKS: Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from Dangerous Goods regulations – see IMDG 2.10.2.7US shipping, Emergency Response Guidebook No. 171

EMS NO.: F-A, S-F

15. REGULATORY INFORMATION

EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

This material is a pesticide product registered by the EPA under FIFRA and is subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

EPA FIFRA SIGNAL WORD: CAUTION

- **Harmful if swallowed**
- **Harmful if absorbed through skin**
- **Causes moderate eye irritation**
- **Avoid contact with eyes, skin and clothing**
- **Wash thoroughly with soap and water after handling.**
- **Remove contaminated clothing and wash before re-use.**
- **Keep out of reach of children.**
-

PESTICIDE REGULATIONS: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

U.S. FEDERAL REGULATIONS: Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Sodium dodecylbenzene sulfonate

TSCA Inventory List -	Present
Clean Water Act - Hazardous Substances	Present
CERCLA Reportable Quantity (RQ):	1000 lb 454 kg

SARA (311, 312):

Immediate Health:	Yes
Chronic Health:	No
Fire:	Yes
Sudden Pressure:	No
Reactivity:	No

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

Sodium dodecylbenzene sulfonate

California - Directors List of Hazardous Substances	Present
MA Right To Know	Present
NJ Right To Know	1698
PA Right To Know	Environmental hazard

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

16. OTHER INFORMATION

REASON FOR ISSUE: Updated information to meet OSHA Hazcom 2012 (GHS) regulations.
SDS NO.: 0426
EPA REGISTRATION NUMBER: 86203-11-59639; 33657-16-59639
REVISION NUMBER: 1
REVISION DATE: 05/23/2015
SUPERCEDES DATE: None
RESPONSIBLE PERSON(S): Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

The information in this SDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Valent U.S.A. Corporation to confirm if you have the most current SDS.

Judgments as to the suitability of information herein for the individual's own use or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Valent extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

2015 Valent U.S.A. Corporation