



**THE ANDERSONS
SAFETY DATA SHEET**

DATE PREPARED: 11/23/16

CURRENT AS OF: 11/28/16

SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION

PRODUCT CODE: APT184LD5.40

PRODUCT NAME: Andersons Turf Products Fertilizer with Lockup & Dicamba Herbicides 18-0-5

PRODUCT USE: Fertilizer/Herbicide

MFR INFO: The Andersons Lawn Products
PO Box 119
Maumee, Ohio USA 43537

FOR EMERGENCY: (800) 757-8951

FOR INFORMATION: (419) 893-5050

SECTION 2: HAZARDS IDENTIFICATION

HAZARD SYMBOLS / STATEMENTS:



WARNING

**MAY CAUSE SKIN AND EYE IRRITATION.
MAY CAUSE RESPIRATORY IRRITATION.**

HAZARD CLASSIFICATIONS:

EYE IRRITATION

SKIN IRRITATION

SPECIFIC TARGET ORGAN TOXICITY

- *SINGLE EXPOSURE*

CATEGORY

2B

2

3

INTERPRETATION

Causes eye irritation

Causes skin irritation

Causes irritation to respiratory tract

PRECAUTIONARY STATEMENTS:

- *WEAR PROTECTIVE GLOVES AND CLOTHING*
- *REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE*
- *SEEK MEDICAL ATTENTION IF YOU FEEL UNWELL*
- *USE ONLY OUTDOORS IN A WELL-VENTILATED AREA*
- *WASH THOROUGHLY AFTER HANDLING*
- *IF SWALLOWED AND UNWELL: SEEK MEDICAL ATTENTION*
- *IF IN EYES OR ON SKIN: RINSE AREA WITH PLENTY OF WATER, REMOVE CONTACT LENSES*
- *IF EYE OR SKIN IRRITATION CONTINUES: SEEK MEDICAL ATTENTION*
- *DO NOT EAT, DRINK, OR SMOKE WHEN USING THIS PRODUCT*
- *USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS*
- *AVOID BREATHING DUST*
- *IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING*
- *STORE CONTAINER TIGHTLY CLOSED*
- *DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS*

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

<u>CHEMICAL IDENTITY</u>	<u>SYNONYM</u>	<u>CAS NUMBER</u>	<u>CONCENTRATION (%)</u>
Limestone	Calcite	1317-65-3	40-45
Ureas		Mixed	25-30
Sulfur Coated Urea		Mixture	10-15
Potassium Chloride	White potash	7447-40-7	5-10

SECTION 4: FIRST AID MEASURES

IF INHALED:	Move to fresh air and keep comfortable. Seek medical attention if unwell.
IF ON SKIN:	Wash affected areas with soap and water while removing and isolating all contaminated clothing. Seek medical attention if irritation persists. Wash contaminated clothing before re-use.
IF IN THE EYES:	Immediately flush with water for 15-20 minutes and seek medical attention.
IF SWALLOWED:	Rinse mouth. DO NOT INDUCE VOMITTING unless directed by a medical professional. Call POISON CONTROL and seek medical attention.
SPECIAL TREATMENT:	None known
HEALTH HAZARDS:	See Section 11

SECTION 5: FIREFIGHTING MEASURES

EXTINGUISHING MEDIA:	Use media suitable for surrounding fire. No special media required.
SPECIFIC FIRE HAZARDS:	When heated to decomposition, this product will emit toxic oxides, sulfides, chlorine and ammonia
SPECIAL FIREFIGHTING PROCEDURES:	Wear full protective clothing and positive-pressure self-contained breathing apparatus (SCBA).

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL / RELEASE PROCEDURES:	Contain material and place in containers for use as intended, or discard according to Federal, State and Local regulations.
ENVIRONMENTAL PRECAUTIONS:	Prevent spilled material from entering storm drains or water bodies. If material enters a waterway, notify the appropriate authorities.
PROTECTIVE EQUIPMENT:	Wear PPE according to Section 8

SECTION 7: HANDLING AND STORAGE

Wash hands after handling material. Do not eat, drink or smoke while handling the material. Do not get in eyes or on skin. Do not breathe dusts. Not intended for human consumption. Store in a cool, dry, well ventilated area away from incompatible materials and sources of heat.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**EXPOSURE LIMITS:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

HAZARDOUS COMPONENT	OSHA PEL	ACGIH TLV
Limestone	15 mg/m ³ (total) 5 mg/m ³ (respirable)	10 mg/m ³ (inhalable) 3 mg/m ³ (respirable)

PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION:	NIOSH approved pesticide respirator, if required
EYE PROTECTION:	Safety glasses with sideshields, goggles, or faceshield
SKIN PROTECTION:	Long sleeves, chemical-resistant (nitrile, butyl) gloves recommended
VENTILATION:	Use with adequate ventilation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR:	Multi-colored granular mix, with slight odor
pH:	Not Applicable
MELTING POINT:	Not applicable
BOILING POINT:	Not available
FLASH POINT:	Not flammable
EVAPORATION RATE:	Not available
FLAMMABLE LIMITS:	Not applicable
VAPOR PRESSURE:	Not available
VAPOR DENSITY:	Not available
SPECIFIC GRAVITY:	~0.795
SOLUBILITY (IN WATER):	Partially soluble
PARTITION COEFFICIENT:	Not available
AUTOIGNITION TEMP:	Not available
DECOMPOSITION TEMP:	Not available
ODOR THRESHOLD:	Not available
VISCOSITY:	Not available

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Product is stable.
CONDITIONS TO AVOID:	Heat, incompatible materials
INCOMPATIBILITY:	Strong acids, bases and oxidizers
HAZARDOUS DECOMPOSITION PRODUCTS:	Toxic oxides, sulfides, chlorine and ammonia

SECTION 11: TOXICOLOGICAL INFORMATION

HEALTH EFFECTS:	May be irritating to the nose, throat, and respiratory tract, and may cause sore throat, coughing, and shortness of breath. Skin irritation may result; repeated or prolonged skin exposures may result in dermatitis. Skin sensitization is possible in susceptible individuals. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Severe eye irritation may result from significant overexposure. Ingestion may result in sore throat, abdominal pain, nausea, and diarrhea. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to bacterial conversion of sulfur in the colon.
-----------------	--

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, the product may contain trace amounts of crystalline silica which is listed by IARC as a potential human carcinogen.

INGREDIENT TOXICITY RANGES:

ORAL: 2,629 mg/kg (dicamba) – 14,300 mg/kg (urea)
DERMAL: >2,000 mg/kg (dicamba) - > 5,000 mg/kg (penoxsulam)
INHALATION: >2 mg/kg (penoxsulam 4hr) - > 5.3 mg/L (4 hr) (dicamba)

SECTION 12: ECOLOGICAL INFORMATION

Long term degradation products may arise. Products of degradation are not expected to be hazardous.

SECTION 13: DISPOSAL CONSIDERATIONS

Use product for intended purpose where possible. Do not generate dusts. Dispose of in accordance with all national, regional / state, and local regulations.

SECTION 14: TRANSPORT INFORMATION

This product is not regulated as a transportation hazard.

SECTION 15: REGULATORY INFORMATION

SARA 311/312: Acute
SARA 313: Dimethylamine dicamba
RIGHT-TO-KNOW: Penoxsulam (NJ, PA)

SECTION 16: OTHER INFORMATION

NFPA RATINGS: HEALTH 1
FLAMMABILITY 0
INSTABILITY 0
HMIS RATINGS: HEALTH 1
FLAMMABILITY 0
INSTABILITY 0
ACTIVE INGREDIENT LEVEL (%): 0.07 as dicamba
0.03 as penoxsulam

SDS NO: 5205

PREPARED BY: DBA EHS Consulting

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.