

**RESTRICTED USE PESTICIDE
(GROUND AND SURFACE WATER CONCERNS)**

**FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS
OR PERSONS UNDER THE DIRECT SUPERVISION AND ONLY FOR THOSE
USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION.
THIS PRODUCT IS A RESTRICTED-USE HERBICIDE DUE TO GROUND
AND SURFACE WATER CONCERNS. USERS MUST READ AND FOLLOW
ALL PRECAUTIONARY STATEMENTS AND INSTRUCTIONS FOR USE
IN ORDER TO MINIMIZE POTENTIAL FOR ATRAZINE
TO REACH GROUND AND SURFACE WATER.**

syngenta.

ATRAZINE

Section 24(c) Special Local Need Label

FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF OREGON

**AAtrex® Nine-O®
For Control of Annual Weeds in Summer Fallow**

**EPA Reg. No. 100-585
EPA SLN No. OR-040008**

**This label is valid until December 31, 2024 or until otherwise amended, withdrawn,
cancelled, or suspended.**

Active Ingredient:

Atrazine: 2-chloro-4-ethylamino-6-isopropylamino-s-triazine..... 88.2%
Related Compounds 1.8%

Other Ingredients:..... 10.0%

Total:..... 100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

DIRECTIONS FOR USE

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on this Section 24(c) label and the main EPA-registered label.
- Failure to follow the Direction for Use and precautions on this label may result in poor pest control, crop injury, or illegal residues.

Environmental Hazards

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable, i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This product must not be mixed/loaded, or used within 50 ft. of all wells, including abandoned wells, drainage wells, and sink holes. Operations that involve mixing, loading, rinsing, or washing of this product into or from pesticide handling or application equipment or containers within 50 ft. of any well are prohibited, unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad. Such a pad shall be designed and maintained to contain any product spills or equipment leaks, container or equipment rinse or wash water, and rain water that may fall on the pad. Surface water shall not be allowed to either flow over or from the pad, which means the pad must be self-contained. The pad shall be sloped to facilitate material removal. An unroofed pad shall be of sufficient capacity to contain at a minimum 110% of the capacity of the largest pesticide container or application equipment on the pad. A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment capacity of 100% of the capacity of the largest pesticide container or application equipment on the pad. Containment capacities as described above shall be maintained at all times. The above-specified minimum containment capacities do not apply to vehicles when delivering pesticide shipments to the mixing/loading sites. States may have in effect additional requirements regarding well-head setbacks and operational area containment.

This product must not be mixed or loaded within 50 feet of intermittent streams and rivers, natural or impounded lakes and reservoirs. This product may not be applied aerially or by ground within 66 feet of the points where field surface water runoff enters perennial or intermittent streams and rivers or within 200 feet around natural or impounded lakes and reservoirs. If this product is applied to highly erodible land, the 66 foot buffer or setback from runoff entry points must be planted to crop, seeded with grass or other suitable crop.

Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed.

Tile-Outletted Terraced Fields Containing Standpipes

One of the following restrictions must be used in applying atrazine to tile-terraced fields containing standpipes:

1. Do not apply this product within 66 feet of standpipes in tile-outletted terraced fields.
2. Apply this product to the entire tile-outletted terraced field and immediately incorporate it to a depth of 2-3 inches in the entire field.
3. Apply this product to the entire tile-outletted terraced field under a no-till practice only when a high crop residue management practice is practiced. High crop

residue management is described as a crop management practice where little or no crop residue is removed from the field during and after crop harvest.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

Chemigation

Do not apply this product through any type of irrigation system.

Use Directions

For control of downy brome (cheatgrass), mustards, and volunteer grain on land to be summer fallowed and planted to winter wheat. Apply 0.44 lb/A of AAtrex Nine-O plus a registered, postemergence, chemical fallow herbicide to stubble following fall rains, after volunteer grain has begun growth (but not later than February 1). If weeds germinate in the spring, they should be controlled with stubble-mulch tillage.

Restrictions and Precautions

- Treat only once during the fallow period. Do not make a second application.
- Do not plant spring-seeded small grains, vegetables (including dry beans), sugar beets, small-seeded legumes or grasses the year following application, or injury may occur. Follow application with winter wheat only.
- Avoid spray overlap.
- Use only on silt loam or finer textured soils.
- When using a tank mix, observe all directions, limitations and precautions. Use the most restrictive label.
- Do not apply this product through any type of irrigation system.
- Do not graze treated area within six months after application.

©2019 Syngenta

AAtrex® Nine-O® and the Syngenta logo are trademarks of a Syngenta Group Company

24(c) Registrant:
Syngenta Crop Protection, LLC
P. O. Box 18300
Greensboro, NC 27419-8300

Label Code: OR0585066EA1219