

NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2

SPREADER • ACTIVATOR • BUFFER

PRINCIPAL FUNCTIONING AGENTS:

Alkyl phenol ethoxylate, Polydimethylsiloxane
and Mono ammonium phosphate25.1%

CONSTITUENTS INEFFECTIVE

AS SPRAY ADJUVANT:74.9%

TOTAL:100.0%

CA Reg. No. 1050775-5001 I-AA

GUARANTEED ANALYSIS

8-8-2

Total Nitrogen (N).....	8.00%
8.00 % Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	8.00%
Soluble Potash (K ₂ O)	2.00%
Iron (Fe)	0.10%
Manganese (Mn)	0.05%
Zinc (Zn).....	1.00%

Derived from ammonium phosphate, potassium chloride, ferrous sulfate, manganese sulfate and zinc sulfate.

Information regarding the contents and levels of metals in this product is
available on the Internet at <http://www.regulatory-info-monterey.com>

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Inside Booklet for Additional Precautionary Statements and Complete Directions for Use.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Manufactured by



CMR

CREATIVE MARKETING & RESEARCH, INC.

P.O. Box 35000 • Fresno, CA 93745-5000 • (559) 499-2100

0381/0504(05)

FIRST AID

IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a Poison Control Center or doctor for treatment advice.
IF ON SKIN:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a Poison Control Center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Call a Poison Control Center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a Poison Control Center or doctor.• Do not give anything to an unconscious person.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible.• Call a Poison Control Center or doctor for further treatment advice.
Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wear long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2 is a nutrient solution combined with a complete surfactant system with emulsion stabilizer. It increases the efficiency of various pesticides via quick wetting and uniform coverage and aids the performance of translocated and systemic pesticides. In areas where the water is alkaline, this product acidifies and buffers, tending to reduce hydrolysis of and increase the life expectancy of pesticides such as organophosphates. NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2 is designed to increase the absorption and utilization of micronutrients and is formulated from raw materials which will not tend to burn foliage. It may be used on agricultural, forestry, turf and ornamental, industrial and non-cropland sites.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2. Use according to the most restrictive label directions for each product in any tank mix.

COMPATIBILITY: NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2 is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

USE PRECAUTIONS: For best results, use this material in early stages of plant growth. Do not apply to fruit where spotting may occur or on crops not on this label. Tank mixtures of this product with copper-based pesticides can be phytotoxic due to increased solubility of copper. Test applications to part of the crop are advisable to assess potential phytotoxicity before full scale commercial applications. The following crops are known to be sensitive to foliar applications of copper: broccoli, cabbage, celery, cucurbits, grapes, lettuce, nectarines, peaches, pears, plums, prunes, spinach and strawberries.

MIXING: Shake well before using. Fill spray tank $\frac{1}{2}$ full of water and begin agitation. Add the recommended amount of NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

For row or field crops, apply this product in at least 20 gallons water per acre for ground sprayers or 10 gallons for aircraft. Apply to fruit trees or ornamentals in at least 100 gallons water per acre with conventional sprayers, 45-100 gallons with concentrate sprayers, or 10 gallons for aircraft. Agitate product in container first and during addition to water.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

PESTICIDE ACIDULATION: Use 1 to 2 quarts per 100 gallons of water to reduce the pH of alkaline waters used for pesticide applications.

FOLIAR NUTRITIONAL SPRAYS: Use the doses recommended below.

APPLES, APRICOTS, PEARS, PLUMS, PRUNES, NECTARINES, FIGS, PEACHES, CHERRIES, NUT CROPS & OLIVES: Apply 2 qts/A in delayed dormant and continue with several applications after blooming period. Use with caution on smooth skinned fruits.

ALFALFA, BEANS, BARLEY, CORN, RICE & MILO: Apply 1 to 2 qts/A in seedling stage to early growth.

CITRUS: Apply 2 qts/A before or during spring flush of growth. Multiple applications are desirable. Apply 1 to 2 qts/A on non-bearing trees anytime before or during a flush of growth.

CELERY, CARROTS & COLE CROPS: Apply 1 to 2 qts/A 2 to 3 times in early growth.

COTTON: Apply 1 to 2 qts/A 1 to 3 times before full bloom.

BUSHBERRIES, STRAWBERRIES & GRAPES: Apply 1 to 2 qts/A during and after bloom.

LETTUCE: Apply 1 to 2 qts/A in 1 to 4 applications beginning at thinning time.

MELONS, CUCUMBERS & SQUASH: Apply 1 to 2 qts/A.

SUGARBEETS: Apply 1 to 2 qts/A in 1 to 2 applications from 6-leaf to 3 months old.

TOMATOES, PINEAPPLES, PEPPERS, POTATOES, SWEET POTATOES & EGGPLANTS: Apply 1 to 2 qts/A in 1 to 2 applications.

TURF & ORNAMENTALS: Apply 1 to 2 qts/A at monthly intervals.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container away from children, animals, foods, feeds and seeds. Do not store below 32°F. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

CONDITIONS OF SALE AND WARRANTY

Creative Marketing & Research, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Creative Marketing & Research, Inc. neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of Creative Marketing & Research, Inc. and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall Creative Marketing & Research, Inc. or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Creative Marketing & Research, Inc. and is accepted as such by the Buyer.

NO FOAM NUTRIENT FOLIAR SOLUTION 8-8-2

SPREADER • ACTIVATOR • BUFFER

PRINCIPAL FUNCTIONING AGENTS:

Alkyl phenol ethoxylate, Polydimethylsiloxane
and Mono ammonium phosphate25.1%

CONSTITUENTS INEFFECTIVE

AS SPRAY ADJUVANT:.....74.9%

TOTAL:100.0%

CA Reg. No. 1050775-5001 I-AA

GUARANTEED ANALYSIS

8-8-2

Total Nitrogen (N).....	8.00%
8.00 % Ammoniacal Nitrogen	
Available Phosphoric Acid (P ₂ O ₅).....	8.00%
Soluble Potash (K ₂ O).....	2.00%
Iron (Fe).....	0.10%
Manganese (Mn).....	0.05%
Zinc (Zn).....	1.00%

Derived from ammonium phosphate, potassium chloride, ferrous sulfate, manganese sulfate and zinc sulfate.

Information regarding the contents and levels of metals in this product is
available on the Internet at <http://www.regulatory-info-monterey.com>

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See Attached Booklet for Additional Precautionary Statements and Complete Directions for Use.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

If booklet is missing, please visit our Web site for label information – www.montereyagresources.com

Manufactured by



CREATIVE MARKETING & RESEARCH, INC.
P.O. Box 35000 • Fresno, CA 93745-5000 • (559) 499-2100

0381/0504(05)

Net Contents: 2.5 Gallons (9.46 L)

PULL HERE TO OPEN AND PRESS TO RESEAL ▲