

GO AWAY! DEER & RABBIT REPELLENT CONCENTRATE

- FOR APPLICATION DIRECTLY ON FRUITS, VEGETABLES AND ROOT CROPS TO PROTECT THEM FROM DEER, RABBIT AND SQUIRREL PREDATION
- ALSO GREAT FOR FLOWERS, ORNAMENTALS AND GRASSES
- MADE FROM HOT PEPPER
- QUART CONCENTRATE MAKES 4 GALLONS OF SPRAY

Store and transport in an upright position.

EPA Est. No. 4-NY-1

EPA Reg. No. 4-396, 067238-PA-003(2)

Buyers Guarantee Limited to Label Claims.

©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.

6301 Sutliff Road

Oriskany, NY 13424

Quart

0



3732100234

5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS: For residential use only on home lawns, flower and vegetables gardens, fruit, nut and ornamental trees, and wooden structures and fences around the home.

Deer, Rabbit and Tree Squirrels: This product repels deer, rabbits and tree squirrels from the following fruits and vegetables: citrus fruits, root and tuber vegetables, bulb vegetables, leafy vegetables, brassica (cole) leafy vegetables, legume vegetables, fruiting vegetables and cucurbit vegetables. It also can be used on all indoor and outdoor ornamental plants and wooden structures and fences.

ALL USES: Apply this product using spray equipment. Do not apply this product through any type of irrigation system.

Mixing, Application and Retreatment Directions for Plants: Apply this product as diluted below, as a foliar spray to the leaves, stems, fruits, and flowers of the plant until wet. Do not drench roots in soil or media. Do not apply when rain is expected within 24 hours.

Initial rate is 1 part this product to 16 parts WATER (8 fl. oz. or 16 Tbs. per gallon of water). Apply until foliage is wet or a maximum of 3 gallons prepared solution per 1000 square feet. Repeat application in 3-7 days, for 2-3 weeks, until control is established. **ONCE CONTROL IS ESTABLISHED** use **MAINTENANCE** rate of 1 part this product to 32 parts WATER (4 fl. oz. or 8 Tbs. per gallon of water) every 2-4 weeks, as necessary to maintain control.

Mixing, Application, and Retreatment Directions for Wooden Structures and Fences: Mix 8 fluid ounces (16 Tbs.), per gallon of water. Apply until surface is wet. Repeat application if necessary in 1 to 2 weeks, until control is established. Once control is established, apply every 6 to 8 weeks to previously sprayed surfaces.

STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. **Disposal:** *If empty:* Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. *If partly filled:* Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

If in Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This product may be toxic to aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.