

FS Talyx™

Activator Adjuvant for Fungicides

PRINCIPAL FUNCTIONING AGENTS

Proprietary blend of hydrocarbyl polyalkylene oxides and glycol ethers.....	99.5%
Dimethylpolysiloxane antifoam.....	0.5%
TOTAL.....	100.0%

All ingredients are exempt from the requirements of a tolerance under CFR 40, 180.1001(c).

CAUTION: KEEP OUT OF REACH OF CHILDREN. Read PRECAUTIONARY STATEMENTS and MSDS for important information.
COMBUSTIBLE: Read STORAGE AND DISPOSAL statements and MSDS for important information.

PRECAUTIONARY STATEMENTS—Before using this product, read the entire label, including the Disclaimer of Warranties and Limitation of Liability. Contact may cause eye and skin irritation. Ingestion of large amounts may cause mucosal irritation, dizziness, nausea, and possible vomiting. Very toxic to aquatic organisms. Do not apply directly to standing water.

PERSONAL PROTECTIVE EQUIPMENT—Applicators and other handlers of this chemical must wear: **Eye Protection:** splash-proof chemical safety goggles. Contact lenses should not be worn when working with chemicals. **Skin Protection:** coveralls or long-sleeved shirt and pants, shoes, socks and chemical-resistant gloves. **Inhalation Protection:** Not required under normal use. Consult the MSDS for further information.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting unless directed by medical personnel. Give one to two glasses of water to drink and seek medical attention. Never give fluids of force vomiting if person is unconscious, is having convulsions or has no gag reflex.
If Inhaled: Remove to fresh air. If person is having difficulty breathing, give oxygen. If not breathing give artificial respiration and get emergency medical help immediately.
If In Eyes: Check for and remove contact lenses. Flush with water for 15 minutes. Seek medical if irritation occurs.
If On Skin: Remove contaminated clothing. Wash skin contact area with plenty of soap and water. If irritation develops seek medical attention.

GENERAL INFORMATION—FS Talyx is an activator adjuvant specifically formulated to enhance the performance of a wide range of both systemic and contact fungicides and their tank mixes.

FOR USE WITH PESTICIDES REGISTERED FOR AGRICULTURAL, FORESTRY, INDUSTRIAL, MUNICIPAL, NONCROPLAND, RIGHTS-OF-WAY, TURF AND OTHER APPROPRIATE USES. NOT FOR AQUATIC USE.

DIRECTIONS FOR USE— FS Talyx increases the activity of many pesticides; therefore, take care when treating sensitive crops during periods of drought stress, high temperatures, or high humidity. It is critical that this product be used and mixed only as specified on this label. Follow directions carefully. Buyer and user assume all risk of use and/or handling. These risks include, but are not limited to damage to plants and/or crops to which the material is applied, or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use and label directions are followed. Timing, mixing, method of application, weather and other conditions are influencing factors in the use of this product and are beyond the control of GROWMARK.
SHAKE WELL BEFORE USING.

APPLICATION RATES—

Ground Applications: Apply FS Talyx at 1 pint per 100 gallons of spray solution (0.125% v/v) or 0.5 liter per 400 liters of spray solution.

Aerial Applications: Apply FS Talyx at 1 quart per 100 gallons of spray solution (0.25% v/v) or 1 liter per 400 liters of spray solution.

MIXING INSTRUCTIONS—Always mix this product in accordance with the instructions found on the pesticide label concerning adjuvants. In the absence of specific mixing instructions, fill the spray tank 1/2 to 3/4 full of desired water volume. While the water is agitating, add tank mix ingredients in the following order:

1. If foaming is anticipated, use an antifoam/defoamer.
2. Ammonium sulfate, fertilizers and micronutrients.
3. Water-soluble packets, dry flowables, and dispersible granule pesticides.
4. Flowable pesticides.
5. Water-soluble pesticides.
6. Emulsifiable concentrate pesticides.
7. Continue agitation and finish filling spray tank to desired level.
8. Add FS Talyx to the spray solution and continue agitation.

STORAGE AND DISPOSAL—Protect product from freezing. If product freezes, warm to room temperature before use. Store in original container, in a cool, dry, well ventilated and secure area away from ignition sources (flame or spark). Do not reuse empty container. Keep container tightly closed and sealed when not in use. Rinse container thoroughly, disposing of rinsate and the container in accordance with federal, state and local regulations. Recycling decontaminated containers is the best option for container disposal. The Agriculture Container Recycling Council (ACRC) operates a national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrcycle.org.

DISCLAIMER OF WARRANTIES—THIS PRODUCT IS SOLD AS IS. EXCEPT WHERE PROHIBITED BY LAW, GROWMARK DISCLAIMS ALL STATUTORY OR IMPLIED WARRANTIES, INCLUDING MERCHANTABILITY, NON-INFRINGEMENT, FITNESS FOR A PARTICULAR PURPOSE, AND WARRANTIES AGAINST HIDDEN AND LATENT DEFECTS. WHERE SUCH WARRANTIES CAN NOT BE DISCLAIMED, THEN ALL SUCH WARRANTIES SHALL BE LIMITED TO THE REMEDIES OF REPLACEMENT OR REFUND.

LIMITATION OF LIABILITY—Except to the extent prohibited by applicable law, GROWMARK shall not be liable for indirect, special, incidental or consequential damages arising from the sale or use of this product, including any lost revenues or profits, consequential and/or incidental damages, business interruption or damage to business reputation, regardless of the theory upon which any claim may be based. GROWMARK's entire liability to the purchaser shall not exceed the purchase price actually paid by the purchaser.

S P E C I M E N L A B E L