

50 Lbs. (22.68 kg) Net Weight

Covers 12,000 Sq. Ft.

245 Performance Index Number  
P 85 | I 95 | N 65

LEBANON®  
Country Club®  
COMPOSITE TECHNOLOGY®  
FERTILIZER



GREENS GRADE FORMULA  
FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF



8-4-24



GUARANTEED ANALYSIS		
Total Nitrogen (N)	8%	
2.8% Ammoniacal Nitrogen		
1.8% Water Insoluble Nitrogen		
0.8% Urea Nitrogen		
2.2% Other Water Soluble Nitrogen*		
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	4%	
Soluble Phosph (K <sub>2</sub> O)	24%	
Total Magnesium (Mg)	0.6%	
0.6% Water Soluble Magnesium (Mg)		
Total Sulfur (S)	9.0%	
9.0% Combined Sulfur (S)		
Total Iron (Fe)	0.5%	
0.5% Water Soluble Iron (Fe)		
Total Manganese (Mn)	0.25%	
0.25% Water Soluble Manganese (Mn)		
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.		
Chlorine (Cl) not more than	2.0%	
*2.7% Slowly Available Nitrogen from Methylene Ureas		
F899		
NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.		

35603

LEBANON SEABOARD CORPORATION  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
www.LebanonTurf.com



Country Club®  
COMPOSITE TECHNOLOGY®  
FERTILIZER



SPECIMEN LABEL



Country Club®  
COMPOSITE TECHNOLOGY®  
FERTILIZER



LEBANON Country Club. COMPOSITE TECHNOLOGY. FERTILIZER

# 8-4-24



### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	8%
2.9% Ammoniacal Nitrogen	
1.6% Water Insoluble Nitrogen	
0.8% Urea Nitrogen	
2.7% Other Water Soluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....	4%
Soluble Potash (K <sub>2</sub> O) .....	24%
Total Magnesium (Mg) .....	0.6%
0.6% Water Soluble Magnesium (Mg)	
Total Sulfur (S) .....	9.0%
9.0% Combined Sulfur (S)	
Total Iron (Fe) .....	0.5%
0.5% Water Soluble Iron (Fe)	
Total Manganese (Mn) .....	0.25%
0.25% Water Soluble Manganese (Mn)	
Nutrient Sources: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash, Sulfate of Potash Magnesia, Ferrous Sulfate, Manganese Sulfate.	
Chlorine (Cl) not more than .....	2.0%
*2.7% Slowly Available Nitrogen from Methylene Ureas.	F699

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly after application by sweeping or blowing. Do not wash off with water.

**35603**

SPECIMEN LABEL

**LEBANON SEABOARD CORPORATION**  
**1600 EAST CUMBERLAND STREET**  
**LEBANON, PA 17042**  
**www.LebanonTurf.com**

Country Club. C O M P O S I T E  
T E C H N O L O G Y.<sup>®</sup> **FERTILIZ**

50 Lbs. (22.68 kg) Net Weight  
Covers 12,000 Sq. Ft.



# Country Club<sup>®</sup>

**C O M P O S I T E  
T E C H N O L O G Y<sup>®</sup>**

## FERTILIZER

### GREENS GRADE FORMULA

FINE HOMOGENEOUS GRANULES FOR CLOSE CUT TURF



### DIRECTIONS FOR USE

On established turf, use in the fall or spring at the rate of 4.2 lbs. per 1,000 sq. ft. or 182 lbs. per acre to apply 1 lb. potash and 1/3 lb. nitrogen per 1,000 sq. ft. Applications made during the summer should be watered in to prevent turf damage.

Apply anytime as a soil application at the rate of 6.3 lbs. per 1,000 sq. ft. and work in to a depth of at least 2 inches. Supplemental applications of lawn fertilizer are needed to achieve a minimum 1 pound nitrogen per 1,000 sq. ft.

### SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width of Coverage	Settings	
	Ground MPH	PTO RPM		(# K)	(1/2# K)
Cyclone	3		8 ft.	4	3
Earthway Rotary	3		8 ft.	14	12
Ezee Flow (109)	5	540	30 ft.	C2	A3
Gandy	3			30	28
Lely (HR,1250,1500,2010)	5		39 ft.	5II	3 1/2II
Lely (W)	5	425	39 ft.	5II	3 1/2II
Lesco (letter dial)	3		8 ft.	H	E
Lesco (numeric dial)	3		8 ft.	16	11
Ortho Rotary	3		6 ft.	3	2
Prizelawn BF & CBR III	3		8 ft.	J	E
Prizelawn CBR II	3		8 ft.	4	2 1/2
Prizelawn LF-1	3		8 ft.	2 1/2	2
Republic Rotary	3		6 ft.	3	2
Scotts AccuPro	3		8 ft.	H	F
Scotts (Rotary) R7X	3		8 ft.	F	D
Scotts (Rotary) R8A	3		8 ft.	K	I
Spyker	3		8 ft.	4	3
Vicon (all models)	5	540	35 ft.	24	20

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different settings for desired coverage.

Fertilizer may cause irritation of eyes, nose, throat and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes, get medical attention.

Keep out of reach of children.

### CAUTION

**LEBANON SEABOARD CORPORATION**  
1600 EAST CUMBERLAND STREET  
LEBANON, PA 17042  
[www.LebanonTurf.com](http://www.LebanonTurf.com)

Country Club<sup>®</sup>, the Lebanon Diamond, and Composite Technology<sup>®</sup> are registered trademarks of Lebanon Seaboard Corporation.  
Composite Technology is U.S. Patent 5,464,746.  
Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

SPECIMEN LABEL

Country Club<sup>®</sup>

C O M P O S I T E  
T E C H N O L O G Y<sup>®</sup>

FERTILIZER



LEBANON<sup>®</sup>