

**PRECAUTIONARY STATEMENTS**  
 Hazard to Humans and Domestic Animals  
**CAUTION:** Keep away from children, domestic animals and pets. May be harmful or fatal if swallowed or absorbed through the skin because it may reduce the clotting ability of blood and cause bleeding. Do not get in eyes, on skin or on clothing. Wash arms, hands and face with soap and water after applying and before eating and smoking.  
**FIRST AID:** Have this label with you when obtaining treatment advice.  
 If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.  
 Note to Physician or Veterinarian: This product may reduce the clotting ability of the blood and cause hemorrhaging. If poisoning occurs, intramuscular and oral administration of Vitamin K<sub>1</sub> is antidotal as indicated in bishydroxycoumarin overdoses. Repeated doses may need to be given for up to two weeks (based on monitoring of prothrombin times). In severe cases, blood transfusions may be necessary.  
**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and wildlife. Do not apply directly to water.

**STORAGE AND DISPOSAL:**  
 Do not contaminate water, food or feed by storage or disposal.  
 Storage: Store in original container in a cool, dry place inaccessible to children and pets.  
 Pesticide Disposal: Wastes resulting from the use of this product may disposed of at an approved waste disposal facility.  
 Container Disposal: Dispose of empty container in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**WARRANTY:** Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

EPA Reg.No. 7173-226  
 EPA Est.No. 7173-VI-1  
 Product No. 82445  
 Label No. 150-5506-1003

# BLOCKS



## BLOCK KILLS NORWAY RATS, ROOF RATS, HOUSE MICE AND WARFARIN-RESISTANT HOUSE MICE NORWAY RATS AND HOUSE MICE CAN CONSUME A LETHAL DOSE IN ONE NIGHT'S FEEDING WITH FIRST DEAD RODENTS APPEARING FOUR OR FIVE DAYS AFTER FEEDING BEGINS

Active Ingredient:	
Difethialone*	0.0025%
Inert Ingredients	99.9975%
Total	100.0000%

\*Difethialone - Patented in the U.S.A.

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**  
 See side panel for additional precautionary statements.

**LIPHA TECH** 3600 W. Elm Street  
 Milwaukee, WI 53209  
 800-351-1476

**DIRECTIONS FOR USE**  
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL** and follow all use directions and precautions.  
**IMPORTANT:** Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents: 1. Store product not in use in a location out of reach of children and pets.  
 2. Apply bait in locations out of reach of children, pets, domestic animals, and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.  
 3. Dispose of product container, unused, spoiled, and unconsumed bait as specified on this label.

**USE RESTRICTIONS:** This product may be used to control Norway rats, roof rats and house mice at the Urban and Non-urban sites identified below. Do not place bait where there is a possibility of contaminating food or surfaces that come in direct contact with food.  
**Urban Areas:** This product may only be used: in and around homes; in and around industrial, commercial and public buildings; in transport vehicles (ships, trains, aircraft), and in and around related port or terminal buildings. All applications "around" buildings must be made in tamper-resistant bait stations placed along the walls or other external parts of buildings (e.g., doorways, ramps, loading docks) where rats or mice might seek to gain entrance.  
**Non-urban Areas:** This product may only be used inside of homes and agricultural buildings.

**SELECTION OF TREATMENT AREAS:** Determine areas where rats or mice are likely to find and consume bait, such as along walls, by gnawed openings, in corners and concealed places, between floors or walls, or locations where rodents or their signs are seen. Remove as much alternative food as possible.

**APPLICATION DIRECTIONS:**  
 Each Generation Block is scored to be broken into 2-ounce pieces.  
**Rats:** Break block and apply two to eight 2-ounce pieces (or one entire block) per placement. Space placements at 15 to 30 foot intervals. Maintain a constant supply of fresh bait for 10 days or until signs of rat activity cease.  
**Mice:** Break block and apply one 2-ounce piece per placement. Space placements at 8 to 12 foot intervals. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.  
**Follow-up:** Replace contaminated or spoiled bait immediately. Collect and dispose of all visible dead animals and leftover bait properly. To discourage reinfestation, limit sources of rodent food, water and harborage as much as possible. If reinfestation occurs, repeat treatment. For a continuous infestation, set up permanent bait stations and replenish bait as needed. (12103)

# NET WEIGHT: 40 lbs. (1 lb. x 10 x 4)