

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
Replaces: 7/14/2015

### 1. PRODUCT IDENTIFICATION

Product identifier on label: **VIBRANCE EXTREME Fungicide**

Product No.: A16874F

Use: Fungicide

Manufacturer: Syngenta Crop Protection, LLC  
Post Office Box 18300  
Greensboro NC 27419

Manufacturer Phone: 1-800-334-9481

**Emergency Phone: 1-800-888-8372**

### 2. HAZARDS IDENTIFICATION

Classifications: Specific Target Organ Toxicity: Respiratory Irritation Category 3  
Carcinogenicity: Category 1A  
Specific Target Organ Toxicity: Repeated Category 1

Signal Word (OSHA): Danger

Hazard Statements: May cause respiratory irritation  
May cause cancer  
Causes damage to organs through prolonged or repeated exposure

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Do not breathe mist, vapors, spray.  
Wash hands and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves, protective clothing, eye protection.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If exposed or concerned: Get medical advice/attention.  
Call a poison center, doctor or Syngenta if you feel unwell.  
Store locked up.  
Dispose of contents and container in accordance with local regulations.

Other Hazard Statements: None

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
Replaces: 7/14/2015

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Crystalline Silica, Quartz and Cristobalite	Crystalline Silica, Quartz and Cristobalite	14808-60-7	Trade Secret
Glycerin	Glycerin	56-81-5	Trade Secret
Montmorillonite Clay	Montmorillonite Clay	1302-78-9	Trade Secret
Other ingredients	Other ingredients	Trade Secret	91.46%
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	Difenoconazole	119446-68-3	5.86%
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetylamino]-propionic acid methyl ester	Mefenoxam	70630-17-0 & 69516-34-3	1.46%
1H-Pyrazole-4-carboxamide, N-(2-[1,1'-bicyclopropyl]-2-ylphenyl)-3-(difluoromethyl)-1-methyl-	Sedaxane	874967-67-6	1.22%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

### 4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

- Ingestion:** If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact:** If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact:** If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation:** If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Respiratory irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO<sub>2</sub> extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
 Replaces: 7/14/2015

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

### 7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

#### Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Crystalline Silica, Quartz and Cristobalite	10 mg/m <sup>3</sup> /(%SiO <sub>2</sub> +2) (respirable dust)	0.025 mg/m <sup>3</sup> (respirable silica)	0.05 mg/m <sup>3</sup> (respirable dust)	NIOSH
Glycerin	15 mg/m <sup>3</sup> TWA (total); 5 mg/m <sup>3</sup> TWA (respirable)	Not Established	Not Established	Not Applicable
Montmorillonite Clay	15 mg/m <sup>3</sup> TWA (total dust); 5 mg/m <sup>3</sup> TWA (respirable)	10 mg/m <sup>3</sup> TWA (total); 3 mg/m <sup>3</sup> TWA (respirable)	Not Established	Not Applicable
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Difenoconazole	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Manufacturer
Mefenoxam	Not Established	Not Established	5 mg/m <sup>3</sup> TWA	Syngenta
Sedaxane	Not Established	Not Established	2 mg/m <sup>3</sup> TWA	Syngenta

#### Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
 Replaces: 7/14/2015

### Individual protection measures:

#### Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

#### Eye Contact:

Where eye contact is likely, use chemical splash goggles.

#### Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

#### Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Red opaque liquid

Odor: Faint paint

Odor Threshold: Not Available

pH: 6.0 - 7.5 (neat 68°F - 72°F)

Melting point/freezing point: Not Available

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): > 214°F (Pensky-Martens CC)

Flammable Limits (% in Air): Not Available

Flammability: Not Available

Vapor Pressure: Difenoconazole 2.5 x 10<sup>(-10)</sup> mmHg @ 77°F (25°C)

Mefenoxam 2.5 x 10<sup>(-5)</sup> mmHg @ 77°F (25°C)

Sedaxane 4.9 x 10<sup>(-10)</sup> mmHg @ 68°F (20°C)

Vapor Density: Not Available

Relative Density: 1.13 g/ml

Solubility (ies): Difenoconazole 15 mg/l @ 77°F (25°C)

Mefenoxam 26 g/l @ 77°F (25°C)

Sedaxane 14 mg/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: 779°F

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: None

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015

Replaces: 7/14/2015

---

### 10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: Not Available

---

### 11. TOXICOLOGICAL INFORMATION

#### Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Respiratory irritation

Delayed, immediate and chronic effects of exposure: Respiratory system effects

#### Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Female Rat) : > 5000 mg/kg body weight

Dermal: Dermal (LD50 Rat) : > 5050 mg/kg body weight

Inhalation: Inhalation (LC50 Rat) : > 2.63 mg/l air - 4 hours

Eye Contact: Minimally Irritating (Rabbit)

Skin Contact: Non-Irritating (Rabbit)

Skin Sensitization: Not a Sensitizer (Guinea Pig)

#### Reproductive/Developmental Effects

Difenoconazole: None observed.

Mefenoxam: None observed.

Sedaxane: Did not show teratogenic effects in animal experiments.

Did not show reproductive toxicity effects in animal experiments.

#### Chronic/Subchronic Toxicity Studies

Difenoconazole: Kidney and liver effects at high doses (>5000 ppm; rats); Eye effects in dogs at high dose levels.

Mefenoxam: Liver effects at high dose animal tests.

Sedaxane: STOT - Repeated Exposure : No adverse effect has been observed in chronic toxicity tests.

#### Carcinogenicity

Difenoconazole: Did not show carcinogenic effects in animal experiments.

Mefenoxam: None observed.

VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
 Replaces: 7/14/2015

Sedaxane: Did not show mutagenic effects in animal experiments.  
 At extremely high doses, numerically higher incidences of uterine, thyroid and liver tumors (male and/or female rats) and liver tumors (male mice) were within the range of normal background variation and thus considered unrelated to treatment. Some Regulatory Authorities have taken a more conservative position that these high-dose findings are treatment-related in rats and mice. The dose levels where these findings occur are not relevant to human exposure levels.

Chemical Name	NTP/IARC/OSHA Carcinogen
Crystalline Silica, Quartz and Cristobalite	IARC 1; ACGIH A2
Glycerin	No
Montmorillonite Clay	No
Other ingredients	No
1H-1,2,4-Triazole, 1-[[2-[2-chloro-4-(4-chlorophenoxy)phenyl]-4-methyl-1,3-dioxolan-2-yl]methyl]-	No
(R,S)-2-[(2,6-dimethylphenyl)-methoxyacetyl-amino]-propionic acid methyl ester	No
1H-Pyrazole-4-carboxamide, N-(2-[1,1'-bicyclopropyl]-2-ylphenyl)-3-(difluoromethyl)-1-methyl-	No

Other Toxicity Information  
 None

Toxicity of Other Components

- Crystalline Silica, Quartz and Cristobalite  
 Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.
- Glycerin  
 Repeated or prolonged exposure to concentrated solutions may result in dermatitis.
- Montmorillonite Clay  
 Prolonged inhalation of excessive concentrations of dust may lead to lung injury.
- Other ingredients  
 Not Applicable

Target Organs

Active Ingredients

- Difenoconazole: Brain, liver, kidney, gastrointestinal tract
- Mefenoxam: Liver
- Sedaxane: Not Applicable

Inert Ingredients

- Crystalline Silica, Quartz and Cristobalite: Respiratory tract
- Glycerin: Skin
- Montmorillonite Clay: Respiratory tract
- Other ingredients: Not Applicable

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015

Replaces: 7/14/2015

---

### 12. ECOLOGICAL INFORMATION

#### Eco-Acute Toxicity

##### Difenoconazole:

- Fish (Rainbow Trout) 96-hour LC50 1.1 mg/l
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.77 mg/l
- Green Algae 72-hour EbC50 0.032 mg/l

##### Mefenoxam:

- Fish (Rainbow Trout) 96-hour LC50 > 121 ppm
- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 113 ppm
- Bird (Bobwhite Quail) 14-day LD50 981 mg/kg

##### Sedaxane:

- Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 6.10 mg/l
- Green Algae 96-hour EbC50 1.9 mg/l
- Fish (Carp) 96-hour LC50 0.62 mg/l

#### Environmental Fate

##### Difenoconazole:

The information presented here is for the active ingredient, difenoconazole.  
Stable in soil and water. Low to moderate mobility in soil. Sinks in water (after 24 h).

##### Mefenoxam:

The information presented here is for the active ingredient, mefenoxam.  
Does not bioaccumulate. Not persistent in soil or water. Moderate mobility in soil. Mixes/sinks (after 24 h).

##### Sedaxane:

The information presented here is for the active ingredient, sedaxane.  
Material is not readily biodegradable. Material is not persistent in soil.

---

### 13. DISPOSAL CONSIDERATIONS

#### Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

---

### 14. TRANSPORT INFORMATION

#### DOT Classification

Ground Transport - NAFTA  
Not regulated

#### Comments

Water Transport - International  
Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole), Marine Pollutant  
Hazard Class: Class 9  
Identification Number: UN 3082  
Packing Group: PG III

## VIBRANCE EXTREME Fungicide

Date: 7/15/2015  
 Replaces: 7/14/2015

Air Transport  
 Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Difenoconazole)  
 Hazard Class: Class 9  
 Identification Number: UN 3082  
 Packing Group: PG III

### 15. REGULATORY INFORMATION

**Pesticide Registration:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**Caution:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

EPA Registration Number(s):  
 100-1382

**EPCRA SARA Title III Classification:**

Section 311/312 Hazard Classes: Acute Health Hazard  
 Section 313 Toxic Chemicals: None

**CERCLA/SARA 304 Reportable Quantity (RQ):**

Not Applicable

**RCRA Hazardous Waste Classification (40 CFR 261):**

Not Applicable

**TSCA Status:**

Exempt from TSCA, subject to FIFRA

### 16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 3  
 Flammability: 1  
 Instability: 0

HMIS Hazard Ratings

Health: 2\*  
 Flammability: 1  
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: D

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 6/27/2012  
 Revision Date: 7/15/2015  
 Section(s) Revised: 9

Replaces: 7/14/2015



## VIBRANCE EXTREME Fungicide

Date: 7/15/2015

Replaces: 7/14/2015

---

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.