

**MATERIAL SAFETY DATA SHEET**  
PRECISION LABORATORIES, INC.



Updated: December 21, 2010  
Page 1 of 3

**Product Name: FS TRANSFORM PLUS™ - Water Conditioner Plus Drift Control Adjuvant**

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name: **FS Transform Plus™**  
Manufactured by: **PRECISION LABORATORIES, INC.**  
1429 S. SHIELDS DRIVE  
WAUKEGAN, IL 60085

Emergency telephone number: (Chemtrec Information 24 hours) 1-800-424-9300  
For MSDS, Product Safety, or (Technical Support on Product) 1-800-323-6280  
Regulatory inquiries, call:

**2. COMPOSITION / INFORMATION ON INGREDIENTS**


<u>Component</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>% By Wt.</u>
Proprietary Blend	Proprietary	N/E	N/E	Proprietary

This material is not known to contain any chemical listed as a carcinogen by OSHA, IARC or the National Toxicology Program (NIP) at a concentration greater than 0.1%.

**3. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:**

NFPA Hazard Rating:



**Primary Routes of Exposure:**

Eyes: **Yes**

Skin: **Yes**

Oral: **Unlikely**

Inhalation: **Unlikely**

**Signs and Symptoms of Exposure:**

Eye contact: May cause irritation and reddening.  
Skin contact: May cause irritation and reddening.  
Inhalation: May cause respiratory and mucosal irritation.  
Ingestion: May cause nausea, vomiting and diarrhea.

**4. FIRST AID MEASURES**

**FIRST AID MEASURES FOR ACCIDENTAL EXPOSURE**

**Eye Exposure:** Check for and remove contact lenses. Immediately flush eyes with water for at least 15 minutes. Cold water may be used. Seek medical attention if irritation occurs.

**Skin Exposure:** Wash affected area with plenty of soap and water. Cold water may be used. Seek medical attention if irritation develops.

**Inhalation:** Move individual to fresh air. If breathing is difficult, give oxygen, or if not breathing, give artificial respiration, and seek immediate medical attention.

**Ingestion: Do not induce vomiting unless directed to do so by medical personnel.** If individual is fully conscious, give a large amount of water to drink. Never give fluids or force vomiting if the individual is unconscious, is having convulsions or has no gag reflex. If large quantities are swallowed, seek immediate medical attention.

**Medical Conditions Aggravated by Overexposure:** None known.

**5. FIRE-FIGHTING MEASURES**

**FIRE HAZARD DATA:**

Flammability: >200° Closed Cup Pensky-Martin      LEL: N/A      UEL: N/A  
Auto-ignition temperature: N/D  
Flash Point: 200°F

**Extinguishing Media:** Water spray, foam, CO<sub>2</sub>, or dry chemicals may be used in areas where this product is stored.

**Special Fire Fighting Procedures:** Firefighters should wear NIOSH/OSHA Approved Self-Contained breathing apparatus and full protective clothing.

**Additional Fire and Explosive Data:** None

**Product Name: FS TRANSFORM PLUS™ - Water Conditioner Plus Drift Control Adjuvant**

## 6. ACCIDENTAL RELEASE MEASURES

Evacuate the spill area, except for cleanup personnel. Wear NIOSH/OSHA-approved respirator and protective equipment as referenced in Section 8 below. Control spill with adsorbent pads or booms. Recover free liquid. For recovery or disposal, add inert absorbent (sand, earth, sawdust, etc.) to spill area and shovel into containers for disposal. Product is slippery under foot; flush smooth surfaces thoroughly. See Section 13 for disposal considerations.

## 7. HANDLING AND STORAGE

**Precautions to be Taken in Handling:** Keep away from heat, sparks and flame. Keep container closed. Wear appropriate equipment and clothing to prevent repeated or prolonged skin contact as referenced in Section 8 below. Use in areas with adequate mechanical exhaust ventilation, or wear respirator.

**Precautions to be Taken in Storage:** Product should be stored in a dry place with temperatures above 30°F. Partially used containers should be resealed between uses for maximum storage stability.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Note:** When selecting personal protective equipment and clothing, follow all of the manufacturer specifications and recommendations that apply to your specific operation and processing conditions. Take into consideration all working conditions and all chemicals to be handled or processed.

**Eye Protection:** Wear splash-proof chemical safety goggles. Contact lenses should not be worn when working with chemicals.

**Skin Protection:** Wear chemically impervious gloves, long-sleeved shirt, pants, socks and shoes to minimize skin contact. As precautions, wash hands and face with mild soap and water before eating, drinking, smoking or using restroom. After each shift, clean all protective equipment, wash work clothes, and shower.

**Inhalation Protection:** Not required under normal use conditions with good ventilation. Protect against spray mists. Respirator recommended in areas of poor ventilation.

**Other Protection:** Eye wash fountains and drench showers should be located within 100 feet or a 10 second walk or the work area per ANSI Z358.1-1990.

**Personal Protection in Case of Large Spill:** Splash goggles. Full suit. Boots, gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical Appearance &amp; Odor:</b>	Clear liquid with sweet odor.
<b>Boiling Point:</b>	212°F
<b>pH:</b>	4.4–6.5 ± 0.005
<b>Solubility in Water:</b>	Soluble.

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability:</b>	Stable.
<b>Incompatibility:</b>	Strong bases (alkali) / oxidizers / reactive metals. Do not mix with chlorinated detergents (bleach).
<b>Hazardous Decomposition Products:</b>	Burning may produce carbon monoxide, carbon dioxide and unidentified organic compound.
<b>Hazardous Polymerization:</b>	Will not occur.
<b>Conditions to Avoid:</b>	Excessive heat.

## 11. TOXICOLOGICAL INFORMATION

No toxicological data is available for this product.

## 12. ECOLOGICAL INFORMATION

No ecological data is available for this product.

## 13. DISPOSAL CONSIDERATIONS

**Disposal Methods:** Dispose of material in compliance with applicable federal, state and local environmental regulations. Recycle or rework material if at all possible. Incinerate material at an approved facility, or treat at an acceptable waste treatment facility or municipal waste treatment plant after proper testing and approval of waste samples.

**Container Reuse:** An empty container can contain product residue, and should be not reused. If not professionally cleaned and reconditioned, crushing or other means is recommended to prevent unauthorized reuse.

## 14. TRANSPORT INFORMATION

<b>DOT Status (Highway and rail):</b>	N/E
<b>IATA Status (Air):</b>	N/E

**Product Name: FS TRANSFORM PLUS™ - Water Conditioner Plus Drift Control Adjuvant**

---

**15. REGULATORY INFORMATION**

---

<b>SARA HAZARD:</b>	Title III, Section 313: Contains no Section 313 listed substances subject to reporting.
<b>AICS (Australia):</b>	Components listed
<b>DSL (Canada):</b>	Components listed
<b>EINECS (Europe):</b>	Components listed
<b>TSCA:</b>	Components listed

**WHILE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREON, PRECISION LABORATORIES, INC., MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.**

N/R—Not Rated  
N/D—Not Determined  
N/A—Not Applicable  
N/E—Not Established