



Partners with solutions

MATERIAL SAFETY DATA SHEET

OHP, INC.
P.O. BOX 230, MAINLAND, PA 19451
800-659-6745

Revision Date: 01/29/2010
Approval Date: 06/26/2007

TRANSPORTATION EMERGENCY (24 hours a day)
CHEMTREC:(800) 424-9300

EMERGENCY (24 hours a day) AND PRODUCT INFORMATION
OHP, Inc.:(800) 356-4647

Terrazole® L CA

EPA Registration Number: 400-575-59807

I. PRODUCT IDENTIFICATION

Product Name TERRAZOLE® L CA
Chemical Name Etridiazole
Use(s) Use of substance/preparation Fungicide

II. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
DANGER!
MAY BE HARMFUL IF SWALLOWED.
MAY BE IRRITATING TO RESPIRATORY SYSTEM, SKIN AND EYES.
PROLONGED AND/OR REPEATED EXPOSURE MAY CAUSE THE FOLLOWING EFFECTS:
DIZZINESS
HEADACHE
DEFATTING OF THE SKIN
MAY CAUSE LIVER DAMAGE.
MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS.
EYE BURNS MAY OCCUR.
CAUSES CANCER IN LABORATORY ANIMALS.

III. COMPOSITION / INFORMATION ON INGREDIENTS

| INGREDIENT(S) | CAS # | % by WEIGHT |
|------------------------|---------|-------------|
| Etridiazole | | 44.3 |
| Naphthalene | 91-20-3 | < 5 |
| 1,2,4-Trimethylbenzene | 95-63-6 | < 5 |

Ingredients not precisely identified are non-hazardous and/or proprietary.

IV. FIRST AID MEASURES

Swallowing: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
Eye contact: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

V. FIRE-FIGHTING MEASURES

Flash point: 151°F / 65.6°C
Autoignition temperature: Not available
Hazardous combustion products
Combustion may produce the following products:
Hydrogen chloride.
Oxides of sulfur.
Oxides of nitrogen.

Special fire fighting procedures
Do not discharge extinguishing waters into streams, rivers and lakes.

Special protective equipment for firefighters
Body covering protective clothing, full "turn-out" gear.
Self-contained breathing apparatus.

Extinguishing media
Suitable:
Large fires:
— alcohol-type foam or universal-type foams
Small fires:
— CO2
— dry chemical

Unsuitable:
— water jets

MATERIAL SAFETY DATA SHEET

Terrazole[®] L CA

EPA Registration Number: 400-575-59807

VI. ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear suitable protective equipment. Avoid contact with eyes and skin.

Environmental precautions: Prevent from entering sewer system, surface water or soil.

Methods for cleaning up: Observe government regulations.

Small spills: Absorb on inert material such as sand, earth, vermiculite. Collect for disposal.

Large spills: Dike to contain spill. Pump excess material into suitable container (metal drums, metal tank, or such).

VII. HANDLING AND STORAGE

HANDLING

Handling precautions: Do not get in eyes. Avoid prolonged or repeated contact with skin. Avoid breathing vapor. Use with adequate ventilation. Wash thoroughly after handling.

Other precautions

NOTE TO END-USERS: The employee protection recommendations on this MSDS may differ from those on the product label. For normal use of this product, always refer to the personal protective equipment requirements on the product label.

STORAGE

Storage requirements: Keep container closed. Store in a cool, dry place.

VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMIT VALUES

| Component | Country | Type | Value | Remark |
|------------------------|---------|----------------------|-------------------------------|--------|
| Naphthalene | | TWA, OSHA | 50 mg/m3 10 ppm 10 ppm | |
| | | STEL, OSHA | 75 mg/m3 15 ppm 15 ppm | |
| | | TWA (skin), ACGIH | 10 ppm 10 ppm | |
| | | STEL, ACGIH | 15 ppm 15 ppm | |
| 1,2,4-Trimethylbenzene | | TWA, OSHA | 125 mg/m3 25 ppm 25 ppm | |
| | | TWA, ACGIH | 25 ppm 25 ppm | |

PERSONAL PROTECTION

Respiratory protection: Self-contained breathing apparatus in high vapor concentrations.

**Hand protection/
protective gloves**: Chemical resistant protective gloves

Eye protection: Safety glasses with side shields.

Skin protection: Wear protective clothing, such as long sleeves to minimize skin contact.

Other protective equipment: Eye bath, Safety shower

ENGINEERING CONTROLS

Ventilation: Special, local ventilation is needed at points where vapors can be expected to escape to the workplace air.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Physical state: Liquid

Color: Amber

Odor: Solvent

Odor threshold: Not available

OTHER PROPERTIES

Boiling Point: Not available

Melting Point: Not available

pH: 4.6

Specific gravity (H₂O=1): 1.104

Vapor pressure:

Solubility in water: Insoluble

**Solubility in
organic solvents**: Soluble

Partitioning coefficient: No data available.

Flash Point: 151°F / 65.6°C

Autoignition temperature: Not available.

X. STABILITY AND REACTIVITY

Stability: This product is stable under normal storage and handling conditions

Incompatible materials: Strong oxidizing agents.

**Hazardous combustion
products**: Combustion may produce the following products:

Hydrogen chloride.
Oxides of sulfur.
Oxides of nitrogen.

MATERIAL SAFETY DATA SHEET

Terrazole[®] L CA

EPA Registration Number: 400-575-59807

XI. TOXICOLOGICAL INFORMATION

SWALLOWING

Test results
Acute toxicity: LD50 - Rat
Result: 1.6 g/kg

Test results
Chronic toxicity: NOEL - Rat
Result: 2.5 mg/kg
Exposure time: 90 d

SKIN ABSORPTION

Test results
Acute toxicity: LD50 - Rat
Result: 3.6 g/kg

Test results
Chronic toxicity: . . . NOEL - Rats
Result: 20 mg/kg
Exposure time: 90 d

INHALATION

Test results
Acute toxicity: LC50 - Rat
Result: > 3.8 mg/l
Exposure time: 4 h

SKIN CONTACT

Test results
Skin irritation: Species: Rabbit
Result: moderate irritation

EYE CONTACT

Test results
Eye irritation: Species: Rabbit
Result: Corrosive.

SENSITIZATION

Test results
Species: Guinea pigs
Result: Non sensitizing

MUTAGENICITY

Assessment: Positive

CARCINOGENICITY

Assessment: Carcinogen Cat. 3

TOXICITY TO REPRODUCTION / FERTILITY

Assessment: Negative

XII. ECOLOGICAL INFORMATION

Component ecotoxicology
Etridiazole:
Acute toxicity fish: LC50 - Rainbow trout
(Oncorhynchus mykiss)
Result: 2.4 mg/l
Exposure time: 96 h

Component ecotoxicology
Etridiazole:
Acute toxicity fish: LC50 - Bluegill
(Lepomis macrochirus)
Result: 3.27mg/l
Exposure time: 216 h

Component ecotoxicology
Etridiazole:
Acute toxicity fish: LC50 - Sheepshead minnow
(Cyprinodon variegatus)
Result: 4.0 mg/l
Exposure time: 96 h

Component ecotoxicology
Etridiazole:
Aquatic toxicity to plants:
EC50 - Algae
Result: 0.072 mg/l
Exposure time: 120 h

Component ecotoxicology
Etridiazole:
Acute toxicity to aquatic invertebrates: EC50 - Water flea
(Daphnia magna)
Result: 3.1 mg/l
Exposure time: 48 h

XIII. DISPOSAL CONSIDERATIONS

General: Dispose of in accordance with appropriate Federal, State, and local regulations. Avoid discharge to sewers and natural waters.

XIV. TRANSPORT INFORMATION

DOT Classification
Not regulated by ground or rail if shipped or transported in containers less than 450 liters.

Proper shipping name: COMBUSTIBLE LIQUID, N.O.S.

UN ID #: NA1993

Packing group: III

Marine pollutant: MARINE POLLUTANT
Not regulated by ground or rail if shipped or transported in containers less than 450 liters.

MATERIAL SAFETY DATA SHEET

Terrazole® L CA

EPA Registration Number: 400-575-59807

IMDG Classification

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

Class: 9

Subsidiary risk: marine pollutant

UN ID #: UN 3082

Packing group: III

ICAO Classification

Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

Class: 9

UN ID #: UN 3082

Packing group: III

XV. REGULATORY INFORMATION

Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification of the National Response Center of release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40CFR302.4.

Components present in this product at a level which could require reporting under the statute are:

| Chemical name | CAS# | Max weight % |
|---|---------|--------------|
| Naphthalene RQ 100 pounds for naphthalene | 91-20-3 | < 5.00 |
| 1,2,4-Trimethylbenzene | 95-63-6 | < 5.00 |

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual reports of release of toxic chemicals that appear in 40CFR372 (for SARA 313). This information must be included in MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under the statute are:

| Chemical name | CAS# | Max weight % |
|------------------------|---------|--------------|
| Naphthalene | 91-20-3 | < 5.00 |
| 1,2,4-Trimethylbenzene | 95-63-6 | < 5.00 |

New Jersey Worker and Community Right-To-Know Act (Labeling Requirements)

| Chemical name | CAS# | New Jersey TS Number |
|---------------|------|----------------------|
| Etridiazole | — | |
| Inerts | — | |

EPA Hazard Categories (SARA 311, 312):

Immediate Health Hazard, Delayed Health Hazard, Fire Hazard

California Proposition 65

This product contains ETRIDIAZOLE which the State of California has found to cause cancer.

Chemical Inventory

United States: This product is subject to regulation under the US Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) and is therefore exempt from TSCA Inventory listing requirements.

XVI. OTHER INFORMATION

Recommended uses and restrictions:

NOTE TO END-USERS: This MSDS is being provided to all interested persons in accordance with federal and state right-to-know laws. Precautionary Statements, First Aid Statements and Directions for Use of this product by end-users are contained on the product label and must be followed at all times.

STP Standard temperature and pressure

W/W

Weight/Weight

0 (HMIS) Minimal hazard

1 (HMIS) Slight hazard

2 (HMIS) Moderate hazard

3 (HMIS) Serious hazard

4 (HMIS) Severe hazard

X (HMIS) Personal protection rating to be supplied by user depending on use conditions.

The opinions expressed herein are those of qualified experts within OHP, INC. We believe that the information contained herein is current as of the date of this Safety Data Sheet. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of OHP, INC., it is the user's obligation to determine the conditions of safe use of the products.

Date of Issue: 06/26/2007

TERRAZOLE is a registered trademark of Chemtura Corporation.

Copyright 2007 Chemtura Corporation.

OHP988477 01/10

