

CAPAROL® 4L

Date: 7/9/2015
 Replaces: 2/3/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **CAPAROL® 4L**
 Product No.: A8564A
 Use: Herbicide
 Manufacturer: Syngenta Crop Protection, LLC
 Post Office Box 18300
 Greensboro NC 27419
 Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Not Applicable
 Signal Word (OSHA): Not Applicable
 Hazard Statements: Not Applicable

Hazard Symbols:

Precautionary Statements: Not Applicable

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Ethylene Glycol	Ethylene Glycol	107-21-1	<10.0%
Glycerin	Glycerin	56-81-5	Trade Secret
Other ingredients	Other ingredients	Trade Secret	>45.6%
2,4-bis(isopropylamino)-6-(methylthio)-s-triazine	Prometryn	7287-19-6	44.4%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

CAPAROL® 4L

Date: 7/9/2015

Replaces: 2/3/2015

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

CAPAROL® 4L

Date: 7/9/2015

Replaces: 2/3/2015

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Ethylene Glycol	Not Established	100 mg/m ³ (ceiling) [aerosol]	Not Established	Not Applicable
Glycerin	15 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable)	Not Established	Not Established	Not Applicable
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Prometryn	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

CAPAROL® 4L

Date: 7/9/2015
Replaces: 2/3/2015

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White liquid
Odor: Paint
Odor Threshold: Not Available
pH: 7.5 (1% solution in H₂O @ 68°F (20°C))
Melting point/freezing point: Not Applicable
Initial boiling point and boiling range: 212 - 230 °F
Flash Point (Test Method): > 200°F
Flammable Limits (% in Air): Not Available
Flammability: Not Applicable
Vapor Pressure: Prometryn 1.24 x 10⁽⁻⁶⁾ mmHg @ 77°F (25°C)
Vapor Density: Not Available
Relative Density: 1.08 g/cm³ @ 68°F (20°C)
Solubility (ies): Prometryn 33 mg/l @ 72°F (22°C)
Partition coefficient: n-octanol/water: Not Available
Autoignition Temperature: Not Available
Decomposition Temperature: Not Available
Viscosity: Not Available
Other: None

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.
Chemical stability: Stable under normal use and storage conditions.
Possibility of hazardous reactions: Will not occur.
Conditions to Avoid: None known.
Incompatible materials: None known.
Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion: Oral (LD50 Rabbit) : > 5000 mg/kg body weight

CAPAROL® 4L

Date: 7/9/2015
Replaces: 2/3/2015

Dermal:	Dermal (LD50 Rat) :	> 5000 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.2 mg/l air - 4 hours
Eye Contact:	Mildly Irritating (Rabbit)	
Skin Contact:	Slightly Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Prometryn: None observed.

Chronic/Subchronic Toxicity Studies

Prometryn: Liver, kidney and bone marrow changes at highest dose (dogs); Kidney effects (rats).

Carcinogenicity

Prometryn: None observed.

Chemical Name	NTP/IARC/OSHA Carcinogen
---------------	--------------------------

Ethylene Glycol	No
Glycerin	No
Other ingredients	No
2,4-bis(isopropylamino)-6-(methylthio)-s-triazine	No

Other Toxicity Information

None

Toxicity of Other Components

Ethylene Glycol

Ethylene glycol has been shown to produce dose-related teratogenic effects in rats and mice. Exposure to high concentrations of mists or aerosols may result in effects on the hematopoietic system and central nervous system with headache, dizziness and drowsiness. Severe kidney damage results from swallowing large amounts of ethylene glycol.

Glycerin

Repeated or prolonged exposure to concentrated solutions may result in dermatitis.

Other ingredients

Not Applicable

Target Organs

Active Ingredients

Prometryn: Liver, kidney, bone marrow

Inert Ingredients

Ethylene Glycol: Blood, kidney, CNS

Glycerin: Skin

Other ingredients: Not Applicable

CAPAROL® 4L

Date: 7/9/2015

Replaces: 2/3/2015

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Prometryn:

Fish (Rainbow Trout) 96-hour LC50 2.9 ppb

Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 18.59 ppm

Bird (Bobwhite Quail) 8-day LD50 > 4640 mg/kg

Green Algae 4-day EC50 12 ppb

Environmental Fate

Prometryn:

The information presented here is for the active ingredient, prometryn.

Low bioaccumulation potential. Persistent in soil. Stable in water. Moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Not regulated

Comments

Water Transport - International

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Prometryn), Marine Pollutant

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Air Transport

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Prometryn)

Hazard Class: Class 9

Identification Number: UN 3082

Packing Group: PG III

Note: This product is currently not regulated for airfreight within the NAFTA region. However, effective 01/01/2011 the classification above must be used.

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAPAROL® 4L

Date: 7/9/2015
 Replaces: 2/3/2015

Caution: Keep out of reach of children.

EPA Registration Number(s):
 100-620

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
 Section 313 Toxic Chemicals: Prometryn 44.4% (CAS No. 7287-19-6)
 Ethylene Glycol <10.0% (CAS No. 107-21-1)

CERCLA/SARA 304 Reportable Quantity (RQ):

Report product spills > 8,300 gal. (based on ethylene glycol [RQ = 5,000 lbs.] content in the formulation)

RCRA Hazardous Waste Classification (40 CFR 261):

Not Applicable

TSCA Status:

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 1
 Instability: 0

HMIS Hazard Ratings

Health: 1
 Flammability: 1
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: A

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/25/1985

Revision Date: 7/9/2015

Replaces: 2/3/2015

Section(s) Revised: 2, 4, 11, 16

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.