

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

### SECTION 1. IDENTIFICATION

Product name : OMITE® 30WS

Product code : 000000016639

#### Manufacturer or supplier's details

Company: MacDermid Agricultural Solutions, Inc  
245 Freight St  
Waterbury, CT  
United States of America  
06702  
Telephone : +1 800 423 8569

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

#### 1.4 Emergency telephone number

Emergency telephone number: Agriphar Crop Solutions: +1 800 423 8569(24 hours) 800-424-9300  
For additional emergency telephone numbers see section 16 of the  
Safety Data Sheet.

#### Recommended use of the chemical and restrictions on use

Recommended use : Miticide

Restrictions on use : Agriculture, For professional users only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Inhalation) : Category 4

Serious eye damage : Category 1

Carcinogenicity : Category 1A

Specific target organ toxicity  
- repeated exposure (Inhala-

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

tion)

Acute aquatic toxicity : Category 1

Chronic aquatic toxicity : Category 1

### GHS Label element

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H350 May cause cancer.  
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.  
P281 Use personal protective equipment as required.  
**Response:**  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Miticide

#### Hazardous components

Chemical Name	CAS-No.	Concentration (% w/w)
propargite	2312-35-8	>= 30 - < 50
kaolin	1332-58-7	>= 20 - < 30
Diatomaceous earth	61790-53-2	>= 10 - < 20
silica gel	112926-00-8	>= 10 - < 20
sodium diisopropylnaphthalenesulphonate	1322-93-6	>= 1 - < 5
quartz (SiO <sub>2</sub> )	14808-60-7	>= 0.1 - < 1
crystalite	14464-46-1	>= 0.1 - < 1
heptane	142-82-5	>= 0.1 - < 1

### SECTION 4. FIRST AID MEASURES

- If inhaled : Remove to fresh air.  
Give oxygen or artificial respiration if needed.  
Call a POISON CENTER or doctor/ physician.
- In case of skin contact : Remove contaminated clothing and shoes.  
Wash off immediately with plenty of water for at least 15 minutes.  
Call a POISON CENTER or doctor/ physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
Call a POISON CENTER or doctor/ physician.
- If swallowed : Call a physician or poison control centre immediately.  
If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : irritant effects  
Symptoms may be delayed.  
Causes serious eye damage.  
Harmful if inhaled.  
May cause cancer.  
Causes damage to organs through prolonged or repeated exposure.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

### SECTION 5. FIREFIGHTING MEASURES

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

- Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam  
(on small fires)  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical  
Water spray
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : No information available.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Complete suit protecting against chemicals  
Full protective flameproof clothing
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Wear suitable protective equipment.
- Environmental precautions : Do not allow material to contaminate ground water system.  
Do not allow uncontrolled discharge of product into the environment.  
Do not flush into surface water or sanitary sewer system.
- Methods and materials for containment and cleaning up : Sweep up and shovel into suitable containers for disposal.  
Avoid dust formation.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Wear suitable protective equipment.  
Keep container tightly closed.  
Avoid formation of dust and aerosols.
- Conditions for safe storage : Keep in a dry, cool place.
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of ex-	Control parameters / Permissible con-	Basis
------------	---------	----------------------------	--	-------

---

# SAFETY DATA SHEET

## OMITE® 30WS

Version  
1.4

Revision Date:  
10/12/2015

MSDS Number:  
000000016639

Country: US  
Language: EN

		posure)	centration	
kaolin	1332-58-7	TWA (Respirable fraction)	2 mg/m <sup>3</sup>	ACGIH
		TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	5 mg/m <sup>3</sup>	OSHA P0
Diatomaceous earth	61790-53-2	TWA	6 mg/m <sup>3</sup>	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
silica gel	112926-00-8	TWA	6 mg/m <sup>3</sup>	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m <sup>3</sup> / %SiO <sub>2</sub> (Silica)	OSHA Z-3
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
		TWA	6 mg/m <sup>3</sup> (Silica)	NIOSH REL
quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable fraction)	0.025 mg/m <sup>3</sup>	ACGIH
		TWA (total dust)	30 mg/m <sup>3</sup> / %SiO <sub>2+2</sub>	OSHA Z-3
		TWA (respirable)	250 mppcf / %SiO <sub>2+5</sub>	OSHA Z-3
		TWA (respirable)	10 mg/m <sup>3</sup> / %SiO <sub>2+2</sub>	OSHA Z-3
		TWA (Respirable fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
		TWA (respirable dust fraction)	0.1 mg/m <sup>3</sup>	OSHA P0
		TWA (Respir-	0.025 mg/m <sup>3</sup>	ACGIH

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
 Language: EN

		able fraction)	(Silica)	
		TWA (respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
cristobalite	14464-46-1	TWA (respirable dust fraction)	0.05 mg/m <sup>3</sup>	OSHA P0
		TWA (Respirable fraction)	0.025 mg/m <sup>3</sup> (Silica)	ACGIH
		TWA (respirable dust)	0.05 mg/m <sup>3</sup> (Silica)	NIOSH REL
heptane	142-82-5	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0
		STEL	500 ppm 2,000 mg/m <sup>3</sup>	OSHA P0
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	85 ppm 350 mg/m <sup>3</sup>	NIOSH REL
		C	440 ppm 1,800 mg/m <sup>3</sup>	NIOSH REL
		TWA	400 ppm	ACGIH
		STEL	500 ppm	ACGIH

### Hazardous components without workplace control parameters

Components	CAS-No.
propargite	2312-35-8
sodium diisopropylnaphthalenesulphonate	1322-93-6

**Engineering measures** : Effective exhaust ventilation system  
 Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protective equipment

Respiratory protection : Respirator with a dust filter

Hand protection

Remarks : Impervious gloves Replace when worn.

Eye protection : Safety goggles

Skin and body protection : Complete suit protecting against chemicals

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : grey

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

Odour : characteristic

Odour Threshold : No data available

pH : 7

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : 154.5 °C

Evaporation rate : Not applicable

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : No data available

Bulk density : 333 kg/m<sup>3</sup>

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : Not applicable

    Viscosity, kinematic : Not applicable

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac- : No dangerous reaction known under conditions of normal use.

---

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

tions

Conditions to avoid : Exposure to moisture  
Contamination

Incompatible materials : Strong acids and strong bases  
Strong oxidizing agents

Hazardous decomposition products : Burning produces noxious and toxic fumes.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Eye contact

Inhalation

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 5,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.4 mg/l  
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

##### Components:

##### **propargite:**

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.5 mg/l  
Exposure time: 1 h  
Test substance: 10 % gravimetric suspension in distilled water  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 4,000 mg/kg

##### **kaolin:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

##### **silica gel:**

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg

#### Skin corrosion/irritation

##### Product:

Species: Rabbit

Assessment: No skin irritation



# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

### **Components:**

#### **propargite:**

Species: Rabbit

Result: Irritating to skin.

#### **silica gel:**

Result: No skin irritation

### **Serious eye damage/eye irritation**

#### **Product:**

Species: Rabbit

Assessment: Risk of serious damage to eyes.

### **Components:**

#### **propargite:**

Species: Rabbit

Result: Severe eye irritation

Assessment: Risk of serious damage to eyes.

#### **silica gel:**

Result: No eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Species: Guinea pig

Remarks: Causes sensitisation.

### **Components:**

#### **propargite:**

Test Type: Buehler Test

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Result: Did not cause sensitisation on laboratory animals.

### **Germ cell mutagenicity**

#### **Product:**

Germ cell mutagenicity - Assessment : negative

### **Components:**

#### **propargite:**

Germ cell mutagenicity - Assessment : Not mutagenic in Ames Test

#### **quartz (SiO<sub>2</sub>):**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Result: negative

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

#### **Product:**

Carcinogenicity - Assessment : Carcinogenic Category 3

#### **Components:**

##### **propargite:**

Carcinogenicity - Assessment : Suspected of causing cancer.

##### **silica gel:**

Carcinogenicity - Assessment : IARC Class 3, not classifiable as to carcinogenicity to humans

##### **quartz (SiO<sub>2</sub>):**

Carcinogenicity - Assessment : Human carcinogen.

##### **crystalite:**

Carcinogenicity - Assessment : Human carcinogen.

### **IARC**

Group 1: Carcinogenic to humans

kaolin 1332-58-7

quartz (SiO<sub>2</sub>) 14808-60-7

crystalite 14464-46-1

### **OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### **NTP**

Known to be human carcinogen

kaolin 1332-58-7

quartz (SiO<sub>2</sub>) 14808-60-7

crystalite 14464-46-1

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

### Reproductive toxicity

#### Product:

Reproductive toxicity - Assessment : negative

#### Components:

##### **propargite:**

Reproductive toxicity - Assessment : Not classified due to data which are conclusive although insufficient for classification.

### STOT - repeated exposure

#### Components:

##### **Diatomaceous earth:**

Exposure routes: Inhalation

Target Organs: Lungs

Assessment: Causes damage to organs through prolonged or repeated exposure.

##### **quartz (SiO<sub>2</sub>):**

Exposure routes: Inhalation

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **crystalite:**

Exposure routes: Inhalation

Target Organs: Lungs

Assessment: Causes damage to organs through prolonged or repeated exposure.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50: 0.56 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.43 mg/l  
Exposure time: 48 h

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.08 mg/l  
Exposure time: 72 h

#### Components:

##### **propargite:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.081 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.06 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

LC50 (Salmo gairdneri): 0.118 mg/l  
Exposure time: 96 h

LC50 (Fish): 0.04 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.014 mg/l  
Exposure time: 48 h

EC50 (Crangon crangon (shrimp)): 0.101 mg/l  
Exposure time: 48 h

Toxicity to algae : IC50 (Pseudokirchneriella subcapitata (green algae)): > 1.08 mg/l  
Exposure time: 96 h

### kaolin:

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 1,100 mg/l  
Exposure time: 48 h

### silica gel:

Toxicity to fish : LC50 (Fish): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### heptane:

Partition coefficient: n-octanol/water : log Pow: 4.7

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

### Other adverse effects

#### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

### Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of wastes in an approved waste disposal facility.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulation

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (propargite)  
Class : 9  
Packing group : III  
Labels : 9

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., Environmentally hazardous substance, solid, n.o.s. (propargite)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956

#### IMDG-Code

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (propargite)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (propargite)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes(propargite)  
Remarks : RQ applies  
Not regulated by DOT and TDG if shipped or transported in packaging < 13.7 KG by road and/or rail. Please refer to 49 CFR for any details.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Component RQ (lbs)
propargite	2312-35-8	10	31

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SSARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

propargite	2312-35-8	31.9999 %
------------	-----------	-----------

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCOMI Intermediate or Final VOC's (40 CFR 60.489).

# SAFETY DATA SHEET

## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

---

### Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

propargite	2312-35-8	31.9999 %
------------	-----------	-----------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

propargite	2312-35-8	31.9999 %
------------	-----------	-----------

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

### FIFRA Hazard Information:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

The hazard information required on the pesticide label is reproduced below.

### DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Harmful if inhaled. Avoid breathing dust. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

This pesticide is toxic to fish and aquatic invertebrates and may cause reproductive effects in wildlife. Do not apply directly to water or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

(Q)SAR - (Quantitative) Structure Activity Relationship; ASTM - American Society for the Testing of Materials; bw - Body weight; DIN - Standard of the German Institute for Standardisation; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous

# SAFETY DATA SHEET


## OMITE® 30WS

Version 1.4      Revision Date: 10/12/2015      MSDS Number: 000000016639      Country: US  
Language: EN

Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; DOT - Department of Transportation; EHS - Extremely Hazardous Substance; HMIS - Hazardous Materials Identification System; MSHA - Mine Safety and Health Administration; NFPA - National Fire Protection Association; RCRA - Resource Conservation and Recovery Act; RQ - Reportable Quantity; SARA - Superfund Amendments and Reauthorization Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice; ERG - Emergency Response Guide; NTP - National Toxicology Program; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods

### Further information

#### NFPA:



#### HMIS III:

HEALTH	2*
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

Revision Date : 10/12/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN



# SAFETY DATA SHEET

## OMITE® 30WS

Version  
1.4

Revision Date:  
10/12/2015

MSDS Number:  
000000016639

Country: US  
Language: EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 113 711 9144
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670