



**FIFRA 24(c) Special Local Need Label (SLN)
FOR DISTRIBUTION AND USE ONLY WITHIN THE STATE OF
CALIFORNIA**

For Control of Certain Weeds In Transplanted Celery

Caparol® 4L

EPA Reg. No. 100-620

EPA SLN No. CA-980017

**This label expires and must not be distributed or used in accordance with this
SLN registration after September 30, 2020**

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS ON THIS LABEL
MAY RESULT IN POOR PEST CONTROL, CROP INJURY, OR ILLEGAL RESIDUES.

DIRECTIONS FOR USE

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- This state-specific Section 24(c) labeling must be in the possession of the user at the time of application.
- Follow all applicable directions, restrictions, and precautions on the EPA-registered Caparol® 4L, EPA Reg No. 100-620 label.

Single Pre-Transplant Application

On coarse-textured soils and soils low in organic matter, make one application of 2 to 4 pts. per acre of Caparol 4L in a minimum of 20 gallons of water. On fine-textured soils and soils high in organic matter, make one application of 3.2 to 4 pts. per acre of Caparol 4L in a minimum of 20 gallons of water. Make the application up to 21 days prior to transplanting. Make the application to a weed-free bed and do not disturb the treated area between application and transplanting. Note: A post-transplant application is not allowed if the pre-transplant application was made at the maximum allowable use rate (4 pts. per acre).

Split Pre-Transplant and Post-Transplant Application:

On coarse-textured soils and soils low in organic matter, the lower rate range of 2 to 4 pts. per acre of Caparol 4L in a minimum of 20 gallons of water is recommended. The maximum post-transplant application allowable on coarse-textured soils and soils low in organic matter is 3.2 pts. per acre.

On fine-textured soils and soils high in organic matter, the higher rate range of 3.2 to 4 pts. per acre of Caparol 4L in a minimum of 20 gallons of water is recommended.

Make the pre-transplant application up to 21 days prior to transplanting. Make the application to a weed-free bed and do not disturb the treated area between application and transplanting. A second application of Caparol 4L may be made during the 2 to 6 week period after transplanting and before weeds are two inches tall. The total amount of Caparol 4L applied to the crop (pre-transplant plus post-transplant applications) cannot exceed the maximum allowable use rate (4 pts. per acre).

Post Transplant Application

As indicated on the EPA-registered Caparol 4L label make one application of 2 to 3.2 pts. per acre of Caparol 4L on coarse-textured soils and soils low in organic matter in a minimum of 20 gallons of water. Make one application of 3.2 to 4 pts. per acre of Caparol 4L on fine-textured soils and soils high in organic matter in a minimum of 20 gallons of water. Application may be made over-the-top to celery during the 2 to 6 week period after transplanting and before weeds are two inches tall.

NOTE: To avoid possible illegal residues, do not make a Caparol 4L application within 45 days of harvest.

Rotational Crops: The following crops may be seeded five months after applying no more than 4 pts. of Caparol 4L per acre on celery: cabbage, celery, corn, onions, peas, and red beets.

Caparol® 4L Herbicide is a registered trademark of a Syngenta Group Company

©2015 Syngenta

24(c) Registrant
Syngenta Crop Protection, LLC
Greensboro, North Carolina 27419
Phone Number: 1-800-334-9481

EPA SLN No: CA-980017

Label Code: CA0620052BA0915