



Bayer CropScience LP **PRODUCT BULLETIN**  
 P.O. Box 12014, 2 T.W. Alexander Drive  
 Research Triangle Park, NC 27709  
 (919) 549-2000

**PROLINE® 480 SC Fungicide**  
 EPA Reg. No. 264-825  
 and  
**STRATEGO® YLD Fungicide**  
 EPA Reg. No. 264-1093

**For Suppression of Sclerotinia Stem Rot**  
*(Sclerotinia sclerotiorum)* in Soybean

## **PRODUCT BULLETIN**

### **FOR DISTRIBUTION AND USE ONLY IN THE STATES OF ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, NEBRASKA, NORTH DAKOTA, OHIO, SOUTH DAKOTA, and WISCONSIN**

**FIFRA Section 2(ee) Recommendation:** This recommendation is made as permitted under FIFRA Section 2(ee). This product bulletin must be in the possession of the user at the time of pesticide application. Follow all applicable directions, restrictions, Worker Protection Standard requirements, and precautions on the EPA registered label.

**DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its label.

<b>SOYBEAN</b>	
<b>Disease Suppressed</b>	<b>Rate fluid ounces/Acre</b>
Sclerotinia Stem Rot also known as White Mold <i>(Sclerotinia sclerotiorum)</i>	PROLINE 480 SC Fungicide 3.0
<p><b>Notes:</b>            Apply PROLINE 480 SC Fungicide as a broadcast foliar spray at R1 (beginning bloom) when conditions are favorable for disease development. A sequential treatment of PROLINE 480 SC Fungicide or STRATEGO YLD Fungicide (4.65 fl. oz. per acre) may be made at R3 (beginning pod).</p> <p>PROLINE 480 SC Fungicide and STRATEGO YLD Fungicide may be applied by ground or air. PROLINE 480 SC Fungicide may be applied in a minimum of 10 gallons of spray solution per acre by ground sprayer or in a minimum of 5 gallons of spray solution per acre by aircraft spray equipment. STRATEGO YLD Fungicide may be applied in a minimum of 10 gallons of spray solution per acre by ground sprayer or in a minimum of 2 gallons of spray solution per acre by aircraft spray equipment.</p>	
<p><b>Restrictions:</b>            Do not apply more than 9.0 fl. oz of PROLINE 480 SC or 13.95 fl. oz. of STRATEGO YLD Fungicide per acre per season. Do not apply within 21 days of harvest.</p>	

Use of this product according to this bulletin has not been reviewed or endorsed by the State of Indiana.

**For MEDICAL And TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577**  
**For PRODUCT USE Information Call 1-866-99BAYER (1-866-992-2937)**  
 or  
 Visit our worldwide web site at <http://www.bayercropscience.us>  
*As with any crop-protection product, always read and follow label directions.*  
**For additional information call toll-free 1-866-99BAYER (1-866-992-2937).**