

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Stinger[®]

EPA Reg. No. 62719-73

Postemergence Broadleaf Weed Control in Strawberry

(For Distribution and Use Only in the State of New York)

(Not for Sale, Use or Distribution in Nassau and Suffolk Counties in the State of New York)

24(c) Special Local Need Registration EPA SLN No. NY-040004

IMPORTANT – READ BEFORE USE!

BECAUSE OF THE POSSIBILITY THAT USE OF Stinger[®] HERBICIDE (THE “PRODUCT”) ON STRAWBERRY (THE “CROP”) IN THE MANNER DESCRIBED IN THIS SECTION 24(C) LABELING COULD RESULT IN INJURY TO THE CROP AND/OR YIELD REDUCTION OR CROP FAILURE, USE THIS PRODUCT ONLY AFTER YOU HAVE READ AND ACCEPTED THE “SPECIAL CONDITIONS OF USE” AT THE END OF THIS LABELING!

If the Special Conditions of Use are not acceptable to you, return the unopened Product to your seller for a refund or use the Product for a different labeled use in accordance with the label affixed to the Product container.

The Special Conditions of Use are specified by the manufacturer of this Product and not the state of New York or the US EPA.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Stinger before applying. Carefully follow all precautionary statements and applicable use directions.
- In addition to restrictions and limitations imposed by this supplemental labeling, use of Stinger is subject to all use precautions and limitations imposed by the label affixed to the container for Stinger.

Directions for Use

Refer to product label for General Use Precautions, Mixing and Application instructions.

Target Broadleaf Weeds, Application Rate, and Use Restrictions:

Target Broadleaf Weeds	Stinger (pint/acre)	Use Restrictions
artichoke, Jerusalem clovers cocklebur, common curly dock dandelion groundsel jimsonweed lettuce, prickly nightshade ragweed, common ragweed, giant smartweed (suppression) sorrel, red sowthistle, annual (suppression) sunflower thistle, bull (suppression) thistle, Canada (suppression) vetch	<p>Post-harvest application: 1/3 - 2/3</p> <p>Spring application: 1/3</p>	<ul style="list-style-type: none"> • Make 1 to 2 applications per year not to exceed 2/3 pint per acre per year. Make only 1 application in the spring. • Do not use Stinger with a surfactant on strawberries. • Do not tank mix with other herbicides registered for use on strawberry. • Spring applications: Do not apply within 30 days of harvest.

Note: Some minor leaf cupping may occur. Do not use if unwilling to accept minor leaf injury.

Broadcast Applications

Apply uniformly with ground equipment in 20 to 75 gallons of water per acre.

Post-Harvest Application: Make a ground application after harvest at 1/3 to 2/3 pint per acre. For control of Canada thistle from after harvest to early fall, apply Stinger after the majority of basal leaves have emerged but prior to bud stage.

Spring Application: If needed, make a ground application in the spring no later than 30 days prior to harvest at 1/3 pint per acre.

Spot Applications: Refer to the Hand-Held Sprayers section of the label for Stinger for spot application instructions.

Recommendations:

- For difficult to control weeds, best results will be achieved with a post-harvest application followed by a spring application.
- Stinger may be applied to either established or newly planted strawberries. **Note:** If newly planted, **do not** make an application in spring directly after planting; instead, make a post-harvest application that year and, if needed, a spring application the following year .

Other Use Restrictions:

- **Do not** apply by aircraft
- **Chemigation:** Do not apply Stinger through any type of irrigation system.
- **Do not** apply within 6 to 8 hours of expected rainfall or irrigation.
- **Do not** compost treated vegetation if compost will be used on sensitive plants.

IMPORTANT – READ BEFORE USE!

SPECIAL CONDITIONS OF USE

Dow AgroSciences (the “Manufacturer”) may not have sufficient phytotoxicity (crop safety) data with respect to the use of the Product on the Crop in the manner described in this 24(c) labeling or may have data demonstrating that, under certain conditions, the Product will cause injury to Crop and resulting yield reduction or Crop failure.

The Manufacturer is making the Product available for use in the manner described in this Section 24(c) labeling on the basis that, in the sole opinion of the user, the benefits or utility derived from the use of the Product on the Crop outweigh the potential risk of injury to Crop and resulting yield reduction or Crop failure. The decision to use the Product in the manner described in this 24(c) supplemental labeling must be made by each individual user on the basis of anticipated benefits versus (i) the risk of potential injury to the Crop and resulting yield reduction or Crop failure, (ii) severity of the target pest infestation, (iii) cost and availability of alternative pest controls and (iv) other relevant factors.

All persons purchasing the Product for use, or using the Product, in the manner described in this Section 24(c) labeling acknowledge and agree that:

- (1) the Manufacturer and its agents and representatives make and have made no recommendations with respect to the use of the Product on the Crop in the manner described in this Section 24(c) labeling;
- (2) they assume all risk of injury to the Crop and any resulting yield reduction or Crop failure arising from or relating to use of the Product on the Crop in the manner described in this Section 24(c); and
- (3) will release and hold harmless, the Manufacturer, and all parties in the chain of distribution of Product, and their respective agents and representatives, from any and all losses, damages, claims, causes of action, expenses (including attorney’s fees and court costs), relating to injury to the Crop and any resulting yield reduction or Crop failure arising from or relating to use of the Product on the Crop in the manner described in this Section 24(c) labeling; and
- (4) this Section 24(c) labeling supersedes, and the Manufacturer disclaims, any and all remedies, representations and warranties with respect to the Product, whether express (including those stated on the labeling affixed to the Product container) or implied including any warranties of merchantability and fitness for a particular purpose.

If these Special Conditions of Use are not acceptable to you, return the unopened Product to your seller for a refund or use the Product for a different labeled use in accordance with the label affixed to the Product container.

®Trademark of Dow AgroSciences LLC

R043-009

File Code: NY-040004

Accepted: 07/28/04

Initial printing.