

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

GoalTender[®]

EPA Reg. No. 62719-447

For Weed Control In Non-Dormant Application to Pistachios, Walnuts, Almonds

(For Distribution and Use Only Within the State of Arizona)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This label must be in the possession of the user at the time of pesticide application.
- Read the label affixed to the container for GoalTender herbicide before applying. Follow all other applicable directions, restrictions, and precautions on the EPA-registered label.
- Use of GoalTender according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.

Directions for Use

GoalTender[®] herbicide is a selective herbicide for postemergence and preemergence residual weed control in non-dormant application to pistachios, walnuts, almonds.

| Weed Control | Rate (pt/acre) | Specific Use Directions |
|---------------|----------------|---|
| Preemergence | 2.5 - 3 | Preemergence: For residual weed control of listed weeds. |
| Postemergence | 0.5 - 1 | Postemergence (Suppression): Apply to seedling weeds less than 4 inches in height. Repeat applications may be required. |
| | 1 - 3 | Postemergence (Cleanup): Contact (postemergence) control for cleanup sprays and preharvest applications. Apply to seedling weeds less than 4 inches in height. Applications to weed seedlings beyond the 4-inch stage may result in partial control. |

Tank Mixing: For broader spectrum grass and broadleaf weed control in tree row middles, GoalTender may be tank mixed with either paraquat (Gramoxone) or glyphosate. Refer to Mixing Directions section of the main label for Tank Mixing Precautions and additional information concerning use of adjuvants. Follow applicable use directions, precautions, and limitations on the respective product labels. In interpreting the labels of tank mixed products, the most restrictive label limitations must apply.

Chemigation: Follow chemigation instructions in General Information section of the main label.

Flood (Basin) Irrigation: For flood (basin) irrigation systems, meter continuously into the water during the entire irrigation period. Best weed control results are obtained when a uniform distribution and flow of irrigation water is maintained over level land. Irrigation water treated with GoalTender must be contained on the treated area until the water is absorbed by the soil.

Low Volume Sprinkler (Micro sprinkler) and Drip (Trickle) Irrigation: Apply only through low-volume sprinkler or drip systems designed to uniformly distribute irrigation water beneath the tree canopy. Applications should be made prior to weed emergence; otherwise postemergence activity may be inconsistent due to uneven coverage. Meter GoalTender at a continuous rate during the middle 1/3 of the irrigation period and discontinue application during the final 1/3 of the irrigation period to insure proper flushing of the irrigation system. Use of GoalTender through low-volume sprinklers or drip emitters helps to reduce the "ring effect" of weed escapes in areas around sprinklers or emitters where previously applied broadcast or directed treatments begin to break down.

Precautions:

- Direct spray toward the base of trees. Avoid direct contact with foliage or nuts.
- GoalTender should be applied only to healthy growing trees

Crop-Specific Use Restrictions:

- When applied as a non-dormant treatment, GoalTender can only be applied to pistachio plantings between May 1 and 7 days prior to harvest.
- When applied as a non-dormant treatment, GoalTender can only be applied to almond plantings between April 1 and September 30 and to walnut plantings between May 1 and September 30.
- Do not apply GoalTender within 7 days of harvest of pistachios.
- Do not apply GoalTender within 30 days of harvest of almonds.
- Do not apply GoalTender within 7 days of harvest of walnuts.
- Do not apply more than 3 pints of GoalTender per acre during the non-dormant season.
- Maximum total application rate per year is 1.5 lbs ai/A

Key Weeds Suppressed and/or Controlled

| | |
|--------------------|------------------------------|
| cheeseweed (malva) | morningglory species, annual |
| fiddleneck, coast | mustard, black |
| filaree, broadleaf | nettle, burning |
| filaree, redstem | pigweed, redroot |
| filaree, whitestem | purslane, common |
| groundsel, common | redmaids |
| henbit | rocket, London |
| minerslettuce | sowthistle, annual |

Additional Weeds Controlled in Tank Mix with Glyphosate or Paraquat

| | |
|-------------------|-----------------------|
| barnyardgrass | horseweed (marestail) |
| bluegrass, annual | rocket, London |
| chickweed, common | ryegrass, Italian |

®Trademark of Dow AgroSciences LLC

R204-054
EPA accepted 10/23/07
Initial printing