

# Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Lorsban\* 50W In Water Soluble Packets

EPA Reg. No. 62719-221

(For Distribution and Use Only in States East of the Rockies)

### Post-bloom Application to Trunk for Borer Control

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Lorsban\* 50W In Water Soluble Packets insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Lorsban 50W according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the product container.

#### Directions for Use

##### Use and Dosage Recommendations

Pests Controlled †	Rate Lorsban 50W	Specific Use Directions
dogwood borer American plum borer apple bark borer roundheaded apple tree borer flatheaded appletree borer broad necked root borer tilehorned prionus	3 lb/100 gal of spray	Mix with water and apply directly to trunk from a distance of no more than 4 ft using low volume handgun or shielded spray equipment. Do not allow spray to contact foliage or fruit. Up to 2 applications may be made with a minimum spray interval of 14 days between applications.

#### Restrictions:

- Treat only the lower 4 feet of the trunk.
- Do not make more than two applications per year for borer control.
- Do not apply when wind speed is greater than 10 mph.
- Do not apply within 28 days of harvest.
- If the available residue data submitted in 2002 demonstrates the detection of chlorpyrifos at concentrations greater than 0.01 ppm, then Dow AgroSciences and EPA agree to discuss further mitigation.

\*Trademark of Dow AgroSciences LLC

D06-059-002

EPA-accepted: 03/15/01

Initial printing.