

Raptor[®] herbicide

2(ee) Technical Information Bulletin

Raptor[®] Herbicide at reduced rates tank-mixed with Result[®] Herbicide to aid in the control of mustard species weeds in Dry Edible Bean and Field Pea in North Dakota, South Dakota, and Minnesota.

EPA Reg. No. 241-379

This recommendation is made as permitted under FIFRA section 2(ee) and had not been submitted to or approved by the EPA.

All applicable directions, restrictions, precautions, and Conditions of Sale and Warranty on the EPA label are to be followed. Refer to the container label for additional instructions.

Always read and follow label directions.

Information contained in this Technical Information Bulletin is not intended to replace or amend any product labeling. Always read and follow all label directions when using any pesticide alone or in mix combinations.

The user must have this recommendation in their possession at the time of use.

This recommendation is for the control of mustard species weeds using Raptor[®] herbicide and Result[®] herbicide in dry edible beans and field pea in Minnesota, North Dakota, and South Dakota.

DIRECTIONS FOR USE:

Apply **Raptor** to mustard species weeds but prior to dry bean and field pea bloom stage. Use 0.016 lb imazamox a.e. /acre (2 fluid ounces of **Raptor** per acre) when tank-mixed with **Result** in dry bean and field pea. Use the appropriate adjuvants as recommended by the **Result** label.

Raptor and **Result** are registered trademarks of BASF Corporation.
© 2005 BASF Corporation
All rights reserved.

000241-00379.20050105.2005-04-133-0001

BASF Corporation
Agricultural Products
26 Davis Drive
Research Triangle Park, NC 27709

 **BASF**
The Chemical Company