

Supplemental Labeling



Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Stinger[®]

EPA Reg. No. 62719-73

EPA 24(c) Special Local Need Registration SLN No. WI-150003
For Distribution and Use Only Within the State of Wisconsin

Expiration Date: This label for Stinger expires and must not be distributed or used in accordance with this SLN registration after December 31, 2019.

Postemergence Broadleaf Weed Control in Strawberry

Special Conditions and Risks of Use

USE OF Stinger[®] herbicide (THE "PRODUCT") ON STRAWBERRY (THE "CROP") MAY RESULT IN CROP INJURY, CROP YIELD REDUCTION AND/OR CROP LOSS. READ AND UNDERSTAND THESE SPECIAL CONDITIONS AND RISKS OF USE BEFORE USING THE PRODUCT ON THE CROP.

Dow AgroSciences makes the Product available for use in the manner described in this Supplemental Labeling on the basis that, in the sole opinion of the user, the benefits and utility derived from the use of the Product on the Crop outweigh the potential risk of Crop injury or loss. The decision to use this Product in the manner described in this Supplemental Labeling must be made by each individual user on the basis of anticipated benefits versus (i) the risk of Crop injury, Crop yield reduction and Crop loss, (ii) the severity of the target pest infestation, (iii) the cost and availability of alternative pest controls, and (iv) any other relevant factors.

By purchasing the Product for use, or using the Product, in the manner described in this Supplemental Labeling, you acknowledge and accept that:

- (1) You assume all risk of Crop injury, Crop yield reduction and Crop loss;
- (2) Dow AgroSciences does not make, and does not authorize any agent or representative to make, any representations or recommendations regarding the use of this Product on the Crop other than the statements on this Supplemental Labeling;
- (3) Dow AgroSciences does not make, and does not authorize any agent or representative to make, any warranties, express or implied, with respect to the use of the Product on the Crop and disclaims all warranties, express or implied, including any implied warranties of fitness for a particular purpose or merchantability;
- (4) Dow AgroSciences disclaims all liability for any damages, losses, expenses, claims or causes of actions arising out of or relating to Crop injury, Crop yield reduction and/or Crop loss;
- (5) These Special Conditions and Risks of Use supersede any contrary representations or recommendations by Dow AgroSciences, its agents or representatives, and any provisions in or on any Product literature or labeling including any provisions on the label affixed to the Product container.

If these Special Conditions and Risks of Use are not acceptable, the unopened Product may be returned to the seller for a refund or used for a different labeled use in accordance with the label affixed to the Product container. These Special Conditions and Risks of Use are required by Dow AgroSciences and not specified by the U.S. EPA or the State of Wisconsin.

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Stinger® herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- In addition to restrictions and limitations imposed by this supplemental labeling, use of Stinger is subject to all use precautions and limitations imposed by the label affixed to the container for Stinger.

Directions for Use

Refer to product label for Use Precautions and Restrictions, Mixing Instructions and Application Directions.

Target Weeds	Application Rate (pint/acre)	Use Restrictions
<p>Control artichoke, Jerusalem clovers cocklebur, common curly dock dandelion groundsel jimsonweed lettuce, prickly nightshade ragweed, common ragweed, giant sorrel, red sunflower vetch</p> <p>Suppression smartweed sowthistle, annual thistle, bull thistle, Canada</p>	<p>post-harvest: 1/3 - 2/3 (0.125 – 0.25 lb ae clopyralid/acre)</p> <p>spring: 1/3 (0.125 lb ai clopyralid/acre)</p>	<ul style="list-style-type: none"> • Make 1 to 2 applications per year not to exceed 2/3 pint per acre per year. • Make only 1 application in the spring. • Do not use Stinger with a surfactant on strawberries. • Do not tank mix with other herbicides registered for use on strawberry. • Do not apply by aircraft. • Spring application: Do not apply within 30 days of harvest. • Chemigation: Do not apply Stinger through any type of irrigation system. • Do not apply within 6 to 8 hours of expected rainfall or irrigation. • Do not compost treated vegetation if compost will be used on sensitive plants.

Note: Some minor leaf cupping may occur. Do not use if unwilling to accept minor leaf injury.

Broadcast Application: Apply uniformly with ground equipment in 20 to 75 gallons of water per acre.

Post-Harvest Application: Make a ground application after harvest at 1/3 to 2/3 pint per acre. For control of Canada thistle from after harvest to early fall, apply Stinger after the majority of basal leaves have emerged but prior to bud stage.

Spring Application: If needed, make a ground application in the spring no later than 30 days prior to harvest at 1/3 pint per acre.

Spot Applications: Refer to the Hand-Held Sprayers section of the label for Stinger for spot application instructions.

Recommendations:

- For difficult to control weeds, best results will be achieved with a post-harvest application followed by a spring application.
- Stinger may be applied to either established or newly planted strawberries. **Note:** If newly planted, **do not** make an application in spring directly after planting; instead, make a post-harvest application that year and, if needed, a spring application the following year.

It is a violation of federal law to harm an endangered species. Strawberries are grown in counties which have endangered and threatened species present; therefore, growers should evaluate their fields and take necessary precautions to avoid harming endangered species or their habitat/environment. Growers may refer to http://www.datcp.state.wi.us/arm/environment/plants/endangered-species/federally_listed_species.jsp for help in identifying the species and their habitat.

Growers who are uncertain of the presence of a protected species should contact the Wisconsin Department of Agriculture, Trade and Consumer Protection at 608-224-4547.

Applicators must follow the full container label in its entirety and the directions on this supplement label.

®Trademark of Dow AgroSciences LLC

R043-085

Accepted: 03/31/15

Replaces R043-049