



## Section 2(ee) Recommendation

Date: December 23, 2003

Product: Amber® Herbicide  
EPA Registration No. 100-701

Use: Reduced-Rate Tank Mix Combinations for Control of Broadleaf Weeds  
in wheat and barley

States: Montana, North Dakota, South Dakota

This is a recommendation of Section 2(ee) as it relates to the use of Amber herbicide in tank-mixture at a rate less than the standard rate stated on the federally approved product label.

The occurrence of sulfonylurea-resistant weed biotypes can be prevented or delayed by using Amber in tank mixtures. Because of the prevalence of resistant weed biotypes in Montana and North Dakota, in these states, Amber must be applied postemergence only in combination with another herbicide registered for use in wheat or barley having a mode of action different from Amber.

### **DIRECTIONS FOR USE**

#### **Wheat and Barley**

##### **General Information**

Tank mix combinations of Amber herbicide with Banvel + 2,4-D or Bronate (all at reduced rates) provide economical control of the broadleaf weeds listed in Table 1. Apply when weeds are actively growing and are within the size limitations specified.

##### **Amber + Banvel + 2,4-D**

Apply a 3-way tank mix of Amber at the reduced rate of 0.175 oz./acre (1 packet/8 acres), plus 2-3 ounces of Banvel (4 lbs./gal.) or 4-6 ounces of Banvel SGF, plus 0.5 pint 2,4-D (4 lbs./gal.) or 0.33 pint 2,4-D LV6.

##### **Amber + Bronate**

Apply Amber at the reduced rate of 0.175 oz./acre (1 packet/8 acres) in tank mix with 3/4 to 1 1/2 pints Bronate.

<u>Weeds Controlled</u>	<u>Maximum Height or Diameter for Optimum Control</u>
Blue mustard, fixweed, Indian mustard, shepherdspurse, tansymustard, tumble mustard, wild mustard	Less than 6 inches
Common sunflower, field pennycress, kochia, pineapple-weed, prickly lettuce, umbrella spurry, wild radish	Less than 4 inches
Busy wallflower, cartpetweed, coast fiddleneck, common chickweed, common lambsquarters, common mallow, forget-me-nots, marshelder, pigweeds, wild buckwheat, Russian thistle	Less than 3 inches

\*Suppression of:  
Canada thistle Less than 4 inches

\*Suppression is a reduction of weed competition (vigor and/or population) compared to an untreated area. Number of 1.4 oz. water-soluble Amber Packets (AccuPak®) to use for the reduced (0.175 oz./A) rate:

Acres to treat	=	8	16	24	32	40	48	64	80	120	160
Number of packets	=	1	2	3	4	5	6	8	10	15	20

Add 0.25% v/v non-ionic surfactant to spray mixture, as described on the Amber label.

**The user must refer to the federally approved Tilt Fungicide label and read and follow all applicable directions for use, restrictions, and precautions.**

**It is a violation of federal law to use this product in a manner inconsistent with its labeling.**

**This recommendation should be in the possession of the user at the time of pesticide application.**

**This recommendation is made as permitted by Section 2(ee) of FIFRA, as amended, and has not been submitted to or approved by the EPA.**

Syngenta Crop Protection, Inc.  
Greensboro, NC 27419

Amber® - Trademark of Syngenta Crop Protection, Inc.

Banvel - Trademark of BASF

Bronate - Trademark of Bayer CropScience

Label Code: MT0701018BC1103