

SUPPLEMENTAL LABELING

READ AND FOLLOW THE ENTIRE LABEL BOOKLET FOR DIABLO HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

"Label" as used in this supplemental labeling refers to the label booklet for this product and this supplement.



DIABLO

EPA Reg. No. 228-379

PREPLANT COTTON AND FALL AND SPRING
SEEDED TRITICALE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This label must be in the possession of the user at the time of application. All applicable directions and precautions in the label booklet for this product must be followed.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. For Turf use, do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment areas until spray has dried.

COTTON

EXCEPT CALIFORNIA

PREPLANT APPLICATION: Apply up to 8 fluid ounces of DIABLO per acre to control emerged broadleaf weeds prior to planting cotton in conventional or conservation tillage systems.

For best performance, apply DIABLO when weeds are in the 2 — 4 leaf stage and rosettes are less than 2" across. Following application of DIABLO and a minimum accumulation of 1" of rainfall or overhead irrigation, a waiting interval of 21 days is required per 8 fluid ounces per acre or less. These intervals must be observed prior to planting cotton.

Do not apply preplant to cotton west of the Rockies.

Do not make DIABLO preplant applications to geographic areas with average annual rainfall less than 25". If applying a spring preplant treatment following application of a fall preplant (postharvest) treatment, then the combination of both treatments may not exceed 2 pounds acid equivalent per acre.

COTTON TANK MIXES

For control of grasses or additional broadleaf weeds, Diablo may be tank mixed with Bladea, Caparol®, Gramoxone® Extra, and Roundup Ultra® RT herbicides.

**FALL AND SPRING SEEDED TRITICALE
EXCEPT CALIFORNIA**

EARLY SEASON APPLICATIONS

Apply 2-4 fluid ounces of DIABLO to triticale.

Early season applications to fall-seeded triticale must be made prior to jointing stage.

Early season applications to spring-seeded triticale must be made before triticale reaches the 6-leaf stage.

TANK MIXES

For best performance, should be used in tank mix combination with bromoxynil.

Read the "Limit of Warranty and Liability" in the label booklet for Diablo before using. These terms apply to this supplemental labeling and if these terms are not acceptable, return the product unopened at once.

(RV080508)

**Manufactured For NUFARM AMERICAS INC.
150 Harvester Drive | Burr Ridge, IL 60527**

Diablo is a registered trademark of Nufarm Americas Inc.