

FIFRA Sec. 2(ee) Recommendation

merivon[®]
XEMIUM[®] BRAND FUNGICIDE

For control of Glomerella leaf spot (*Glomerella cingulata*) on pome fruit grown in Delaware, Georgia, Maryland, New Jersey, North Carolina, Pennsylvania, South Carolina, Tennessee, and Virginia

This Technical Information Bulletin expires on December 31, 2019.

EPA Reg. No. 7969-310

This recommendation is made as permitted under FIFRA Section 2(ee) and has not been submitted to or approved by the EPA.

All applicable directions, restrictions, precautions and Conditions of Sale and Warranty on the EPA registered label are to be followed. Refer to the container label for additional instructions. Always read and follow label directions.

Information contained in this Technical Information Bulletin is not intended to replace or amend any product labeling. Always read and follow all label directions when using any pesticide alone or in tank mix combinations.

The user must have this recommendation in their possession at the time of use.

Directions For Use

Apply 4 to 5.5 fl ozs/A of **Merivon[®] Xemium[®] brand fungicide** to control Glomerella leaf spot. Follow all use directions under the pome fruits section on the **Merivon** container label.

Merivon and Xemium are registered trademarks of BASF.

© 2016 BASF Corporation
All rights reserved.

007969-00310.20160830.NVA 2016-04-371-0197