



24(c) REGISTRATION
EPA SLN No.: SC-950006

REGISTRATION FOR SPECIAL LOCAL NEED
FOR DISTRIBUTION AND USE ONLY WITHIN SOUTH CAROLINA

Imidan[®] 70-WP
Agricultural Insecticide

Imidan[®] 70-W
Agricultural Insecticide

EPA Reg. No. 10163-169

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. All applicable directions, restrictions and precautions on the EPA registered label are to be followed. This labeling must be in the possession of the user at the time of pesticide application.

CROP

Loblolly Pine Seedlings and Nursery Beds

PESTS CONTROLLED

Pales Weevil (*Hylobius pales*) and Pitch-eating Weevil (*Pachylobius picivorus*)

USE RATE and METHOD OF APPLICATION

Use Imidan 70-WP or 70-W as a 4% top spray applied to the seedlings in the nursery bed (see dilution table below). The solution should be sprayed on the seedlings from the root collar to the stem and foliage. This procedure should be repeated in the opposite bed direction to ensure complete coverage of seedlings.

Dilution Table for 4% Top Spray

To Make	5 Gallons	30 Gallons	50 Gallons	100 Gallons
Use this amount of Imidan 70-WP or 70-W	2 ½ lbs.	14 lbs.	24 lbs.	48 lbs.

The addition of an extender such as Nu-film 17* or Plantgard** may help to retain the Imidan 70-WP on the foliage under high rainfall conditions.

PRECAUTIONS AND RESTRICTIONS

Do not apply this product through any type of irrigation system. Seedlings should not be bagged for 24 hours after spraying. Workers handling treated seedlings should wear chemical resistant gloves during bagging and planting.

24(c) REGISTRANT

Gowan Company

IMIDAN[®] is a registered trademark of Gowan Company, L.L.C.
*Nu-film[®] is a registered trademark of Miller Chemical & Fertilizer Corp.
**Plantgard[®] is a registered trademark of Polymetrics International Inc.