

# **WEED AND GRASS KILLER**

## General Information

### USE INFORMATION

IMITATOR RTU is a nonselective systemic herbicide that is absorbed by the plants through its leaves and moves down to the roots killing the plant. Plants yellow and wilt within hours and are killed in 1 to 2 weeks period.

This product is strongly bound by the soil and is readily degraded by soil microorganisms, thus, has no soil residual activity.

### USE PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact any persons or pets, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until sprays have dried.

**IMPORTANT:** Read the entire Directions for Use, all precautions, and the Conditions of Sale and Warranty before using this product.

This product will kill or injure all green vegetation contacted. Avoid herbicide contact with foliage, green stems, exposed non-woody roots or fruit of crops, desirable plants and trees because injury or destruction may result. Do not spray desirable plants or grasses. If desirable plant is accidentally sprayed with this product, immediately rinse off with plenty of water. Apply when wind is calm. This product is not recommended for use as spot weed control in Lawns.

The following crops may be planted one day after application of this product:

Artichoke (Jerusalem), Beans (all types), Beet (green), Blackberry, Blueberry, Boysenberry, Broccoli, Brussels sprout, Cabbage (all types), Carrot, Cauliflower, Celery, Chard (Swiss), Chickory, Collards, Currants, Dewberries, Elderberry, Endive, Gooseberry, Horseradish, Huckleberry, Kale, Kohlrabi, Leek, Lentil, Lettuce, Loganberry, Mustard green, Okra, Olallieberry, Onion, Parsley, Parsnip, Potato, Radish, Rape greens, Raspberry (black, red), Rhubarb, Rutabaga, Spinach, Sweet potato, Turnip, Yam. (Note: If this product is used for controlling weeds around

Berries, do not harvest Berries within 14 days of last application.) The following crops may be planted 3 days after application: Corn, Cucumber, Eggplant, Garlic, Gourd, Melons (all types), Peas (all types), Pepper (all types), Pumpkin, Squash (summer, winter); Tomatillo, Tomato (by seed), Watercress.

Other plants not listed above including transplanted Tomatoes may be planted 30 days after application of this product.

#### APPLICATION PROCEDURES

For best results, apply this product on a sunny day with daytime temperatures above 60°F and when weeds are actively growing.

Use a coarse spray when applying this product.

To avoid contact of this product on desirable plants, shield the plants with a plastic sheet, plastic or cardboard.

To kill Vines growing on non-living objects such as fences, poles, or tree trunks with mature bark, cut the vines to a height of 3 to 4 feet and spray thoroughly.

For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly.

To kill Brush, cut to the ground if taller than 5 feet and then, spray regrowth.

To kill Stumps, cut the living stump close to the ground. Spray thoroughly immediately all remaining surfaces.

#### Limitations, Restrictions, and Exceptions

#### APPLICATION PROCEDURES

For best results, apply this product on a sunny day with daytime temperatures above 60°F and when weeds are actively growing.

Use a coarse spray when applying this product.

To avoid contact of this product on desirable plants, shield the plants with a plastic sheet, plastic or cardboard.

To kill Vines growing on non-living objects such as fences, poles or tree trunks with mature bark, cut the vines to a height of 3 to 4 feet and spray thoroughly. For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly.

To kill Brush, cut to the ground if taller than 5 feet and then, spray regrowth.  
To kill Stumps, cut the living stump close to the ground. Spray thoroughly immediately all remaining surfaces.

Method

[Coarse spray](#)

Timings

[On a sunny day with daytime temperatures above 60°F and when weeds are actively growing.](#)