

NON-FOOD/NON-FEED HANDLING APPLICATIONS

General Information

PRODUCT INFORMATION

Advion Ant Gel is specifically formulated to be attractive to all major pest species of ants such as Acrobat, Argentine, Big-headed, Carpenter, Cornfield, Crazy, Field, Ghost, Harvester, Honey, Little black, Odorous house, Pavement, Pharaoh, Pyramid, Red Imported Fire Ant, Rover, Thief, and White-footed. Advion Ant Gel contains the active ingredient, indoxacarb, a non-repellent insecticide. Use of Advion Ant Gel will help eliminate ants within days of applying the gel according to the use directions.

Pharaoh, Red Imported Fire Ant, Harvester - Advion Ant Gel is effective at killing Pharaoh ants, foraging red imported fire ants and harvester ants. For complete control of outdoor nests of these species, use additional treatments labeled for outdoor nest control of these species.

Use Instructions and Precautions: Do not treat areas that are easily accessible to children and pets.

- Advion Ant Gel can be used indoors or outdoors applied as a crack and crevice or spot treatment in single and multi-family residential homes, institutional, commercial and industrial facilities (including schools, warehouses, apartments, supermarkets, restaurants, motels, hotels, hospitals, nursing homes, offices, zoos, retail establishments, food handling/storage establishments), transportation equipment such as aircraft, trains, ships, boats, and buses, and other similar sites where ant infestations are a problem.
- Avoid applying Advion Ant Gel to surfaces recently treated with residual sprays.
- Surfaces treated with Advion Ant Gel should not be treated with residual sprays.
- Inspect applications periodically for consumption/activity and apply additional bait as needed.
- Do not apply to surfaces that food contacts.

- Do not allow open foods to contact gel material.
- Refillable Bait Stations: Advion Ant Gel may be used in commercially available refillable bait stations designed for interior and/or exterior or perimeter insect pest control. If the refillable bait station is not equipped with a sticker to identify the contents, apply a sticker either on the interior or exterior of the device. For best results, position refill- able bait stations near ant trails, nest sites, or where ants are known to actively forage. Regularly inspect each refillable bait stations and replace with Advion Ant Gel as needed for continual control of ants.

Treatment Rates for All Uses

- Apply Advion Ant Gel as spots of gel or small lines of gel.
- Placements of spots or lines of Advion Ant Gel should be to active foraging trails, nest sites, or to areas known to be active.
- Apply 0.1 to 1.0 gram spots of Advion Ant Gel or approximately 1/4" in diameter spots.
- Apply lines of Advion Ant Gel of approximately 1/8" wide and 2" long; up to 3" long for highly active foraging trails.
- Apply as many placements of Advion Ant Gel as possible to active foraging areas without disrupting the natural foraging behavior of ants.
- If Advion Ant Gel is used in refillable bait stations apply an amount of the Advion Ant Gel that does not exceed the capacity of the refillable bait station's bait reservoir.

Limitations, Restrictions, and Exceptions

Applications in Nonfood/Nonfeed Handling Areas

Advion Ant Gel is designed for use as a spot or crack and crevice treatment to control ants in residential structures and the non-food /non-feed areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.

Nonfood/non-feed areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning). Refer to section below for use directions and restrictions when making applications in food/feed handling areas of Food/Feed Handling Establishments.

Method

[Spot treatment](#)

[Spray](#)

Timings

[N.A.](#)