

# **CITRUS**

General Information

## **PRODUCT INFORMATION**

### **WHERE TO USE**

- On patios, walkways & driveways
- In flowerbeds & vegetable gardens
- Around shrubs & trees
- Along fences & foundations
- Other areas in your yard
- Edging around lawns
- In large areas:
  - a. For lawn replacement/renovation
  - b. For garden plot preparation

### **AMOUNT TO USE**

For Best Results, use 6 fl. oz. (12 Tbs) per gallon of water for established or tough weeds

### **MIXING INSTRUCTIONS**

Tank Sprayer (plastic, aluminum, fiberglass, plastic-lined steel or stainless steel)

- For easy-to-kill weeds such as seedlings, add 3 fl. oz. (6 Tbs) to 1 gallon of water.
- For tough, established weeds and for best results, add 6 fl. oz. (12 Tbs) to 1 gallon of water.

- Spot treat or spray evenly over 300 sq. ft.

1 Tablespoon (Tbs) = 3 teaspoons (tsp) 1 fl. oz. = 2 Tbs

Do not apply with a galvanized or unlined steel (except stainless steel) sprayer or through any irrigation system.

To clean sprayer after use, rinse sprayer and all sprayer parts with water 3 times. Spray rinse water on bare soil or gravel. After cleaning, sprayer may be used for other products.

#### HOW TO APPLY

- Spray the weeds or grasses you want to kill until thoroughly wet.
- When spot treating weeds around desirable plants, shield plants from drift with a sheet of cardboard or plastic. If desirable plants are accidentally sprayed, rinse off immediately with water.

**IMPORTANT:** Do not spray plants or grasses you like – they may die, too. Not recommended for spot weed control in lawns because GlyStar® Grass and Weed Killer Concentrate kills lawn grasses.

#### WHEN TO APPLY

- Apply when weeds and grasses are actively growing.
- For best results, apply during warm, sunny weather (above 60°F)
- Spray when air is calm to prevent drift to desirable plants.
- Rain or watering 2 hours after application will not wash away effectiveness.
- Apply when weeds are small and before seeds form.
- All ornamental flowers, trees and shrubs may be planted 1 day after application.

#### WHEN TO REPLANT

- All ornamental flowers, trees and shrubs and the following berries, fruits, vegetables and herbs may be planted 1 day after application: Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels

sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.

- The following fruits, vegetables and herbs may be planted 3 days after application: Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato (by seed) and watercress.

- Lawn grasses may be replanted 7 days after application.

- Tomatoes from transplant and unlisted fruits, vegetables and herbs may be planted 30 days after application.

## HOW IT WORKS

GlyStar Grass and Weed Killer Concentrate enters plants through foliage and moves systematically to the roots, killing weeds by stopping the production of a substance found only in plants. Any product not absorbed by plants breaks down into natural materials without moving in or on the soil to untreated plants. Weeds usually yellow and wilt within 2 to 4 days with complete kill in 1 to 2 weeks.

## Limitations, Restrictions, and Exceptions

### CITRUS

#### To Kill Vines

- If vines are growing up poles, fences, or tree trunks with mature bark, cut vines to a height of 3 to 4 feet and spray vines thoroughly.

- If vines are climbing shrubs, or tree trunks with green bark, cut vines at base and treat as directed for stumps or spray regrowth. If spraying regrowth, shield shrubs and green bark from spray drift with a sheet of cardboard or plastic.

#### To Kill Stumps:

- Cut living stump close to ground.

- Drive 4 to 5 holes into freshly cut stump.
- Immediately pour undiluted product into holes.

#### For Lawn Replacement:

Use GlyStar Grass and Weed Killer Concentrate to kill a lawn and weeds before planting new lawn.

- Skip one mowing before spraying.
- Use 6 fl. oz. (12 Tbs) per gallon of water for each 300 sq. ft.
- If soil is dry, water before application and 2 to 3 days after application.
- If green patches remain after 7 days, reapply.
- Wait 7 days for weeds and lawn to die. Repeat if necessary.
- Rake or till to prepare area for planting seed or sod.

#### Kudzu:

For best results, apply in mid to late summer when vines are mature and actively growing.

#### Wild Blackberry:

Spray anytime plants are actively growing. Dead canes should be cut down and removed. Reapplication is often required to kill deep roots.

#### Poison Ivy & Poison Oak:

Contact with these plants anytime of the year can cause an allergic reaction. Spray anytime plants are actively growing, but at least 4 weeks before the first killing frost in the fall. Reapply, if new growth appears. Handle dead plants with rubber gloves. Dispose of plants and rubber gloves in tightly sealed garbage bags.

#### For Flowerbed & Garden Preparation:

Use GlyStar Grass and Weed Killer Concentrate to kill weeds, grasses and brush before planting flowers, fruits, vegetables or herbs.

- If soil is dry, water before application and 2 to 3 days after application.
- Apply evenly over treatment area.
- Wait the number of days indicated below before planting.

#### Method

[Spot treatment](#)

[Spray](#)

[Spot treatment](#)

[Spray](#)

[Spot treatment](#)

[Spray](#)

#### Pre-Harvest Interval

1 day

#### Rates

[field rates 0](#)

[field rates 1](#)

•

#### Timings

[Postemergence \(Weed\)](#)

[When weeds are small and before seeds form.](#)

[During warm, sunny weather \(above 60°F\).](#)