

# **POTATOES, SWEET POTATOES AND YAMS - IN FURROW APPLICATION**

## General Information

## DIRECTIONS FOR USE

### Ground Application

Apply the specified rate of this product in sufficient water for thorough coverage of foliage for optimum disease control.

### Aerial Application

Apply the specified rate of this product in 3–5 gallons of water per acre for field crops. For tree crops, apply in no less than 10 gallons per acre.

## USE INFORMATION

Phiticide is a systemic product containing mono and dibasic phosphites. The phosphonic ion is effective in controlling downy mildew, brown rot, foot rot and other diseases caused by Phytophthora, Pythium and other related fungi by activating the plant's natural resistance mechanisms. When used in a complete Integrated Pest Management (IPM) disease control program with good cultural practices, this product will provide control of the listed diseases. To achieve the best results in disease control spraying, initiate before signs or symptoms of the disease are present or when the disease first appears or environmental conditions are conducive to disease development. The preharvest interval for this product is 0 days.

## Limitations, Restrictions, and Exceptions

## POTATOES, SWEET POTATOES AND YAMS

In-furrow application: For control (suppression) of storage rot diseases such as pink rot, caused by *Phytophthora erythroseptica*, and Pythium leak, caused by *Pythium* spp., apply 3.75 to 10 pints in combination with the labeled rate of a mefenoxam containing fungicide. Apply directly over the seed pieces prior to row closure in a

minimum of 3 gallons of water per acre.

When disease conditions are severe, the variety planted is susceptible or moderately susceptible to the disease or the field is located in a long growing season area, additional in-season foliar applications of tank mixes containing this product and a mefenoxam containing fungicide will provide additional control. See the label of the mefenoxam containing fungicide for more specific information.

Method

[In Furrow](#)

[Directed](#)

Rates

[field\\_rates 0](#)

- 

Restricted Entry Interval

4 hours

Timings

[N.A.](#)