

ORNAMENTALS - CYLINDROCLADIUM ROOT ROT AND PETIOLE ROT

General Information

PRODUCT INFORMATION

TERRAGUARD SC is a fungicide effective in controlling a variety of diseases on ornamental plants, greenhouse grown vegetables (tomato and cucumber) and specified fruit trees/vines (apple, pear and grape) that will not bear fruit for a minimum of 12 months. TERRAGUARD SC can be used in the following areas:

- Greenhouses and shadehouses
- Nurseries and Christmas tree/conifer plantations
- Interiorscapes

APPLICATION INSTRUCTIONS

TERRAGUARD SC provides excellent protectant activity and is most effective when applied prior to the onset of disease following specified rates. When not used in preventative programs, TERRAGUARD SC can also be applied after disease symptoms appear and provide good eradicant activity.

Applications can be made via foliar spray, soil drench, cutting soak and chemigation, using high and low volume hand guns, overhead booms/sprinklers and backpack spray applicators.

PLANT TOLERANCE:

Some cultivars of impatiens have shown a sensitivity to applications of TERRAGUARD SC.

RESTRICTIONS:

- When used on bedding plant plugs, do not exceed 2 fl oz/100 gal water.
- DO NOT USE ON IMPATIENS PLUGS.
- ON IMPATIENS TRANSPLANTS, DO NOT EXCEED 2 FL OZ/100 GAL.

Neither the manufacturer nor the seller has determined whether or not TERRAGUARD SC can be used safely on all ornamental plants. Prior to any large-scale application, the user should determine the safety of TERRAGUARD SC by testing a small number of the type of plants to be treated at the recommended

rates. Observe the treated plants for symptoms of phytotoxicity which may occur as stunting, foliage burn or, for plants being propagated, as an inhibition of rooting. This may take up to two months for species that do not root readily.

USE DIRECTIONS FOR CHEMIGATION:

In addition to the above use rates the following restrictions must be observed when using this product in any type of irrigation system:

Apply this product only through the following systems:

- 1) Overhead sprinklers such as impact or micro-sprinklers,
- 2) Micro-irrigation such as spaghetti-tube or individual tube irrigation,
- 3) Mist-type irrigation such as fog systems,
- 4) Hand-held calibrated irrigation equipment such as the hand-held wand with injector.

Do not apply this product through any other type of irrigation system.

Crop injury or lack of effectiveness, or illegal pesticide residues in the crop can result from non-uniform distribution of treated water.

If you have any questions about calibration, you should contact the State Extension Service specialists, equipment manufacturers or other experts.

Do not connect an irrigation system, (including greenhouse systems), used for pesticide application to a public water system unless the pesticide label prescribed safety devices for public water systems are in place.

A person knowledgeable of the chemigation system and responsible for its operation or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from backflow.

The pesticide injection pipeline must contain a functional, automatic, quick closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must also contain a functional, normally closed, solenoidoperated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the

supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decrease to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as a positive displacement injection pump (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

SYSTEMS CONNECTED TO PUBLIC WATER SYSTEMS

Public water system means a system for the provision to the public of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days of the year.

Chemigation systems connected to public water systems must contain a functional, reduced pressure zone, backflow preventer (RPZ) or the functional equivalent in the water supply line upstream from the point of pesticide introduction. As an option to the RPZ, the water from the public water systems should be discharged into a reservoir tank prior to pesticide introduction. There shall be a complete physical break (air gap) between the outlet end of the fill pipe and the top or overflow rim of the reservoir tank of at least twice the inside diameter of the fill pipe. The pesticide injection pipeline must contain a functional, automatic, quick closing check valve to prevent the flow of fluid back toward the injection pump. The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down. The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops, or in cases where there is no water pump, when the water pressure decreases to the point where the pesticide distribution is adversely affected. Systems must use a metering pump, such as a

positive displacement injection pump (e.g. diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

Do not apply when wind speed favors drift beyond the area intended for treatment.

Limitations, Restrictions, and Exceptions

ORNAMENTALS AND NON-BEARING FRUIT TREES/SHRUBS

FOLIAR SPRAYS: The application spray volume is 0.5 to 1 gallon of spray mixture to cover 200 sq ft of area or 100 to 200 gallons per acre. Required spray volumes will vary greatly depending on both the size and spacing of the plant, and should only be enough to ensure thorough coverage of the foliage just prior to the point of drip.

SOIL DRENCHES: Apply the specified rate of TERRAGUARD SC according to the guidelines below. The application should be made to plants which have been well watered one day prior to application. For best results, irrigation with additional water should not be made until 24 hours after application.

Restrictions:

- In Nassau and Suffolk Counties of New York, soil drench application is limited to container grown ornamentals only.
- Do not apply TERRAGUARD SC as a soil drench to field grown or outdoor grown ornamentals in Nassau and Suffolk Counties.

APPLICATION INSTRUCTIONS

- Apply soil drenches at 2- to 4-week intervals as needed. Use higher specified rate under heavier disease pressure which can occur under warmer conditions.
- NOTE: Applications may be made as a heavy spray over the foliage however, the volume applied should be the same as that required for the soil drench to insure adequate soil penetration.

RESTRICTIONS (for outdoor (nursery) applications only):

- Do not exceed a spray volume of 200 gallons per acre.
- Do not make more than 4 applications per crop per year.
- Do not exceed maximum application rate listed per disease in the tables above.
- Do not apply more than 32 fl oz (1.0 lb ai) per acre per year.

Method

Soil Drench

Rates

[field rates 0](#)

[field rates 1](#)

[field rates 2](#)

-

Restricted Entry Interval

12 hours

Timings

[At 2- to 4-week intervals as needed.](#)