

# **FOR SOIL APPLICATION TO ORNAMENTAL FLOWERS AND GROUNDCOVERS**

## General Information

### RESTRICTIONS

- Do not graze treated areas or use clippings from treated areas for feed or forage.
- Avoid runoff or puddling of irrigation water following application.
- Keep children and pets off treated area until dry.
- Avoid application of ENFORCE 75WSP to areas which are water logged or saturated, which will not allow penetration into the root zone of the plant.
- Do not apply more than 8.6 ounces (0.4 lb. of active ingredient) per acre per year.
- Treated areas may be replanted with any crop specified on an imidacloprid label, or with any crop for which a tolerance exists for the active ingredient.
- For crops not listed on an imidacloprid label, or for crops for which no tolerances for the active ingredient have been established, a 12-month plant-back interval should be observed.

### Limitations, Restrictions, and Exceptions

Rates: 1.6 ounces per 8,250-11,000 sq ft; 1 packet per 8,250-11,000 sq ft

### APPLICATION TO ORNAMENTALS

ENFORCE 75WSP can be applied to ornamental plants in commercial and residential landscapes and interior plantscapes. ENFORCE 75WSP is a systemic insecticide that is transported within the plant system from the roots to upper foliage. ENFORCE 75WSP must be applied into a growing area of the plant that allows absorption of the active ingredient. Adding soluble nitrogen-type fertilizers to the spray solution when appropriate can promote the uptake of the active ingredient.

Application can be made by foliar application or soil applications; including soil injection, drenches, and broadcast sprays. Foliar applications offer locally systemic

activity against listed insect pests.

The systemic translocation of active ingredient will be slower when applied to woody plants with soil applications. This delay can take 60 days or longer depending on species and size of plant. To offset this, make applications before anticipated pest infestation.

**RESTRICTION:** For outdoor ornamentals, applications cannot exceed a total of 8.6 ounces (0.4 lb. of active ingredient) per acre per year.

#### ANT MANAGEMENT PROGRAMS

Using ENFORCE 75WSP to control aphids, scale insects, mealybugs and other sucking pests on ornamentals will reduce ant populations because it removes honeydew as a food source. To enhance control of ants, supplement with residual sprays, bait placements or other ant control tactics.

#### APPLICATION EQUIPMENT FOR FOLIAR APPLICATIONS

ENFORCE 75WSP mixes readily with water and may be used in many types of application equipment. Add a commercial spreader/sticker to promote coverage on hard-to-wet foliage such as holly, pine, or ivy.

ENFORCE 75WSP is compatible with many commonly used fungicides, miticides, liquid fertilizers, and other insecticides. If applicator has no prior experience with a particular tank mix, check physical compatibility by making a small clear jar test using correct proportions of products to be tank mixed.

#### RESTRICTIONS FOR ALL ORNAMENTALS

- Keep people and pets off treated area until dry.
- Not for use in commercial greenhouses, nurseries, or on grasses grown for seed, or on commercial fruit and nut trees.
- Do not apply through any irrigation system.
- Do not apply to areas which are waterlogged or saturated, which will not allow penetration into the root zone of the plant.
- Do not apply this product, by any application method, to linden, basswood or other

Tilia species.

- Do not allow puddling of irrigation water following application.

FOR SOIL APPLICATION TO ORNAMENTAL AND NON-BEARING FRUIT & NUT TREES, SHRUBS, FLOWERS AND GROUNDCOVERS

(Only For Industrial, Commercial Buildings, Residential, and Landscaped Planting Areas) (Including State, National, and Private Wooded and Forested Areas)

For FLOWERS and GROUNDCOVERS -

Apply 1.6 ounces (1 packet) of ENFORCE 75WSP per 8,250 to 11,000 sq. ft.

Apply as a broadcast treatment and incorporate into the soil before piling or apply after plants are established. If application is made to established plants, best control is achieved by irrigating after application.

Method

[Broadcast](#)

Rates

[field\\_rates 0](#)

[field\\_rates 1](#)

•

Restricted Entry Interval

12 hours

Exception: If the product is applied by drenching, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

Timings

[Preplant](#)

[Postplant](#)