

LAWNS - ANTS, ARMYWORMS, ETC.

General Information

GENERAL INFORMATION

This product is for use on lawns, around home foundations (perimeter treatment), ornamental and flower gardens, and vegetable gardens for the control of the insect pests listed in the tables below.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch). In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Limitations, Restrictions, and Exceptions

LAWNS

Apply this product when insect activity or damage is first observed (lawn thins, brown spots appear, or moths fly up from the grass when mowed). Spread this product uniformly over lawn at the rates listed. Water-in product after application. Do not use any other weed, disease, or insect control products for at least one week after application. For best results and to prevent further damage, treat the entire lawn, not just the browned areas. Repeat application if there are signs of renewed insect activity.

NOTE: Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

In New York State, this product may NOT be applied to any grass or turf area (lawns) within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

In New York State, do make a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Uniformly apply 1 to 2 pounds over a 1,000 sq. ft. area of lawn using a spreader.

For control, apply 1 lb of product per 250 sq ft For best results, thoroughly water the treated area after application.

Method

[N.A.](#)

Rates

[field_rates 0](#)

[field_rates 1](#)

-

Timings

[When insect activity or damage is first observed insects.](#)