

PREMISES - IN AND AROUND HORSE, BEEF, DAIRY ETC.

General Information

DIRECTIONS FOR USE

For cattle and sheep, repeat treatment as needed, but do not exceed 5 fl. ozs. during any 14 day interval. For optimum lice control, two treatments at a 14 day interval are recommended.

Special Notes: This product is not effective in controlling cattle grubs. This is an oil-base, ready-to-use product that may leave an oily appearance on the hair coat of some animals. This product should be used in an integrated pest management system which may involve repeat treatments and the use of other pest control practices.

PRECAUTIONS AND RESTRICTIONS

Entry Restrictions

- For surface spray: Except when applying to dairy and beef cattle, calves, and sheep, do not enter or allow others to enter treated area until sprays have dried.
- For space spray or fog applications: Except when applying to dairy and beef cattle, calves, and sheep, do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated.

Application Restrictions

- Except when applying to dairy and beef cattle, calves, and sheep, do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to dairy and beef cattle, calves, and sheep, only protected handlers may be in the area during application.
- Not for use in outdoor residential misting systems.

- Not for metered release systems.
- Do not make outdoor applications during rain.
- Do not apply when food or feed is present.
- Do not apply by high pressure hand wand, hand held foggers, or fog/mist generators.
- When used in dairy barns or facilities: Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Other than applications to building foundations (up to a maximum height of 3 feet all outdoor applications are limited to spot and crack-and-crevice applications, only.
- Do not apply directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.
- Not for use in commercial animal premise automatic misting systems

Limitations, Restrictions, and Exceptions

PREMISES - IN AND AROUND HORSE, BEEF, DAIRY ETC.

APPLICATION INSTRUCTIONS:

For use as a ready-to-use spot spray or premise spray, use undiluted in a mist sprayer. Apply directly to surface to leave a residual insecticidal coating, paying particular attention to areas where insects crawl or alight.

One gallon will treat approximately 7,300 square feet.

Method

[Spray](#)

Rates

[field rates 0](#)

•

Timings

[N. A.](#)