

# **GENERAL-PURPOSE CLEANER FOR WALLS, FLOORS, FEED PAILS, WATERERS AND EQUIPMENT**

## General Information

BioSentry Acid-a-Foam Cleaner and Descaler is used as an alternative to regular hatchery, equipment or barn cleaner to remove detergent residues, mineral scale and other hard-to-remove elements. A clean surface is required for complete disinfection. Alternating between a good alkaline detergent and a good acid-based detergent maximizes surface cleanliness and, therefore, prepares the surface for the second step of disinfection. BioSentry Acid-a-Foam Cleaner and Descaler removes dirt, grime, protein and oils as well as minerals and adherent films.

## RECOMMENDED AREAS OF USE

**POULTRY HATCHERIES:** Walls, floors, ceilings of rooms, setters and hatchers. Manual cleaning of trays, racks, plastic flats, boxes.

**FARM USES:** As a general cleaner and deodorizer in poultry houses, swine and livestock barns, and as a wetting agent to wash down poultry houses, swine and livestock barns.

**FOOD PROCESSING PLANTS:** Use on floors, walls and shelves, utensils and walk-in-coolers. It cleans and brightens stainless steel, glass, plastic, concrete and tile in poultry, meat and canning plants.

## Limitations, Restrictions, and Exceptions

### GENERAL-PURPOSE CLEANER FOR WALLS, FLOORS, FEED PAILS, WATERERS AND EQUIPMENT:

Use BioSentry Acid-a-Foam Cleaner and Descaler at 0.75 - 2.5 % solution (1 - 3 ounces per gallon of water) (8 - 24 mL/L). Vary the amount depending on the soil load and how difficult the surface is to clean. This product may be used through high-pressure cleaning equipment, foaming devices, steam cleaners, or it may be used manually with a cloth, sponge or brush. After cleaning, rinse away soils with fresh water or wipe off with a clean sponge.

FOOD PROCESSING EQUIPMENT, UTENSILS AND OTHER FOOD CONTACT SURFACES:  
Clean as above.

Thoroughly rinse cleaned surfaces with potable water before they are reused.  
Where recommended or permitted, apply a sanitizer solution to food contact surfaces before reuse.

Method

[N.A.](#)

Rates

[field\\_rates 0](#)

[field\\_rates 1](#)

•

Timings

[N.A.](#)